ABBREVIATIONS: TYPICAL DETAILS: GENERAL NOTES: FWALL ABOVE NOW TOWN GENERAL MOTES -TYP. FTG. REINF. ANCHOR BOLT HOLLOW CONCRETE BLOCK CONCRETE: ALL CONSTRUCTION SHALL COMPLY WITH THE 1994 EDITION OF THE CALIFORNIA BUILDING CODE, CCR TITLE 24, PART 2 (CBC) AND CCR TITLE 24, PART 1, CHAPTER 4, GROUP 1, LATEST REVISIONS (MODIFICATIONS TO THE 1994 ABOVE HO HOLDOWN OF FTG. & TOP REINF. ADDK... HOR. ADDITIONAL HEADER CONCRETE SHALL DEVELOP A MINIMUM ULTIMATE COMPRESSIVE STRENGTH ADL ADJACENT HOOK OF 3000 PSI AT 28 DAYS IN ACCORDANCE WITH ASTM C31 AND C39. TESTING SHALL BE IN ACCORDANCE WITH CBC (CCR TITLE 24, PART 2) SECTION 1905A.B. THREE CYLINDERS FOR STRENGTH TESTS OF EACH UNIFORM BUILDING CODE (UBC), UBC STANDARDS AND UBC RECOGNIZED STANDARDS. — NOTE, ALL UBC RECOGNIZED STANDARDS AS APPLICABLE ARE REQUIRED FOR THIS PROJECT.) ALSO REFER TO THE DIVISION OF THE STATE ARCHITECT — STRUCTURAL SAFETY SECTION "INTERPRETATIONS OF REGULATIONS". SEE ESPECIALLY IR 23—8. THESE STRUCTURES ARE DESIGNED PER THE MODIFIED REQUIREMENTS TEMPORARY FOUNDATIONS (U.O.N.). 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE SAFETY OF THE BUILDING DURING CONSTRUCTION AND SHALL PROVIDE ADDIVIDE SUCKINACIANO ORACING. ALT. AL TERNATE HORIZ. HORIZONTAL NOTE: ALL BARS BENT COLD - NO FIELD BENDING ALLOWED. (FTG. THICKNESS) APPROX APPROXIMATE H.S. HIGH STRENGTH ARCHITECTURAL CLASS OF CONCRETE PLACED EACH DAY SHALL BE TAKEN BY THE OWNER'S INFORMATION TESTING LABORATORY NOT LESS THAN ONCE A DAY, NOR LESS THAN ONCE FOR EACH 50 CUBIC YARDS OF CONCRETE PLACED. PROVIDE 6% ENTRAINED AIR BY VOLUME WITH ADMIXTURE PER ASTM C260 FOR SITES ABOVE BUILDING INTERIOR BILKG. BLOCKING INTERMEDIAT INSIDE BEND CHAMETERS DURING CONSTRUCTION AND SHALL PROVIDE ADEQUATE SHORING AND BRACING DURING CONSTRUCTION. CONTRACTOR SHALL COMPLY WITH APPLICABLE SAFETY 1500 FEET IN ELEVATION, SEE ALSO COC SECTION 1904A.2. ALL CONCRETE SHALL BE CONSOLIDATED BY MECHANICAL MORATORS. BLW. BELOW BAR SIZE D BEAN .KW 3. ALL CONCRETE WORK SHALL CONFORM TO THE REQUIREMENTS OF THE CBC (CCR TITLE 24, PART 2) AND ACI STANDARD 318, LATEST EDITION, OF THE AMERICAN CONCRETE INSTITUTE, UNLESS SHOWN OR NOTED OTHER— 80 BOTTOM OF #3 TO #8 | 6d 3. DETAILS NOT SPECIFICALLY SHOWN SHALL BE SMILAR TO DETAILS FOR SMILAR CONSTRUCTION SHOWN ON THESE DRAWNES. LCTN. LOCATION 19, 110, 111 Bd BOTH SIDES MAXMUM 4. THE CONTRACTOR SHALL COORDINATE THE WORK OF ALL TRADES AND SHALL WISE ON THESE DRAWINGS. #14,#18 10d ESHPSEC SYNY CHECK ALL DIMENSIONS. ANY DISCREPANCIES SHALL BE CALLED TO THE ATTENTION OF THE OWNER AND BE RESOLVED BEFORE PROCEEDING WITH RETWEEN MECHANICAL #ISE ON THESE DINAMINGS. 4. AGGREGATE SHALL CONFORM TO ASTM C.J. AND OBC SECTION 1903A.3. GRADING OF COMBINED AGGREGATE SHALL BE PER TITLE 24, PART 2, TABLE 19A-J. (1" MAX. AGGREGATE). 5. CEMENT SHALL BE ASTM C150, TYPE I OR TYPE II. SEE ALSO REQUIREMENTS OF CBC SECTION 1903A.2. MANUFACTURER 100 CONSTRUCTION JOINT 5. NO STRUCTURAL MEMBERS SHALL BE OUT, NOTCHED OR OTHERWISE PENETRATED CENTERLINE MOOULE UNLESS SPECIFICALLY APPROVED BY THE STRUCTURAL ENGINEER IN ADVANCE OR SHOWN ON THESE DRAWINGS. INCREASE AS REQUIRED (TYP. BETWEEN STEPS AT SOIL) 6. REINFORCING STEEL SHALL BE DEFORMED CONFORMING TO ASTM A615 GRADE 40 UNLESS OTHERWISE NOTED. 7. WELDED WIRE FABRIC REINFORCEMENT SHALL CONFORM TO ASTM A185. CLEAR 6. TYPICAL DETAILS SHALL APPLY UNLESS SHOWN OTHERWISE ON THE DRAWINGS. 7. WHERE THESE GENERAL NOTES AND TYPICAL DETAILS ARE IN CONFLICT WITH THE SPECIFICATIONS, THESE GENERAL NOTES AND TYPICAL DETAILS SHALL GOVERN. 8. PROVIDE OPENINGS, CURBS, FRAMING AND/OR SUPPORTS FOR ITEMS INDICATED ON ARCHITECTURAL, MECHANICAL, ELECTRICAL OR OTHER DRAWINGS INCLUDED IN CONSTRUCTION DOCUMENTS. MASONRY UNIT CMU NEAR SIDE CONCRETE COL. COLUMN N.T.S. NOT TO SCALE WELDING OF REINFORCING STEEL SHALL BE PERFORMED ONLY WHERE INDICATED ON THE DRAWINGS AND SHALL BE IN COMPLIANCE WITH ALL REQUIREMENTS OF THE CBG, UBG STANDARD 19-2 AND THE CONCRETE O MOD. Q CONSTR CONSTRUCTION O.C. ON CENTER IN CONSTRUCTION DOCUMENTS. B. REFER TO ARCHITECTURAL DRAWINGS FOR DIMENSIONS AND OTHER INFORMATION NOT SPECIFICALLY SHOWN ON STRUCTURAL DRAWINGS. 10. ALL ELEVATIONS ARE REFERENCED FROM TOP OF FINISHED FIRST FLOOR ELEVATION = 0'-0". 11. PROVIDE INSPECTIONS, TESTS AND REPORTS IN ACCORDANCE WITH CCR TITLE 24, PART 2 AND CCR TITLE 24, PART 1, CHAPTER 4, CROUP 1. 12. IN ADDITION TO CONTINUOUS PROJECT INSPECTION, THE FOLLOWING SPECIAL INSPECTIONS. CONNECTION OPPOSITE HAND/OVERHANG TYPICAL (U.G.N.) REINFORCING STEEL WELDING CODE, AWS D1.4, LATEST REVISION, OF CONT CONTINUOUS THE AMERICAN WELDING SOCIETY. PROVIDE WELDING PROCEDURE AND MILL TEST REPORTS FOR ALL REINFORCEMENT TO BE WELDED. REINFORCING WITH C.E. ABOVE .75 SHALL NOT BE WELDED. ARCHITECT SHALL APPROVE WELDING PROCEDURE, WELDER QUALIFICATIONS AND MILL TEST REPORTS OPENING COMPLETE PENETRATION OPP. OPPOSITE CSX. COUNTERSINK PECE INSIDE BEND DIAMETERS - PH ADO'L, BINN. PRIOR TO EXECUTION OF WELDING. PROVIDE INSPECTION PER SECTION DOUBLE PLATE BAR SIZE PRESSURE PRESERVATIVE DETAIL 1928A.12, TITLE 24, PART 2. WALL HEIGHT INSPECTIONS SHALL BE REQUIRED, AS A MINIMUM: 9. COVERAGE FOR REINFORCING BARS SHALL BE IN ACCORDANCE WITH THE DOUGLAS FIR 1 1/2" AT ADJ BLOG WHERE OCCURS TREATED A. INSPECTION OF ALL WELDING FOR STRUCTURAL STEEL, PER TITLE 24, REQUIREMENTS OF THE CBC AND ACI STANDARD 318 UNLESS SHOWN OTHERWISE ON THE DRAWINGS. 10. LAP SPUCES FOR REINFORCING BARS SHALL BE 50 BAR DIAMETERS DIAG PLYWOOD DIAGONAL PART 2, SECTION 2212A.5. DIMENSION B. INSPECTION FOR CONCRETE AND CONCRETE REINFORCEMENT PLACEMENT. /5 2 1/2° PER TITLE 24, PART 1, CHAPTER 4, GROUP 1 AND TITLE 24, PART 2, REINFORCEMENT OR 18" MINIMUM UNLESS SHOWN OTHERWISE ON THE DRAWINGS. WIRE BARS TOGETHER AT LAPS OR SPLICES. STAGGER LAPS IN ADJACENT HORIZONTAL OR SLOPING REINFORCING BARS A MINIMUM OF THE REQUIRED SPLICE LENGTH. HOOKS AND BENDS SHALL BE CBG STANDARD PER COR TITLE 24, PART 2, SECTION 1907A.1 THROUGH 1907A.3 UNLESS SECTION 1701A DRWG DRAWING REQUIRED 13. ALL REQUIRED INSPECTIONS AND TESTS ARE THE RESPONSIBILITY OF THE OWNER. ALL INSPECTORS SHALL PROVIDE REPORTS AS REQUIRED BY TITLE 24, PART 1, CHAPTER 4, GROUP 1. J ar DIAMETER REDWOOD EXISTING SHEATHING 14. DIMENSIONS AND ELEVATIONS SHOWN ARE APPROXIMATE AND ARE PROVIDED AS AN SHOWN OTHERWISE. WELDED WIRE FABRIC SHALL BE SPUCED BY LAPPING A MINIMUM OF 12 INCHES OR TWO CROSS WIRES, WHICHEVER IS EACH SMIL AR AID IN INTERPRETING THE DRAWINGS ONLY. DIMENSIONS AND ELEVATIONS MUST BE EACH FACE VERIFIED WITH ARCHITECTURAL DRAWINGS. IN THE EVENT OF CONFLICT, DIMENSIONS AND ELEVATIONS SHOWN ON ARCHITECTURAL DRAWINGS SHALL GOVERN SQUARE STIRRUPS & TIES EXPANSION JOINT \$70. STANDARD 11. CONCRETE SHALL BE PLACED IN ACCORDANCE WITH ASTM C94 (UBC STANDARD 18-3) AND ACI STANDARD 304. ALSO COMPLY WITH ELEV. DRAWING SCALES GIVEN ARE APPROXIMATE - DO NOT SCALE PLANS OR DETAILS. ELEVATION STG'D. STAGGERED STD HOOKS AND BENDS 15. WHEN MODULE IS RELOCATED - DO NOT REINSTALL NAILS OR SCREWS IN EXISTING ENO NAIL STIFF. STIFFENER REQUIREMENTS OF COR TITLE 24, PART 2, SECTION 1905A. EQUAL UTC. VERT, REINS S.W. SHEARWALL 12. ALL EMBEDOED ITEMS SHALL BE PLACED ACCURATELY AND SECURED PRIOR EQUIP. EQUIPMENT S-1 IN REINF, STEEL SYMMETRICAL TO BEGINNING CONCRETE PLACEMENT, EACH SIDE 13. CONSTRUCTION JOINTS SHALL BE LOCATED SO AS NOT TO IMPAIR THE STRENGTH OF THE STRUCTURE. CONSTRUCTION JOINTS SHALL COMPLY EXTERIOR Tab TOP & BOTTOM AT ENDWALL / SIDEWALL EACH WAY TONCUE & GROOVE WITH COC SECTION 1906A.4. LOCATE CONSTRUCTION JOINTS AS SHOWN 1. STRUCTURAL FRANING SHALL BE HEM FIR - LARCH GRADED IN THRU THROUGH ON THE DRAWINGS OR APPROVED IN ADVANCE BY THE STRUCTURAL ACCORDANCE WITH THE STANDARD GRADING RULES OF THE WESTERN FINISH FLOOR T.N. TOE NAIL ENGINEER AND DSA. 14. PROVIDE SHOP DRAWINGS FOR ALL REINFORCING STEEL TO ARCHITECT FOR WOOD PRODUCTS ASSOCIATION OR STANDARD GRADING RULES NO. 18 FINISH GRADE r.a. OF THE WEST COAST LUMBER INSPECTION BUREAU, LATEST EDITIONS, GRADES SHALL BE AS FOLLOWS UNLESS NOTED OTHERWISE ON THE DRAWINGS. (HEM FIR SOUTH IS <u>NOT</u> ALLOWED.) EACH PIECE SHALL BE GRADE MARKED AND NO PIECE MAY FALL BELOW GRADES INDICATED. TOP OF STEP FOOTING DETAIL REVIEW AND APPROVAL PRIOR TO BEGINNING ANY FABRICATION. 15. CONTRACTOR SHALL PREPARE AND SUBMIT CONCRETE MIX DESIGNS TO THE FIN. rac ras TOP OF CONCRETE FLR. F.N. FNO. F.O.C. FLOOR ARCHITECT FOR APPROVAL PRIOR TO PLACEMENT OF ANY CONCRETE. CONCRETE MIX DESIGNS SHALL BE PER COC SECTION 1905A.2, METHOD A FACE NAIL TUBE STEEL TYPICAL **FOUNDATION** (TABLE 19A-A-7). [ALTERNATE MIX DESIGN: METHOD B OR C MAY BE USED PER CBC SECTION 1905A.2: THROUGH 1905A.3. METHOD B OR C MIX DESIGNS FACE OF CONCRETE ALL FRAMING EXCEPT AS NOTED F.O.M. F.O.S. PLYWOOD SHALL BE AS SHOWN ON THESE DRAWINGS WITH EXTERIOR GLUE IN ACCORDANCE WITH U.S. PRODUCT STANDARD PS 1-95. ALL PANELS SHALL BE MARKED WITH AN APA GRADE MARK WITH AN FACE OF MASONRY UNLESS OTHERWISE NOTED FACE OF STUD SHALL BE SIGNED BY A CIVIL ENGINEER LICENSED IN CALIFORNIA.] VERT. VERTICAL 15. ALL GROUT SHALL BE NONMETALLIC NON-SHRINK HIGH STRENGTH GROUT BY MASTER BUILDERS OR EQUIVALENT AS APPROVED BY THE ARCHITECT. UTILIZE PRODUCTS RECOMMENDED BY THE MANUFACTURER FOR EACH FAR SIDE IDENTIFICATION INDEX AS SHOWN ON DRAWINGS, USE 4'x8' PANELS, MINIMUM, EXCEPT AT BOUNDARIES AND FRAMING CHANGES WHERE MINIMUM PANEL DIMENSION SHALL BE 24° AT ROOFS AND FLOORS FTG. FOOTING GACE WORK POINT " O MAX WHERE APPLICATION AND INSTALL PER MANUFACTURER'S RECOMMENDATIONS. 17. REINFORCING AND EMBEDMENT ITEMS SHALL BE FREE OF EXCESSIVE SCALE OCCURS THRU FOOTING WELDED WIRE FABRIC GALV. GALVANIZED -NO EXCAVATION FOR PIPE GRID LINE 3º BOLTS FOR TIMBER CONNECTIONS SHALL CONFORM TO ANSI/ASME OR RUST, DIRT, GREASE, OIL OR ANY OTHER SUBSTANCE THAT WILL IMPAIR TRENCHES PARALLEL TO FOOTING BELOW THESE LINES QLU-LAM BEAM STANDARD B18.2.1-1981 AND 1991 EDITION OF THE NDS. BOLTS SHALL BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF BOND WITH CONCRETE. 18. OWNER SHALL PROVIDE INSPECTIONS IN ACCORDANCE WITH COR TITLE 24 GYPSUM BOARD FOR THE PLACEMENT OF CONCRETE AND CONCRETE REINFORCEMENT, FOR BOLTS INSTALLED IN CONCRETE AND FOR SAMPLING CONCRETE. OWNER'S OF THE LATEST EDITION OF THE NATIONAL DESIGN SPECIFICATION FOR WOOD CONSTRUCTION BY THE NATIONAL FOREST PRODUCTS 20 BAR DIA. INSPECTOR SHALL PROVIDE INSPECTION REPORTS TO THE ARCHITECT AND ASSOCIATION (NDS). BOLT HOLES SHALL BE 1/32 TO 1/16 INCH LARGER THAN BOLT DIAMETER. RE-TIGHTEN BOLTS BEFORE CLOSING THE DIVISION OF THE STATE ARCHITECT. ADDITIONALLY, PROVIDE TESTS AND INSPECTIONS IN ACCORDANCE WITH TITLE 24, PART 2, SECTION 1928A. A PLACING RECORD SHALL BE MAIN-IN WORK. BOLTS SHALL BE FULL BOOY STEEL BOLTS WITH MINIMUM ōŽ TAINED FOR ALL CONCRETE PLACED IN THE STRUCTURE. 4. LAG SCREWS SHALL BE STEEL AND CONFORM TO ANSI/ASME STANDARD PAD FOUNDATIONS: (SLIDING) BATCH PLANT INSPECTION, CEMENT AND REINFORCING 12515 ARE NO REQUIRED, THE QUANTITIES OF CONCRETE MATERIALS SHALL BE SPECIFICATION FOR WOOD CONSTRUCTION (NOS). HOLES FOR LAG SCREW SLEVE J FOUNDATION BEARING SHALL BE AS APPROVED BY THE DIVISION OF THE CERTIFIED BY A LICENSED WEIGHMASTER AND THE QUALITY OF SHANKS SHALL BE BORED THE SAME DEPTH AND DIAMETER AS THE SHANK. STATE ARCHITECT, AND THE OWNER'S ARCHITECT, IT IS THE SCHOOL THE RENAINING DEPTH OF PENETRATION OF THE SCREW SHALL BE BORED TO 70% OF THE SHANK DIAMETER. ONE QUARTER INCH (1/4") DIAMETER $\infty \supseteq$ WATERIALS SHALL BE VERIFIED BY THE OWNER'S TESTING AGENCY. BOJE: ALL PIPES TO CLR. SLEEVES BY 1" ALL AROUND -CAULK AS REQ'D DISTRICT'S RESPONSIBILITY TO PROVIDE ADEQUATE BEARING TO COMPLY WITH ALL REQUIREMENTS OF TITLE 24, PART 2, SECTIONS LAG SCREWS NEED NOT HAVE PRE-DRILLED HOLES IF IT CAN BE SHOWN THAT THE WOOD MEMBERS ARE NOT DAMAGED DURING INSTALLATION. PROVIDE FULL DIAMETER BODY LAG SCREWS WITH BENDING YIELD DEVELOP THE ALLOWABLE BEARING PRESSURE NOTED BELOW. 1928A.5.2 AND 1928A.6. LOCATE PIPES & CONDUIT PARALLEL FTG. SUCH THAT VERT. RISERS DO NOT CROSS 2. FOUNDATIONS ARE DESIGNED FOR A MAXIMUM DEAD PLUS LIVE LOAD 21. ALL CONCRETE WORK SHALL BE FORMED. CASTING OF FOUNDATION 엉ゔ CONCRETE AGAINST SIDES OF FOOTING EXCAVATIONS SHALL NOT BE ALLOWABLE SOIL BEARING PRESSURE OF 1000 PSF, AS PER IR 23-6. STRENGTHS PER TABLES 9.3 IN NOS. ADJ. HORIZ. PIPE/CONOUIT (TYP.) ALLOWED EXCEPT AS SPECIFICALLY APPROVED BY ARCHITECT, THE BOTTOM OF ALL FOOTINGS SHALL BE LEVEL, CHANGES IN FOOTING PROVIDE MALLEABLE IRON WASHERS OR EQUIVALENT OUT PLATE WASHERS (NOT LESS THAN A STANDARD OUT WASHER) UNDER NUTS AND BOLT STRUCTURAL ENGINEER AND THE DIVISION OF THE STATE ARCHITECT. ELEVATIONS SHALL BE MADE UTILIZING THE FOOTING SHIM DETAILS ON OR LAG SCREW HEADS WHICH BEAR ON WOOD. OK 22. MAX. CONC. SLUMP TO BE 3° 6. WOOD SCREWS SHALL CONFORM TO ANSI/ASME STANDARD BIB.6.1 AND THE 4. CENTER FOOTINGS UNDER WALLS OR COLUMNS UNLESS OTHERWISE 40 CONC. REINF. DETAIL REQUIREMENTS OF THE 1991 NATIONAL DESIGN SPECIFICATION FOR WOOD INDICATED ON THESE DRAWINGS. CONSTRUCTION BY THE NATIONAL FOREST PRODUCTS ASSOCIATION (NOS. CONCRETE FOUNDATION: PROVIDE PROPER GRADING OF SITE SUCH THAT WATER DOES NOT POND ζos GALVANIZED OR OTHER CORROSION RESISTANT COATING WHERE EXPOSED OR OTHERWISE COLLECT UNDER THE BUILDING. TO WEATHER OR USED IN FOUNDATIONS. SCREWS SHALL BE STEEL WIT M 0 OUT THREADS AND BENDING YIELD STRENGTHS PER TABLES 11.3 IN NOS. VERIFY THAT NO PIPES, UTILITIES, OR OTHER SUCH ITEMS OCCUR FOUNDATION BEARING SHALL BE AS APPROVED BY THE DIVISION OF THE 7. WOOD MEMBERS SHALL BE CLIT OR NOTCHED ONLY AS SHOWN ON STATE ARCHITECT AND THE OWNER'S ARCHITECT. IT IS THE SCHOOL DISTRICT'S RESPONSIBILITY TO PROVIDE ADEQUATE BEARING TO DEVELOP \$ O. A. 7. FOUNDATIONS ARE DESIGNED AS "SLIDING FOUNDATION", IN ACCORDANCE B. WHEN REQUIRED NAILING TENDS TO SPLIT WOOD NEMBERS, NAIL HOLES SHALL BE PRE-BORED TO 3/4 OF THE NAIL DIAMETER. WITH IR 23-8, TEMPORARY FOUNDATIONS. THE ALLOWABLE BEARING PRESSURE NOTED BELOW. FOUNDATIONS ARE DESIGNED FOR A MAXIMUM DEAD PLUS LIVE LOAD & STAIRS AND RAMPS SHALL BE PROPERLY ANCHORED TO BUILDING STRUCTURAL NAILING SHALL BE WITH FULL HEAD COMMON NAILS PER ALL ALLOWABLE SOIL BEARING PRESSURE OF 1000 PSF, AS PER TITLE 24, TABLE 18A-1-A OR IR 23-6. REQUIREMENTS OF 1991 NOS. NAILING NOT SPECIFICALLY INDICATED SHALL COMPLY WITH CCR TITLE 24, PART 2, TABLE 23A-1-Q. ALL NAILS SHALL BE GALVANIZED OR OTHER CORROSION RESISTANT COATING WHERE TO PREVENT SEPARATION. ALL BUILDINGS, PERMANENT OR OTHER RELOCATABLE, ADJACENT TO 3 THE BOTTOM OF ALL FOOTINGS SHALL BE LEVEL. CHANGES IN FOOTING THESE RELOCATABLE BUILDINGS MUST BE SEPARATED FROM THESE ELEVATIONS SHALL BE MADE UTILIZING THE TYPICAL FOOTING STEP DETAILS ON THESE DRAWINGS. EXPOSED TO WEATHER, IN FOUNDATIONS AND AS NOTED ON PLANS, PER THE RELOCATABLE BUILDINGS BY 12" MINIMUM. REQUIREMENTS OF CCR TITLE 24, PART 2, WITH MINIMUM BENDING YIELDS PER TABLE 12.38 IN NDS. (SEE NAIL EQUIVALENCE BELOW.) NOTE: ALL PIPES TO CLEAR SLEEVES BY 1" ALL AROUND - CAULK AS REQUIRED. PIPE NEVER TO BE MORE THAN 2"-8" BELOW BOTTOM OF FOOTING: ALL UTILITY CONNECTIONS MUST ALLOW FOR 12" MINIMUM CENTER FOOTINGS UNDER WALLS OR COLUMNS UNLESS OTHERWISE PER TABLE 12.38 IN NDS. (SEE NAIL EQUIVALENCE BELOW.) NAIL EQUIVALENCE: (PROVIDE MINIMUM NAIL LENGTHS AS REQUIRED FOR SPECIFIED PENETRATION, TYP. U.O.N.) 6d EQUIALS .11.3" DIA. — PROVIDE 1.36" MIN. POINT PENETRATION 8d EQUIALS .131" DIA. — PROVIDE *1.57" MIN. POINT PENETRATION 10d EQUIALS .148" DIA. — PROVIDE *1.78" MIN. POINT PENETRATION 16d EQUIALS .162" DIA. — PROVIDE *1.94" MIN. POINT PENETRATION 15 1.27" MENDERS HORIZONTAL MOVEMENT IN ANY DIRECTION WITHOUT DAMAGE, INDICATED ON THESE DRAWINGS. STEP FOOTING IF REQUIRED PER TYPICAL STEP DETAILS. FINISH GRADES SHALL BE WITHIN MAX 14" BELOW BOTTOM OF FLOOR PROVIDE PROPER GRADING OF SITE SUCH THAT WATER DOES NOT PIPES AT FOOTINGS JOISTS, WITHOUT EXCEPTION, POND OR OTHERWISE COLLECT UNDER THE BUILDING. JUN 2 0 2016 FOUNDATIONS ARE DESIGNED AS FIXED FOUNDATIONS IN ACCORDANCE WITH IR 23-8 OR TITLE 24, CHAPTER 18A. A. ALL BUILDINGS, PERMANENT OR OTHER RELOCATABLE, ADJACENT PAD FOUNDATIONS: (RESTRAINED) 96-1310 * 1 1/2" AT 2x MEMBERS TO THESE RELOCATABLE BUILDINGS MUST BE SEPARATED FROM THESE RELOCATABLE BUILDINGS BY 2" MINIMUM. 11. EXCEPT WHERE WORE STRINGENT CONSTRUCTION IS SHOWN ON THE 1. FOUNDATION BEARING SHALL BE AS APPROVED BY THE DIVISION OF THE DRAWINGS, WOOD CONSTRUCTION SHALL COMPLY WITH TITLE 24, STATE ARCHITECT, AND THE OWNER'S ARCHITECT. IT IS THE SCHOOL PART 2, SECTION 2326A, CONVENTIONAL LIGHT-FRAME CONSTRUCTION DISTRICT'S RESPONSIBILITY TO PROVIDE ADEQUATE BEARING TO 12/9/96 PROVISIONS, AS A MINIMUM. 12. PRESSURE PRESERVATIVE TREATMENT SHALL BE PER SECTION DEVELOP THE ALLOWABLE BEARING PRESSURE NOTED BELOW. FOUNDATIONS ARE DESIGNED FOR A MAXIMUM DEAD PLUS LIVE LOAD 2303A.I.3, COR TITLE 24, PART 2, PROVIDE QUALITY WARK ON ALL DRAWN BY ALLOWABLE SOIL BEARING PRESSURE OF 1000 PSF, AS PER IR 23-6. TREATED FOUNDATION MEMBERS FROM AGENCY APPROVED BY DSA. ALL STRUCTURAL STEEL: FOUNDATION MEMBERS SHALL BE MARKED AS "FOR GROUND CONTACT (LP22)" OR "FOR ABOVE GROUND USE (LP2)" AS APPROPRIATE. TREAT THE BOTTOM OF ALL FOOTINGS SHALL BE LEVEL. CHANGES IN FOOTING ELEVATIONS SHALL BE MADE UTILIZING THE FOOTING SHIM DETAILS ON ALL OUT ENDS OF PRESSURE TREATED WEMBERS WITH AN APPROVED 1. ALL STRUCTURAL AND MISCELLANEOUS STEEL SHALL BE ASTM A36 UNLESS SCALE THESE DRAWINGS. NOTED OTHERWISE. 2. TUBE MEMBERS SHALL BE ASTN A500 WITH MIN. YIELD STRESS OF 46,000 PSI. PRESERVATIVE. (WILLARD W/B COPPER GREEN 2% OR AN APPROVED NONE CENTER FOOTINGS UNDER WALLS OR COLUMNS UNLESS OTHERWISE EQUIVALENT). WHERE NOTED, MEMBERS BELOW THE SUB FLOOR THAT ARE NOT A PART OF THE FOUNDATION SHALL BE PRESSURE TREATED PIPE WENBERS SHALL BE ASTM ASJ WITH A MIN. YIELD STRESS OF JS,000 P.S.L. INDICATED ON THESE DRAWINGS. **APPROVED** PER LP2. A QUALITY CONTROL STAMP IS NOT REQUIRED FOR STRUCTURAL MEMBERS BELOW THE SUB FLOOR THAT ARE NOT PART I UNLESS OTHERWISE NOTED. LIGHT GAUGE STEEL PLATE (10 GAUGE AND PROVIDE PROPER GRADING OF SITE SUCH THAT WATER DOES NOT POND LESS) SHALL BE GALVANIZED AND PER THE REQUIREMENTS OF ASTM A36, ASTM A448 OR EQUAL WITH MINIMUM YIELD STRESS OF 33,000 PSI. OR OTHERWISE COLLECT UNDER THE BUILDING. THE FOUNDATION. 8. VERIFY THAT NO PIPES, UTILITIES, OR OTHER SUCH ITEMS OCCUR 13. IF MACHINE NAILING IS UTILIZED FOR THIS PROJECT, CONTRACTOR ALL BOLTS SHALL BE ASTM A307 MACHINE BOLTS UNLESS NOTED OTHERWISE. REVISIONS BELOW FOOTINGS. SHALL COMPLY WITH ALL REQUIREMENTS OF COR TITLE 24, PART 2, 5. ALL WELDING SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE SECTIONS 2311A.3.3. AND 2514A.3. MACHINE NAILING IS SUBJECT TO APPROVAL BY THE STRUCTURAL ENGINEER OR ARCHITECT AND FOUNDATIONS ARE DESIGNED AS "RESTRAINED FOUNDATION", IN ACCORDANCE CALIFORNIA BUILDING CODE (CBC) AND THE STRUCTURAL WELDING CODE -STEEL, AWS DI.I, LATEST EDITION, OF THE AMERICAN WELDING SOCIETY, INSPECTION OF ALL WELDING SHALL BE PROVIDED, SEE MUMBER & BELOW. A 2/4/97 WITH IR 23-6, TEMPORARY FOUNDATIONS. THE DIVISION OF THE STATE ARCHITECT. 14. PONDER DRIVEN FASTENERS SHALL BE BY HILTI, INC., HILTI 2 4/25/97 MSI REV a. ANCHOR FOOTINGS AT BUILDING PERIMETER WITH 1" # GALVANIZED 6. FABRICATION AND ERECTION OF STRUCTURAL AND MISCELLANEOUS STEEL STANDARD STEEL PIPES DRIVEN FLUSH WITH TOP OF WOOD FOUNDATION PADS AND PENETRATING SOIL 12" MINIMUM AT A MAXIMUM SPACING OF 10"-0" C.C. AT SIDEWALLS AND AT EACH FASTENING SYSTEMS - OR EQUAL. INSTALL IN ACCORDANCE WITH DRAWINGS AND THE MANUFACTURER'S RECOMMENDATIONS AND ICBO SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE LATEST EDITION OF THE SPECIFICATION FOR STRUCTURAL STEEL BUILDINGS, ALLOWABLE STRESS DESIGN AND PLASTIC DESIGN, OF THE AMERICAN CORNER EACH MODULE AT ENDWALLS. INSTITUTE OF STEEL CONSTRUCTION (AISC) (UBC CHAPTER 22, DIVISION IX). ALSO COMPLY WITH REQUIREMENTS OF THE AISC CODE OF STANDARD STAIRS AND RAMPS SHALL BE PROPERLY ANCHORED TO BUILDING TO PREVENT SEPARATION. PRACTICE FOR STEEL BUILDINGS AND BRIDGES. (THERE ARE NO SELF-SUPPORTING FRAMES ON THIS PROJECT - TEMPORARY BRACING IS REQUIRED UNTIL ALL ELEMENTS SHOWN ON STRUCTURAL DRAWINGS ARE IN ALL BUILDINGS, PERMANENT OR OTHER RELOCATABLE, ADJACENT TO THESE RELOCATABLE BUILDINGS MUST BE SEPARATED FROM THESE RELOCATABLE BUILDINGS BY 2" MINIMUM. 8. FINISH GRADES SHALL BE WITHIN MAX. 18" BELOW BOTTOM OF FLOOR 7. PRINE ALL STEEL SURFACES WITH AN APPROVED PRIMER, EXCEPT SURFACES TO BE EMBEDDED IN CONCRETE AND SURFACES TO RECEIVE FIELD WELDS AND OTHER EXPOSED STEEL SURFACES AFTER ERECTION. ALTERNATE: PROVIDE GALVANIZED PER JOISTS, WITHOUT EXCEPTION. ASTM STANDARDS. & PROVIDE TESTS AND INSPECTIONS IN ACCORDANCE WITH COR TITLE PLOT DATE: 04/28/97 24, PART 2, SECTION 2212A (CBC). ALL STEEL SHALL BE PROPERLY IDENTIFIED PER SECTION 2212A.1.