


EXTERIOR ELEVATIONS

DATE: 06-09-00	SCALE: NONE	DRAWN BY: R.S.	CHECKED BY:	CHECKED BY:	SERIAL NO.
----------------	-------------	----------------	-------------	-------------	------------

REVISIONS			
NO	DATE	DESCRIPTION	NO
▽			▽
▽			▽
▽			▽
▽			▽
▽			▽

2

PROJECT No.



IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
APPL. 03-104224
AC. 1002 1001
DATE

23'-8" WIDTH OF BUILDING F.S. TO F.S.

11'-10" MODULE/SECTION

11'-10" MODULE/SECTION

4 S2A HVAC UNIT WALL MOUNTED

1X6 CORNER TRIM SELECTED BY PAINTED COLOR AS DISTRICT

"2" BAR FLASHING-TYPICAL

* OVERHEAD OR UNDERGROUND SERVICE BY SCHOOL DISTRICT 1 1/4" THREADED NIPPLE FITTING ONLY BY AMS

5/8" A.P.A. PLYWOOD 303 SIDING, PAINT PER SPEC'S, SEE 4/S2A FOR SPLICE DETAIL.

STUB OUT AND CAP BY AMS. BY OTHERS OTHER FITTING

GROUND ROD SEE SHT. E1, AND CHASSIS.

#6 GND

LOCATION FOR F/A J-BOX

FINISH GRADE

FINISH FLOOR LINE

6'-8" TYP.

DOWNSPOUT

WINDOW HEIGHT

GUTTER STRAP, TYPICAL

MODULAR IDENTIFICATION TAG, +90° F.F.

1 1

2

1

3

1

2

3

TYPICAL FOUNDATION VENTS @ 2 SIDES
SEE STRUCTURAL SHIT. FOR LOCATION

5/8" x 30 3/4" SIDING

DOWNSPOUT

OUTLET

OVERHANG 5'-0"

40'-0" UNIT BELOW F.S. TO F.S.

2

SLOPE 3/16" PER FT

Architectural drawing showing the right side elevation of a building. The drawing includes the following details:

- Dimensions:**
 - 5'-0" OVERHANG (top right)
 - 40'-0" UNIT BELOW F.S. TO F.S. (main body)
 - 2'-0" OVERHANG (bottom left)
 - SLOPE 3/16" PER FT. (bottom center)
- Materials/Finishes:**
 - 5/8" 303 SIDING (main wall)
 - 5/8" 303 SIDING W/ NO GROOVES AT SKIRT, TYP ALL AROUND (top edge)
- Structural/Functional Details:**
 - TYPICAL FOUNDATION VENTS @ 2 SIDES SEE STRUCTURAL SHFT. FOR LOCATION (top edge)
 - GRADE LINE (top left)
 - FINISH FLOOR (top left)
 - DOWNSPOUT (left side)
 - HVAC UNIT (left side)
 - GUTTER (left side)
- Callout:** A circular callout labeled 'C' is located near the top left corner.