


INTELLECTUAL PROPERTY & PROPRIETARY RIGHTS STATEMENT
 COPYRIGHT © AMERICAN MODULAR SYSTEMS (AMS)
 AMS OWNS ALL COPYRIGHT AND OTHER INTELLECTUAL-PROPERTY AND PROPRIETARY RIGHTS IN THESE DRAWINGS, SPECIFICATIONS, AND THE MATERIAL CONTAINED HEREIN. THESE DRAWINGS, SPECIFICATIONS AND THE MATERIAL CONTAINED HEREIN MAY NOT BE REPRODUCED, COPIED, DISTRIBUTED, MODIFIED, OR OTHERWISE DISPOSED OF (DIRECTLY OR INDIRECTLY) AND MAY NOT BE USED (IN WHOLE OR IN PART) TO ASSIST IN THE MAKING OF, OR FOR THE PURPOSE OF FURNISHING ANY INFORMATION FOR THE MAKING OF, ANY BUILDINGS (MODULAR OR OTHERWISE), DRAWINGS, SPECIFICATIONS, PRINTS, APPARATUS, OR PARTS THEREOF, EXCEPT AS EXPRESSLY PERMITTED BY WRITTEN CONSENT OF OR IN A WRITTEN AGREEMENT WITH, AMS.


PRE-CHECKED SET NAME
24'x40' THRU 120'x40' HIGH PITCH MODULAR BUILDINGS

SITE SPECIFIC PROJECT NAME

SHEET TITLE
ENERGY CALCULATIONS



MANUFACTURER PROFESSIONAL OF RECORD ON PC
 THESE DRAWINGS ARE PRELIMINARY AND NOT FOR CONSTRUCTION UNLESS STAMPED & SIGNED BY THE ENGINEER OF RECORD.



ORIGINAL PC STATE AGENCY APPROVAL
 IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
PC 02-115726
 AC / FLS. / SSS
 DATE: 10-11-2018
PRE-CHECK (PC) DOCUMENT
 CODE: 2018 CBC
 A SEPARATE PROJECT APPLICATION FOR CONSTRUCTION IS REQUIRED.

REVISIONS
 DRAWN BY:
 SCALE: AS NOTED
 DATE:
 SHEET NUMBER

EN.9-02

Electrical Power Distribution
 CERTIFICATE OF COMPLIANCE
 Project Name: 2018 AMS 24x40 STANDARD PC
 Project Address: N/A (SITE SPECIFIC)
 Report Page: 12/07/2017

A. GENERAL INFORMATION
 Project Location (City):
 Occupancy Types Within Project:
 Office, Retail, Warehouse, Hotel/Motel, School, Support Area, Parking Garage, High-Rise Residential, Relocatable, Other (Write In):

B. PROJECT SCOPE
 Table Instructions: Include any electrical service systems that are within the scope of the permit application.

| OS | OS | OS | OS |
|--------------------------------|---------------|--------------|---|
| Electrical Service Designation | Scope of Work | Rating (kVA) | Utility Provided Metering System Exception to \$150,000 |
| | | | Where required, demand response controls must be specified which are capable of receiving and automatically responding to at least one standards based messaging protocol which enables demand response after receiving a demand response signal. Sections 6102.2, 6103.1 and 6103.2 and compliance documents NRC-0478, NRC-011 and NRC-015 will indicate when demand response controls are required. |

C. COMPLIANCE RESULTS
 Table Instructions: If this table says "DOES NOT COMPLY" refer to Table D for guidance and review the Table that indicates "No".

| OS | OS | OS | OS |
|---|---|--------------------------------------|--|
| Service Electrical Metering \$150,000 (See Table F) | Separation for Metering \$150,000 (See Table G) | Voltage Drop \$150,000 (See Table H) | Controlled Receptacles \$150,000 (See Table I) |
| AND | AND | AND | AND |
| Compliance Results | | | |

Electrical Power Distribution
 CERTIFICATE OF COMPLIANCE
 Project Name: 2018 AMS 24x40 STANDARD PC
 Project Address: N/A (SITE SPECIFIC)
 Report Page: 12/07/2017

D. EXCEPTIONAL CONDITIONS
 This table is auto-filled with uneditable comments because of selections made or data entered in tables throughout the form. No exceptional conditions apply to this project.

E. ADDITIONAL REMARKS
 This table includes remarks made by the permit applicant to the Authority having jurisdiction.

F. SERVICE ELECTRICAL METERING
 This Section Does Not Apply.

G. SEPARATION OF ELECTRICAL CIRCUITS FOR ENERGY MONITORING
 This Section Does Not Apply.

H. VOLTAGE DROP
 This Section Does Not Apply.

I. CIRCUIT CONTROLS FOR 120-VOLT RECEPTACLES AND CONTROLLED RECEPTACLES
 This Section Does Not Apply.

J. DECLARATION OF REQUIRED CERTIFICATES OF INSTALLATION
 Table Instructions: Information has been made based on information provided in previous tables of this document. If any section needs to be changed, please explain why in Table K. Additional Remarks. These documents must be provided to the building inspector during construction and can be found online at http://www.energy.ca.gov/energy_efficiency_standards.

| Form/Title | Pass | Fail |
|------------|--------------------------|--------------------------|
| ✓ | <input type="checkbox"/> | <input type="checkbox"/> |

K. DECLARATION OF REQUIRED CERTIFICATES OF ACCEPTANCE
 There are no Certificates of Acceptance applicable to electrical power distribution requirements.

Electrical Power Distribution
 CERTIFICATE OF COMPLIANCE
 Project Name: 2018 AMS 24x40 STANDARD PC
 Project Address: N/A (SITE SPECIFIC)
 Report Page: 12/07/2017

DOCUMENTATION AUTHORITY DECLARATION STATEMENT
 I, the undersigned, hereby declare that I am a duly licensed professional engineer in the State of California and I am responsible for the design and construction of the building design or system design identified on this Certificate of Compliance. I understand that a completed signed copy of this Certificate of Compliance is required to be included with the documentation the building permit to the building owner or occupant.

Documentation Author Name: JACOB P. JONES
 Documentation Author Signature: [Signature]
 Date Signed: 12/07/2017
 Address: 787 SPRECKELS AVE
 City/State/Zip: MANTENCA, CA 95336
 Phone: (209) 828-1921

Responsible Designer Name: RANDALL P. GAVANAGH
 Responsible Designer Signature: [Signature]
 Date Signed: 12/12/2017
 Address: 787 SPRECKELS AVE
 City/State/Zip: MANTENCA, CA 95336
 Phone: (209) 828-1921

