



- ### KEY NOTES
- 1 ROOF OVERHANG
 - 2 HVAC UNIT (HV)
 - 3 2 - 8"x4" MARKER BOARDS (SEE SPEC'S FOR TYPE)
 - 4 FINISH FLOORING (FF)
 - 5 INTERIOR FINISH (IF)
 - 6 FIRE EXTINGUISHER - 5 LBS DRY CHEMICAL WITH 2A-10BC UL RATING WALL MOUNTED BRACKET, HANDLE AT 48" AFF
 - 7 MODLINE (M)
 - 8 ELECTRICAL PANEL
 - 9 RAMP/LANDING (RM)
 - 10 SINK CABINET OPTIONAL LAV: KOHLER # K-2867 FAUCET CHICAGO 833-669
 - 11 NOT USED
 - 12 SIGNAGE PROVIDED AND INSTALLED BY DISTRICT PRIOR TO OCCUPANCY, SEE AS.O.
 - 13 COLD WATER SUPPLY
 - 14 WASTE AND VENT P.O.C.

- ### NOTES
1. METAL TAG ON ALL MODULES, MECHANICALLY ATTACHED TO REAR EXTERIOR OF BUILDING SHOW D.S.A. APPLICATION NUMBER, MANUFACTURER'S NAME AND SERIAL NUMBER.
 2. METAL TAG MIN. 3 1/2"x1 1/2" METAL I.D. W/
 1. DESIGN WIND LOAD
 2. DESIGN ROOF LOAD
 3. PROVIDE MIN. 3 1/2"x1 1/2" METAL TAG INSTALLED INSIDE THE ELECTRICAL PANEL SHOWING OPSC NUMBER AND DSA NUMBER.

FLOOR PLAN 24x40
 SCALE: 1/4" = 1'-0"

IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 AC 6 FLS SS TN
 DATE MAR 07 2001

IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 APP#3 117168
 AC 6 FLS SS TN
 DATE AUG 04 2018

REVISIONS	Electrical Engineer's Seal	Mechanical Engineer's Seal	Architect's Seal
1. CLARIFY OVERHANGS			

PC
CBC 1998

SEVERN COUNTY
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 PC-04
 10149
 DATE 06/23/2001

MODTECH INC.
 2830 BARRETT AVENUE
 PERRIS, CALIF. 92572
 PH (909) 943-4014
 FAX (909) 940-0427

PROJECT NUMBER: _____
 © MODTECH, INC. 1999

DRAWN BY: _____
 DATE: _____
 CHECKED BY: **SS**
 DATE: **10/22/18**

A1.0

FILE PATH: 2140-0-A1-01.DWG

3.0.5

PROJECT NO. PC-04-101419

FLOOR PLAN