

ORDIZ MELBY ARCHITECTS INC.
 PROJECT FOR: BAKERSFIELD CITY SCHOOL DISTRICT
 1300 BAKER ST BAKERSFIELD CA 93301

TRENCH THROUGH EXISTING SLAB
 APPENDUM DRAWING ADD-015
 JOB NUMBER 2002490
 DATE 1-4-2008

WOOD FLOORING W/OCCURS
 UNDER-FLOOR DUCT MOUNTING
 SEE ELECTRICAL

#4 REBAR TO RUN ENTIRE LENGTH OF TRENCH
 LAP 30 TIMES THE DIA OF MEMBER TYPICAL

#4 STEEL REINFORCING BAR
 W/ 12" EMBEDMENT INTO (E) SLABS

COMPACT EARTH BELOW TRENCH
 ACTION TYPICAL

VAPOR BARRIER SEAL SEAM
 TO EXISTING

(E) VAPOR BARRIER W/OCCURS
 TYPICAL

#4 REBAR TO RUN ENTIRE LENGTH
 OF TRENCH 6" FROM EDGE LAP 18"

#4 STEEL REINFORCING BAR
 W/ 12" EMBEDMENT INTO (E) SLABS

FLOORING PER
 FINISH SCHEDULE

COMPACT EARTH BELOW TRENCH
 90% COMPACTION TYPICAL

VAPOR BARRIER SEAL SEAM
 TO EXISTING

CONDUITS PER ELECTRICAL

ORDIZ MELBY ARCHITECTS INC.
 No. C-16835
 DEC. 31, 2008
 12/2/08

ORDIZ MELBY ARCHITECTS INC.
 PROJECT FOR: BAKERSFIELD CITY SCHOOL DISTRICT
 1300 BAKER ST BAKERSFIELD CA 93301

**PARTIAL FLOOR PLANS BUILDINGS "A" & "H"
 CUSTODIAN ROOM A-105 AND
 CUSTODIAN ROOM H-106**
 APPENDUM DRAWING ADD-025
 JOB NUMBER 2002490
 DATE 1-11-2008

NEW CONDUITS TO PASS BELOW EXISTING FOOTING
 EXISTING STRUCTURAL ELEMENTS NOT TO BE DISTURBED TYP.

ALL CONCRETE REPAIR PER APPENDUM DRAWING ADD-010

DEMOL THIS SECTION OF EXISTING CABINET
 ONLY

SEE APPENDUM DRAWING ADD-010 FOR DOWELING REQUIREMENTS

SAW CUT EXISTING CONCRETE SLAB FOR NEW ELECTRICAL
 CONDUITS INSTALLATION SEE ELECTRICAL DRAWINGS FOR ALL
 ELECTRICAL REQUIREMENTS BACK FILL ALL TRENCHES AND
 COMPACT TO 90% COMPACTION (TEST REQUIRED).

EXISTING CONCRETE TO REMAIN

EXISTING CONCRETE TO REMAIN

EXISTING CONCRETE TO REMAIN

EXISTING CONCRETE TO REMAIN

SEE APPENDUM DRAWING ADD-010 FOR DOWELING REQUIREMENTS

DEMOL THIS SECTION OF EXISTING CABINET
 ONLY

SAW CUT EXISTING CONCRETE SLAB FOR NEW ELECTRICAL
 CONDUITS INSTALLATION SEE ELECTRICAL DRAWINGS FOR ALL
 ELECTRICAL REQUIREMENTS BACK FILL ALL TRENCHES AND
 COMPACT TO 80% COMPACTION (TEST REQUIRED).

ALL CONCRETE REPAIR PER APPENDUM DRAWING ADD-010

EXISTING CONCRETE TO REMAIN

ORDIZ MELBY ARCHITECTS INC.
 No. C-16835
 DEC. 31, 2008
 12/2/08

ORDIZ MELBY ARCHITECTS INC.
 PROJECT FOR: BAKERSFIELD CITY SCHOOL DISTRICT
 1300 BAKER ST BAKERSFIELD CA 93301

**PARTIAL DEMOLITION PLAN BUILDING "C"
 EXISTING GIRLS TOILET ROOM C-104**
 APPENDUM DRAWING ADD 016
 JOB NUMBER 2002490
 DATE 1-4-2008

EXISTING CONCRETE TO REMAIN

REMOVE AND DISPOSE OF ALL REMAINING TILE AND MORTAR BESS AFTER
 LEAD ABATEMENT HAS BEEN COMPLETED AND CERTIFIED CLEAN. CONTRACTOR
 TO VERIFY ALL REMOVED PLUMBING FIXTURES AND ELECTRICAL CONDUITS ARE
 PRIOR TO START OF CONSTRUCTION.

REMOVE ALL EXISTING PLUMBING FIXTURES. SAW-CUT FLOORS AS REQUIRED
 TO RELOCATE NEW PLUMBING FIXTURES PER APPENDUM DRAWING ADD-008
 ALL REMOVED PLUMBING FIXTURES TO BE SALVAGED AND PRESENTED TO THE
 DISTRICT FOR DETERMINATION OF RE-USE AT OTHER SITES. ALL REJECTED
 ITEMS SHALL BE DISPOSED OF BY CONTRACTOR TYPICAL.

SAW-CUT EXISTING SLAB AT PERIMETER OF ROOM AND REMOVE EXISTING
 CONDUITS AND PLUMBING FIXTURES. DEMOLITION SHALL BE PERFORMED IN
 CONCRETE FLOOR BECA TO 90% COMPACTION (TEST REQUIRED) CONTRACTOR SHALL
 COORDINATE NEW FLOOR LEVEL FOR NEW TILE FLOOR AS REQUIRED PER SPECIFICATIONS
 SEE APPENDUM DRAWING ADD-001 FOR DOWELING REQUIREMENTS.

REMOVE AND DISPOSE OF ALL INTERIOR WALLS
 THIS ROOM TYPICAL

EXISTING DOOR AND
 FRAME PER FINISH
 SEE DOOR SCHEDULE

EXISTING CONCRETE TO REMAIN

SAW-CUT EXISTING CONCRETE SLAB FOR NEW ELECTRICAL
 CONDUITS INSTALLATION SEE ELECTRICAL DRAWINGS FOR ALL
 ELECTRICAL REQUIREMENTS BACK FILL ALL TRENCHES AND
 COMPACT TO 90% COMPACTION TEST REQUIRED.

EXISTING CONCRETE TO REMAIN

EXISTING TURF TO REMAIN

ORDIZ MELBY ARCHITECTS INC.
 No. C-16835
 DEC. 31, 2008
 12/2/08