HILLMAN & NOWELL
STRUCTURAL ENGINEERS
MUNICIPAL BUILDING, LOS ANGELES 17

OFFICE OF SUPERINTENDENT OF SCHOOLS
APPROVED
DATE

STATE OF CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE

STATE OF CALIFORNIA—DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE
APPLICATION NO. 11300
APPROVED NOV 4 - 1953
By Leonard W. Geddis
S.C. SUPERVISING STRUCTURAL ENGINEER

BAKERSFIELD CITY SCHOOLS
1600 "K" St., BAKERSFIELD, CALIF.
BOARD OF TRUSTEES
APPROVED DATE Nov 3, 1953

EMERSON JUNIOR HIGH SCHOOL
BAKERSFIELD CITY SCHOOL DISTRICT
FOURTH AND "P" STREETS
BAKERSFIELD CALIFORNIA

ERNEST L. McCOY A.I.A. ARCHITECT
2811 H STREET PHONE 4-9851
BAKERSFIELD CALIFORNIA

C-335
JOB NO. C3-1K

DATE 11-4
DRAWN H.E.M.
CHECKED

SHEET NO. OF 22 SHTS.

CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE BEFORE PROCEEDING WITH THE WORK. REPORT ANY DISCREPANCIES TO THE ARCHITECT

SECTIONS & DETAILS — UNIT "B"


D S-18
2x6 studs @ 16" o.c.
2x8 R.J. @ 16" o.c.
Ledger 2-16d/stud
2x6 crip/ds @ 16" o.c.
2x6 plates contin.
Exhlg 3-10d/blk
Brdw'l
9-8d/bd
2x14 e.w. @ 24" o.c.
2x4 plates 4'-0" min. @ splices, use 16d @ 4"o.c. bet'w ps.
Trip. hangers: see F-18 (to hangers @ ends of joists)
2x8 floor jsts @ 16" o.c.
3-8d/bd
Bdg
3-10d/stud
2x4 contin. 2-16d/stud
2x4 ceiling jsts @ 24" o.c.
1x3 shrpning @ 12" o.c.
Furr ceiling 16'-0"
Furr ceiling 8'-0"
2x8 exh. plan for width & elev.
#4 @ 36" o.c. Typ. Vert.
1-#5 contin. typ.
Typ. detail S-1
3x6 sills on ½" min. grout
5/8x12" bolts @ 2'-6" o.c. Typ.
Trip. L-grip type "C" one side, 2-10d toe nails opp. side, 2-8d toe nails, ea. stud.
Cont 3x6 sill on ½" min. grout 5/8x12" bolts @ 4'-0" o.c.
1-#5 contin. typ.
100'-0"
3-8d/bd
2x12 R.J. @ 16" o.c.
3-16d/stud
2x12 shrpng @ 12'-0" o.c.
2x8 ledger - 2-16d in
2-16d/stud
2x8 crip/ds @ 16" o.c.
2x6 plates contin.
Furr ceiling 8'-0"
Furr ceiling 16'-0"
2x4 contin. 2-8d/stud
2x4 ceiling jsts @ 24" o.c.
1x3 shrpng @ 12" o.c.
2x8 floor jsts @ 16" o.c.
3-8d/bd
Bdg
3-10d/stud
2x8 blkg. 3-16d/blk
2x4 contin. 2-8d/stud
Furr ceiling 8'-0"
2x8 studs @ 16" o.c.
2x8 plywood
Bdw'l
2x4 plates 4'-0" min. @ splices, use 16d @ 4" o.c. bet'w ps.
2x14 @ 24" o.c.
3-8d/bd
Trip. hangers: see F-18 (to hangers @ ends of joists)
2x14 e.w. @ 24" o.c.
2x6 studs @ 16" o.c.
2x6 ledger - 2-16d/stud
2x6 crip/ds @ 16" o.c.
2x6 plates contin.
Exhlg 3-10d/blk
9-8d/bd
Brdw'l
2x4 plates 4'-0" min. @ splices, use 16d @ 4" o.c. bet'w ps.
Trip. hangers: see F-18 (to hangers @ ends of joists)
2x8 floor jsts @ 16" o.c.
3-8d/bd
Bdg
3-10d/stud
2x8 blkg. 3-16d/blk
2x4 contin. 2-8d/stud
2x4 ceiling jsts @ 24" o.c.
1x3 shrpng @ 12" o.c.
Furr ceiling 16'-0"
Furr ceiling 8'-0"
2x8 exh. plan for width & elev.
#4 @ 36" o.c. Typ. Vert.
1-#5 contin. typ.
Typ. detail S-1
3x6 sills on ½" min. grout
5/8x12" bolts @ 2'-6" o.c. Typ.
Trip. L-grip type "C" one side, 2-10d toe nails opp. side, 2-8d toe nails, ea. stud.
Cont 3x6 sill on ½" min. grout 5/8x12" bolts @ 4'-0" o.c.
1-#5 contin. typ.
100'-0"
3-8d/bd
2x12 R.J. @ 16" o.c.
3-16d/stud
2x12 shrpng @ 12