

ELEVATION (A) SECTION

(10/A16) COOK'S TABLE
SCALE: 3/8" = 1'-0"



KITCHEN SIDE ELEVATION · ½" = 1'-0"



1 DETAIL · 3" = 1'-0"



2 DETAIL · 3" = 1'-0"



3 DETAIL · 3" = 1'-0"



D SECTION · ½" = 1'-0"



E SECTION · ½" = 1'-0"



REFLECTED PLAN · ½" = 1'-0"

NOTE:
HOOD SHALL BE CONSTRUCTED THROUGHOUT WITH 20 GA. #4 FINISH STAINLESS STEEL AND REINFORCED WITH ANGLES. SEE SPECIFICATIONS.



SECTION ELEVATION

F HANGER, DRIP & GUTTER DETAIL · 3" = 1'-0"



B SECTION AT STEAM TABLE · ¾" = 1'-0"

C SECTION AT TRAY STORAGE · ¾" = 1'-0"



PLAN · ½" = 1'-0"

(7/A-16) SERVING COUNTER PLAN, ELEVATION & DETAILS · SCALE AS NOTED

(2/A-16) RANGE HOOD DETAILS · SCALE AS NOTED



3 WALK-IN-BOX DOOR DETAILS · 1½" = 1'-0"



4 WALK-IN-BOX CEIL. DET. · 1½" = 1'-0"



DET. OF FLOOR BETWEEN HEATER RM. - KITCHEN & WALK-IN-BOX 1½" = 1'-0"
(6/A-16)



DET. OF FLOOR BETWEEN DISHWASHING RM. & WALK-IN-BOX 1½" = 1'-0"
(5/A-16)



DETAIL OF FLOOR BETWEEN DRY STORAGE & WALK-IN-BOX
(7/A-16)

NOTES:
1. 4" INSULATION SHALL BE 2-2" LAYERS INSTALLED AS PER MANUFACTURERS SPECIFICATIONS. ALL JOINTS SHALL BE STAGGERED, INCLUDING JOINTS AT FLOOR, WALLS & CEILING.
2. DEPRESS WALK-IN-BOX FLOOR SLAB 6 5/8" BELOW KITCHEN FLOOR SLAB.
3. VAPOR BARRIER AT WALLS & FLOOR SHALL BE 2-12# FELT LAYERS MOPPED WITH HOT ASPHALT. LAP ALL JOINTS 6" INCLUDING JOINTS AT FLOOR, WALLS & CEILING.

DETAILS OF WALK-IN-BOX SCALE 1½" = 1'-0"



HEAD



JAMB



SILL

6 SOILED DISHPORT · 3" = 1'-0"
(6/A-16)



SECTION · ELEVATION ½" = 1'-0"





NOTE:
HOOD SHALL BE CONSTRUCTED THROUGHOUT WITH 22 GA. #4 FINISH ST. STL. SEE SPECIFICATION.



HANGER DETAIL · 1½" = 1'-0"

(9/A-16) DISHWASHER HOOD DETAILS · SCALE AS NOTED

MISCELLANEOUS KITCHEN DETAILS

CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE BEFORE PROCEEDING WITH THE WORK. REPORT ANY DISCREPANCIES TO THE ARCHITECT.

OFFICE OF SUPERINTENDENT OF SCHOOLS
APPROVED
DATE

STATE OF CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE

STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS
20571 APPROVED DEC 1 1960
C. Murray Jr.

BAKERSFIELD CITY SCHOOL DISTRICT
BAKERSFIELD, CALIFORNIA
BOARD OF EDUCATION

APPROVED	DATE

MARK	DATE	REVISIONS
A		
A		
A		
A		
A		

BOARD OF EDUCATION
BAKERSFIELD CITY SCHOOL DISTRICT
DATE 12/9/1960
By John Kelsey
Executive Officer

DATE DEC 1-8 1960
DRAWN
CHECKED
B.E.T.TYDELL

Ernest L. McCoy
ERNEST L. McCOY A.I.A. ARCHITECT
2311 H. STREET
BAKERSFIELD
PHONE FA 6-8881
CALIFORNIA

C-540
JOB No. 60-16

SECTION 15 SCHOOL
PASADENA ST. & RENEGADE AVE.
BAKERSFIELD, CALIFORNIA

16
SHEET
OF 24
SHEETS