NEW 4"/0" W. STUB
INV. EL. 7.13.40
VERIFY EXACT LOCATION WITH CITY ENGINEER

400'

50'

S 3+00

S 2+00

S 3+00

E 2+00

S 1+00

S 0+00

E 0+00

E 1+00

E 2+00

E 3+00

E 4+00

E 5+00

E 6+00

E 7+00

E 8+00

E 9+00

E 10+00

180'

1 1/2 - 8"

113'

118'-9"

111'-0"

113'-9"

WATER SIGNS VALVE TURNED OFF
IT IS NEED TO BE
RELOCATED BEFORE THEY ARE
PUT BACK 1/02 SERVICE

OTS
12-9-77

SCALE 1/8" = 1'-0"

FRONT ELEVATION

SCALE 1/8" = 1'-0"

REAR ELEVATION

SCALE 1/8" = 1'-0"

SIDE ELEVATION

SCALE 1/8" = 1'-0"

PLUMBING SYMBOL

	NEW SOIL OR WASTE LINE
	HORIZONTAL VENT
	COLD WATER
	HOT WATER
	GAS PRESSURE GAS
	COMPRESSED AIR
	CLEAN OUT TO GRADE
	CLEAN OUT TO WALL
	GATE VALVE
	CHECK VALVE
	GLOBE VALVE
	PLUG COCK
	SPRINKLER
	FIRE SPRINKLERS

GENERAL NOTES:

1. BROWSE SUGGESTED SPRINKLERS WHERE REQUIRED ARE TABLE SPRINKLERS HEADS SHALL BE SPACED WITH APPROVED HEADS INSTALLED IN ACCORDANCE WITH NFPA 13 REQUIREMENTS.
2. ALL VENTS THRU ROOF SHALL BE 4" CAST IRON SOIL PIPE 10' FROM ROOF.
3. COMBINE VENTS WHERE POSSIBLE.
4. USE FLANGED COUPLING AT ROOF DRAIN FOR CAST IRON SOIL PIPE.
5. ALL WATER PIPING SHALL BE INSULATED WITH 1/2" THICK GLASS FIBER.
6. ALL HOT AND COLD WATER PIPING SHALL BE INSULATED WITH 1/2" THICK GLASS FIBER.
7. ALL PIPING SHALL BE CONCEALED IN WALLS AND CEILINGS.
8. ALL PIPING SHALL BE CONCEALED IN WALLS AND CEILINGS.
9. ALL PIPING SHALL BE CONCEALED IN WALLS AND CEILINGS.
10. ALL PIPING SHALL BE CONCEALED IN WALLS AND CEILINGS.

THIS FIXTURE IS REQUIRED FOR DISPOSAL OF SANITARY RADIUS

ROOF PLAN

SCALE 1/16" = 1'-0"

PLUMBING

SCALE 1/8" = 1'-0"

SECTION IS SCHOOL
PLANNING & DEVELOPMENT
BAKERSFIELD, CALIFORNIA

OFFICE OF SUPERINTENDENT OF SCHOOLS
APPROVED
DATE

STATE OF CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE

STATE ID. NO. (ASSIGNED BY DIVISION OF ARCHITECTURE)
2057.1
APPROVED DEC 19 1980

CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE BEFORE PROCEEDING WITH THIS WORK. REPORT ANY DISCREPANCIES TO THE ARCHITECT.

Bakersfield City School Dist.
Bakersfield, California
Board Of Education
BOARD OF EDUCATION
BAKERSFIELD CITY SCHOOL DISTRICT

APPROVED
DATE

ROBERT L. MCCOY A.I.A. ARCHITECT
6500 WEST GARCES
BAKERSFIELD
CALIFORNIA

DATE
CHECKED
DATE