

Note! Refer to & check with architectural drawings for various: floor slopes, dropped slabs, steps, walks, curbs, drains, etc. & dimensions not given.
All 4" conc. slabs on earth to be reinforced with 6"x6"/10-10 welded wire fabric @ mid-depth.

CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE BEFORE PROCEEDING WITH THE WORK. REPORT ANY DISCREPANCIES TO THE ARCHITECT.

OFFICE OF SUPERINTENDENT OF SCHOOLS
APPROVED
DATE

STATE OF CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE

STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS
20571 APPROVED DEC 19 1960
J. S. Wagner

BAKERSFIELD CITY SCHOOL DISTRICT
BAKERSFIELD, CALIFORNIA
BOARD OF EDUCATION
BOARD OF EDUCATION
BAKERSFIELD CITY SCHOOL DISTRICT
12/16/60
DATE
By John L. Coulter
Executive Officer

APPROVED:	DATE

MARK	DATE	REVISIONS
A		
A		
A		
A		

HILLMAN & NOWELL
STRUCTURAL ENGINEERS
816 WEST 5th ST. LOS ANGELES 17

DATE 19 1960
DRAWN J.L. PENTON
CHECKED PRESNELL

Ernest J. McCoy A.I.A.
ERNEST J. McCOY A.I.A. ARCHITECT
2311 H. STREET
BAKERSFIELD

SECTION 15 SCHOOL
PASADENA ST. & RENEGADE AVE.
BAKERSFIELD, CALIFORNIA

SHEET S-2
OF 24 SHEETS