

NOTE!
ALL WATER PIPE TO RUN UNDER FLOOR UNLESS OTHERWISE NOTED

ELECTRIC DRINKING FOUNTAIN:
8.0 GPH @ 80°F WATER, 90°F AMBIENT
1/6 HP AIR COOLED, HERMETIC;
PER "HAWS" MOD. HF-8S, DUAL HAND & FOOT CONTROL, STAINLESS STEEL TOP.; 2" W., 1/2" C.W.

FLOOR PLAN - ADMINISTRATION AREA - UNIT-2

SCALE 1/4" = 1'-0"

PIPING LEGEND

COLD WATER
HOT WATER
WASTE & SOIL
VENT

DIVISON OF ARCHITECTURE

STATE OF CALIFORNIA—DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE

18096 APPROVED DEC 22 1958

APPLICATION No. Per M.W. Sahlberg BSE
PRINCIPAL STRUCTURAL ENGINEER

BOARD OF EDUCATION

PRES.

SEC.

John L. Compton
11/24/58

PLUMBING
FLOOR PLAN - ADMINISTRATION AREA
UNIT TWO
PARK DRIVE SCHOOL
BAKERSFIELD CALIFORNIA

Whitney Biggar
WHITNEY BIGGAR ARCHITECT
MEMBER AMERICAN INSTITUTE OF ARCHITECTS
3601 STOCKDALE HIGHWAY
BAKERSFIELD, CALIFORNIA
29285 REGISTRATION C-1128

PROJECT NO. 81158
DRAWN BY:
CHECKED BY JR
DATE: 11/24/58
SHEET M-4 OF 59