

REAR ALT.



LEFT SIDE ALT.

24'x40' ALT. SINK ELEVATIONS

(FOR ATTACHMENTS, SEE APPLICABLE DETAILS) REVERSE SIMILAR

SCALE: 3/16"=1'-0"

THESE DRAWINGS AND / OR SPECIFICATIONS AND / OR CALCULATIONS FOR THE ITEMS LISTED BELOW HAVE BEEN PREPARED BY OTHER DESIGN PROFESSIONALS WHO ARE LICENSED AND AUTHORIZED TO PREPARED SUCH DRAWINGS IN THIS STATE. THESE DOCUMENTS HAVE BEEN EXAMINED BY ME AND HAVE BEEN FOUND TO MEET THE APPROPRIATE REQUIREMENTS OF TITLE 24, CALIFORNIA CODE OF REGULATIONS AND THE PROJECT SPECIFICATIONS PREPARED BY ME.
THE ITEMS LISTED BELOW ARE ACCEPTABLE FOR INCORPORATION INTO THE CONSTRUCTION OF THIS PROJECT FOR WHICH I AM THE INDIVIDUAL DESIGNATED TO BE IN GENERAL RESPONSIBLE CHARGE (OR FOR WHICH I HAVE BEEN DELIGATED RESPONSIBILITY FOR THIS PORTION OF THE WORK).
LIST ITEMS REVIEWED AND ACCEPTED: (FOR DRAWINGS, A LIST SHALL ACCEPTED DRAWINGS ARE TO BE ATTACHED).

LICENSED ARCHITECT STEPHEN A. GEIGER No. C-16788 RENEWAL 11/30/99 STATE OF CALIFORNIA

SIGNED: STEPHEN A. GEIGER, AIA DATE: OCT 18 1999

LICENSE # C-16788

EXP. DATE 11/30/99



24'x40' INTERIOR RESTROOM ELEVATIONS

(FOR ATTACHMENTS, SEE APPLICABLE DETAILS)

SCALE: 3/16"=1'-0"



REAR

REAR ALT.



RIGHT SIDE



RIGHT SIDE ALT.



LEFT SIDE



LEFT SIDE ALT.



FRONT



FRONT-ALT

24'x40' INTERIOR ELEVATIONS

(REVERSE SIMILAR)

SCALE: 3/16"=1'-0"



CLOSURE FOR ADJACENT UNITS REAR



REAR



RIGHT SIDE



CLOSURE FOR ADJACENT UNITS FRONT



LEFT SIDE



FRONT-ALT



FRONT

24'x40' EXTERIOR ELEVATIONS

(REVERSE SIMILAR)

SCALE: 3/16"=1'-0"

GENERAL NOTES

ALL FINISHES SHALL COMPLY WITH CBC CHAPTERS 5, 6, 7, 8, AND 10.

PROVIDE FOR UNDERFLOOR VENTILATION IN ACCORDANCE WITH CBC 2907.7.
1 SQUARE FOOT OF VENTILATION IS REQUIRED FOR EACH 150 SQUARE FEET OF UNDERFLOOR AREA.

TOTAL VENTILATION REQUIRED:
29'-0"x40'-0" = 997 SF / 150 = 6.29 SF

TOTAL VENTS REQUIRED:
WOOD PAD FOUNDATION - 8 @ 4'-0"x 4" CONCRETE FOUNDATION - 8 @ 4'-0"x 4"

VENTS SHALL BE LOCATED TO AVOID FOUNDATION PADS OR CONCRETE WORK, REFER TO SPECIFIC SITE PLANS FOR ACTUAL LOCATIONS.

OPENINGS SHALL BE LOCATED AS CLOSE TO CORNERS AS PRACTICAL AND SHALL PROVIDE CROSS VENTILATION. THE REQUIRED AREA OF OPENINGS SHALL BE EQUALLY DISTRIBUTED ALONG THE LENGTH OF AT LEAST TWO OPPOSITE SIDES.

VENTS SHALL BE CORROSION RESISTANT WIRE MESH WITH MESH OPENINGS OF 1/4 INCH.

ABBREVIATIONS:

HM	HOLLOW METAL
AL OR ALUM	ALUMINUM
NR	NOT RAISED
NO.	NUMBER
MIN.	MINIMUM
MAX.	MAXIMUM
AFF	ABOVE FINISH FLOOR
OVHG	OVERHANG
PR	PAIR

LEGEND

C	CLOCK OUTLET
D	DUPLEX OUTLETS
T	THERMOSTAT
S	SWITCH
S3 S4	TIMER SWITCH
J	JUNCTION BOX FOR PA SYSTEM
J	JUNCTION BOX FOR MANUAL PA PULL STATION

APPROVALS

IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT
APPR: 102897
AC: RS JV SS MC
DATE: JAN 23 2000

IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT OFFICE OF REGULATION SERVICES
PC 330
AC: RS JV SS KTS
DATE: 5/4/99

NOV 20 1997 RS #6

NORMAN A. GEIGER
AIA, CSI, CDT, ICBO
P.O. BOX 41054
Sacramento, CA 95841
(916) 332-2453 FAX
(916) 332-2453 PHONE

GRAFICS ARCHITECTURAL SERVICES

GEIGER

LICENSED ARCHITECT STEPHEN A. GEIGER No. C-16788 RENEWAL 11/30/99 STATE OF CALIFORNIA

IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT
APPR: 102861
AC: RS SS
DATE:

PACESETTER INDUSTRIES, INC.
P.O. BOX 1151, MODESTO, CA 95353 (209) 521-1600

24x40 RELOCATABLE BUILDING

SHEET CONTENTS:
GENERAL NOTES
LEGEND
EXTERIOR ELEVATIONS
EXTERIOR ALT. ELEVATIONS
INTERIOR ELEVATIONS
INTERIOR ALT. ELEVATIONS
RESTROOM ALT. ELEVATIONS
ALT. SINK ELEVATIONS
CLOSURE PANEL ELEVATIONS

DATE:	APRIL 28, 1997
REV #1	MAY 15, 1997
REV #2	JUNE 20, 1997
REV #3	AUGUST 1, 1997
REV #4	AUGUST 28, 1997
DRAWING SCALE:	AS SHOWN
PROJECT NUMBER:	97-05
SHEET	A3
OF	

COPYRIGHT 1997