

REAR ALT.



LEFT SIDE ALT.

24'x40' ALT. SINK ELEVATIONS

SCALE: 3/16"=1'-0"

(FOR ATTACHMENTS, SEE APPLICABLE DETAILS) REVERSE SIMILAR

THESE DRAWINGS AND / OR SPECIFICATIONS AND / OR CALCULATIONS FOR THE ITEMS LISTED BELOW HAVE BEEN PREPARED BY OTHER DESIGN PROFESSIONALS WHO ARE LICENSED AND AUTHORIZED TO PREPARED SUCH DRAWINGS IN THIS STATE. THESE DOCUMENTS HAVE BEEN EXAMINED BY ME AND HAVE BEEN FOUND TO MEET THE APPROPRIATE REQUIREMENTS OF TITLE 24, CALIFORNIA CODE OF REGULATIONS AND THE PROJECT SPECIFICATIONS PREPARED BY ME.
THE ITEMS LISTED BELOW ARE ACCEPTABLE FOR INCORPORATION INTO THE CONSTRUCTION OF THIS PROJECT FOR WHICH I AM THE INDIVIDUAL DESIGNATED TO BE IN GENERAL RESPONSIBLE CHARGE (OR FOR WHICH I HAVE BEEN DELEGATED RESPONSIBILITY FOR THIS PORTION OF THE WORK)
LIST ITEMS REVIEWED AND ACCEPTED: (FOR DRAWINGS, A LIST SHALL BE ALL ACCEPTED DRAWINGS ARE TO BE ATTACHED).

LICENSED ARCHITECT STEPHEN A. GEIGER No. C-16786 EXP. 11/30/99 STATE OF CALIFORNIA

Signed: Stephen A. Geiger, AIA DATE OCT 18 1999

LICENSE # C-16786

EXP. DATE 11/30/99



24'x40' INTERIOR RESTROOM ELEVATIONS

SCALE: 3/16"=1'-0"

(FOR ATTACHMENTS, SEE APPLICABLE DETAILS)



REAR

REAR ALT.



RIGHT SIDE

RIGHT SIDE ALT.



LEFT SIDE



LEFT SIDE ALT.



FRONT



FRONT-ALT

24'x40' INTERIOR ELEVATIONS

SCALE: 3/16"=1'-0"

(REVERSE SIMILAR)



CLOSURE FOR ADJACENT UNITS REAR



REAR



RIGHT SIDE



CLOSURE FOR ADJACENT UNITS FRONT



LEFT SIDE



FRONT-ALT



FRONT

24'x40' EXTERIOR ELEVATIONS

SCALE: 3/16"=1'-0"

(REVERSE SIMILAR)

GENERAL NOTES

ALL FINISHES SHALL COMPLY WITH CBC CHAPTERS 5, 6, 7, 8, AND 10.

PROVIDE FOR UNDERFLOOR VENTILATION IN ACCORDANCE WITH CBC 2907.11. 1 SQUARE FOOT OF VENTILATION IS REQUIRED FOR EACH 150 SQUARE FEET OF UNDERFLOOR AREA.

TOTAL VENTILATION REQUIRED:
29'-8"x40'-0" = 997 SF / 150 = 6.25 SF

TOTAL VENTS REQUIRED:
WOOD FND FOUNDATION = 8 @ 4'-0"x 4"
CONCRETE FOUNDATION = 8 @ 4'-0"x 4"

VENTS SHALL BE LOCATED TO AVOID FOUNDATION PADS OR CONCRETE WORK. REFER TO SPECIFIC SITE PLANS FOR ACTUAL LOCATIONS.

OPENINGS SHALL BE LOCATED AS CLOSE TO CORNERS AS PRACTICAL AND SHALL PROVIDE CROSS VENTILATION. THE REQUIRED AREA OF OPENINGS SHALL BE EQUALLY DISTRIBUTED ALONG THE LENGTH OF AT LEAST TWO OPPOSITE SIDES.

VENTS SHALL BE CORROSION RESISTANT WIRE MESH WITH MESH OPENINGS OF 1/ 4 INCH.

ABBREVIATIONS:

HM	HOLLOW METAL
AL OR ALUM.	ALUMINUM
NR	NOT RATED
NO.	NUMBER
MIN.	MINIMUM
MAX.	MAXIMUM
AFF	ABOVE FINISH FLOOR
O/MG	OVERHANG
PK	PAIR

LEGEND

- CLOCK OUTLET
- DUPLEX OUTLETS
- THERMOSTAT
- SWITCH
- TIMER SWITCH
- JUNCTION BOX FOR PA SYSTEM
- JUNCTION BOX FOR MANUAL PA PULL STATION

APPROVALS

IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT
APP#: 102897
AC ___ FLS 2 V SS MC
DATE JAN 25 2000

IDENTIFICATION STAMP REV. OF THE STATE ARCHITECT OFFICE OF REGULATION SERVICES
PC 330
AC ___ FLS ___ SS ___
DATE 5-4-99
NOV 20 1997 RSG #6

NORMAN A. GEIGER
AIA, CSI, CDT, ICBO
P.O. BOX 41064
Sacramento, CA 95841
(916) 332-2453 FAX
(916) 332-2453 PHONE

GRAFICS ARCHITECTURAL SERVICES
GEIGER

LICENSED ARCHITECT STEPHEN A. GEIGER No. C-16786 EXP. 11/30/99 STATE OF CALIFORNIA

IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT
APP#: 102861
AC ___ FLS ___ SS ___
DATE ___

PACESETTER INDUSTRIES, INC.
P.O. BOX 1131, MODESTO, CA 95353 (209) 521-1600

24x40 RELOCATABLE BUILDING

SHEET CONTENTS:
GENERAL NOTES
LEGEND
EXTERIOR ELEVATIONS
EXTERIOR ALT. ELEVATIONS
INTERIOR ELEVATIONS
INTERIOR ALT. ELEVATIONS
RESTROOM ALT. ELEVATIONS
ALT. SINK ELEVATIONS
CLOSURE PANEL ELEVATIONS

DATE:		APRIL 25, 1997
REV #1	1	MAY 19, 1997
REV #2	2	JUNE 20, 1997
REV #3	3	AUGUST 1, 1997
REV #4	4	AUGUST 26, 1997
DRAWING SCALE:		AS SHOWN
PROJECT NUMBER:		97-09

SHEET A3 OF