

INTERIOR ELEVATIONS (24x40)

SCALE 1/4" = 1'-0"

AS SHOWN
BY OPPOSITE

NOTE:
SEE ALT-C1 FOR ACTUAL
LAY-OUT / CONFIGURATION

CBC 1998
PC

KEYNOTES

- 1 TYPICAL INTERIOR FINISH- SEE SHEET 4.1
- 2 TYPICAL CEILING MATERIAL- SEE SHEET 4.1
- 3 EXTERIOR DOOR- SEE SHEET 4.1
- 4 ALUMINUM SLIDER WINDOW- SEE SHEET 4.1
- 5 CLOCK-SEE SHEET E.I.O
- 6 FINISH FLOORING- SEE SHEET 4.1
- 7 FIRE EXTINGUISHER- 5 LB DRY CHEMICAL WITH 2A-10B-C UL RATING. P.E. HANDLE @ 45° A.F.F.
- 8 HVAC RETURN
- 9 FIRE ALARM- PULL STATION LOCATED @ 4'-0" ON THE INTERIOR, HORN OR BELL LOCATED @ 8'-6" ON THE EXT. CONDUIT TO BE STRADDLED INTO ATTIC SPACE ONLY.
- 10 MARKERBOARD - SEE SHEET 4.1
- 11 ELECTRICAL PANEL 1A- SEE SHEET E.I.O
- 12 VINYL WRAPPED CLOSE-OFF BATT.
- 13 J-BOX FOR VISUAL WARNING DEVICE @ 4'-0" A.F.F.
- 14 ELECTRICAL OUTLET. SEE SHEET E.I.O (VERIFY EXACT LOCATION OF SHEET)


D.S.A.

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
04 - 101055
AC # FLS
DATE JUN 23 2016

D.S.A.

PORTION 1
IDENTIFICATION STAMP
DATE 06/23/16
AC # FLS
DATE JUN 23 2016

STRUCT. ENGINEER



LICENSE EXPIRES 6-30-1900

ARCHITECT

CHANGE ORDER

CHECKED BY

18533 Normandie Ave., Riverside, CA 92504
Phone (951) 788-7188
Fax (951) 788-0883
TURORA MODULAR INDUSTRIES

INTERIOR ELEVATIONS (24x40)

SHEET

A3.0

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
A - 03 117375
AC # FLS SS 87
DATE JUL 27 2016

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
04 115204
AC # FLS
DATE APR 14 2016

