



- KEYNOTES** **CBC 1998** **PC**
- EXTERIOR PLYWOOD SIDING/SHEATHING - NAIL W/ CORROSION RESISTANT 8d BOX NAILS @ 8" O.C. BOUNDARY & EDGES, AND 12" O.C. FIELD, WITH MOISTURE BARRIER SEE SHEET 4.0 FOR MATERIAL.
  - TYPICAL INTERIOR FINISH - SEE SHEET 4.1 FOR MATERIAL.
  - STEEL TUBE COLUMN - SEE SHEET 54.0 OR 54.1
  - SEALANT
  - MULTI DNST-PS OR RAMSET IS4 SD @ 24" O.C.
  - 2x4 TRIMMER
  - 2x4 FULL HEIGHT STUDS
  - 2x4 TOP PLATE
  - 2x4 BOTTOM PLATE
  - ROOF SHEATHING - SEE SHEET 54.0 OR 54.1
  - FLOOR SHEATHING - SEE SHEET 54.0 OR 54.1
  - GALVANIZED METAL FLASHING
  - 16d BOX NAILS @ 16" O.C.
  - NOT USED
  - STEEL FLOOR CHANNEL - SEE SHEET 54.0 OR 54.1
  - STEEL JOIST - SEE SHEET 54.0 OR 54.1
  - HOLLOW METAL DOOR FRAME
  - METAL DOOR
  - MOISTURE BARRIER
  - HEADER - (2) 2x4 H.F. STUD GRD. FLAT
  - DOOR BOTTOM WITH WEATHER STRIP
  - ALUMINUM THRESHOLD
  - HALL MOUNTED A/C
  - 4x4 H.F. & BETTER POST
  - 2x6 BLOCK BETWEEN STUDS. ATTACH W/ (2) 16d BOX NAILS EACH END OF BLOCKS INTO STUD
  - NOT USED
  - 11 6x4 x 24" LONG STEEL BOTTOM BRACKET
  - NOT USED
  - 3/8" DIA. x 2-1/2" LAG BOLTS, QTY AS INDICATED BY PRE DRILLED HOLES ON UNIT.
  - 5/4" x SPACER
  - NOT USED
  - NOT USED
  - 1x4 TRIM
  - NOT USED
  - NOT USED
  - NOT USED
  - VINYL-WRAPPED CLOSE OFF BATT. ATTACH W/ 8d FRESH NAILS @ 12" O.C. (2) @ TOP, & 6TH.
  - NOT USED
  - 10' MOD. HEADER @ PERIM. OF OVERHANG.
  - ROOFING-SEE SHEET 4.1
  - 26 6x6 GUTTER - SEE ROOF PLAN FOR LOCATION

NOTE: FRESH BUILDING FRESH LOAD IS 50 PSF USE D.F. 92 HOOD HEADERS.

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
A 03117375  
AC FLS SS 04  
Date JUL 27 2016

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
04 115 204  
AC FLS SS ENF  
DATE APR 11 2016

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
JACK SHAVELIN  
NOV 20 2017  
RENEWAL DATE

D.S.A. IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
OFFICE OF INSULATION REVIEWERS  
04-101055  
AC FLS SS 04  
DATE JUL 27 2016

D.S.A. PORTION 1  
INSULATION REVIEWERS  
04-101055  
AC FLS SS 04  
DATE JUL 27 2016

STRUCT. ENGINEER  
ARCHITECT

CHANGE ORDER

CHECKED BY

JURORA MODULAR INDUSTRIES  
18333 Jonsson Ave., Riverside, CA 92504  
Tel: (951) 782-0233  
Fax: (951) 782-0233

TYPICAL DETAILS  
PLYWOOD EXTERIOR  
(WOOD STUDS)

SHEET  
53.0