

HANDICAP ROOM SIGN (N.I.C.) 16
TO BE BLUE BACKGROUND W/ WHITE LETTERS


COLUMN AT CORNER 3"=1'-0" 11



WINDOW HEADER 6



DOOR HEAD 1

KEYNOTES

CBC 1998

PC

1. EXTERIOR PLYWOOD SIDING/SHEATHING - NAIL W/ CORROSION RESISTANT 8d BOX NAILS @ 6" O.C. BOUNDARY & EDGES, AND 12" O.C. FIELD, WITH MOISTURE BARRIER SEE SHEET 4.0 FOR MATERIAL.
2. TYPICAL INTERIOR FINISH - SEE SHEET 4.1 FOR MATERIAL
3. STEEL TUBE COLUMN - SEE SHEET S4.0 OR S4.1
4. SEALANT
5. 'HILTI' DN57-P8 OR 'RAMSET' 154 SD @ 24" O.C.
6. 2x4 TRIMMER
7. 2x4 FULL HEIGHT STUDS
8. 2x4 TOP PLATE
9. 2x4 BOTTOM PLATE
10. ROOF SHEATHING - SEE SHEET S4.0 OR S4.1
11. FLOOR SHEATHING - SEE SHEET S4.0 OR S4.1
12. GALVANIZED METAL FLASHING
13. 16d BOX NAILS @ 16" O.C.
14. NOT USED
15. STEEL FLOOR CHANNEL - SEE SHEET S4.0 OR S4.1
16. STEEL JOIST - SEE SHEET S4.0 OR S4.1
17. HOLLOW METAL DOOR FRAME
18. METAL DOOR
19. MOISTURE BARRIER
20. HEADER - (2) 2x4 W.P. STUD GRD. FLAT
21. DOOR BOTTOM WITH WEATHER STRIP
22. ALUMINUM THRESHOLD
23. WALL MOUNTED A/C
24. 4x4 W.P. & BETTER POST
25. 2x8 BLOCK BETWEEN STUDS. ATTACH TO STUDS W/ (2) 16d BOX NAILS EACH END OF BLOCKS INTO STUD
26. NOT USED.
27. 11 6d x 24" LONG STEEL BOTTOM BRACKET
28. NOT USED.
29. 5/8" DIA. x 2-1/2" LAG BOLTS, QNTY AS INDICATED BY PRE DRILLED HOLES ON UNIT.
30. 5/4" x SPACER
31. NOT USED
32. NOT USED
33. 1x4 TRIM
34. NOT USED
35. NOT USED
36. NOT USED
37. VINYL WRAPPED CLOSE OFF BATT. ATTACH W/ 8d FINISH NAILS @ 10" O.C. (2) @ TOP, & BTM.
38. NOT USED
39. 10"x10"dia. HEADER @ PERIM. OF OVERHANG.
40. ROOFING-SEE SHEET 4.1
41. 26 6a GUTTER - SEE ROOF PLAN FOR LOCATION

NOTE: WHEN BUILDING WIND LOAD IS 90 MPH USE D.F. #2 WOOD MEMBERS.



INTERIOR WALL ATTACHMENT 17


COLUMN AT MODLINE 3"=1'-0" 12



FASCIA 7



DOOR JAMB 2



INTERIOR WALL ATTACHMENT 18



PANEL JOINT 13


A/C @ SIDE 8



THRESHOLD 3



NT. WALL ATTACH @ MOD LINE 19



SOFFIT @ O'HANG (OPTIONAL) 14


A/C @ BOTTOM 9



WINDOW SILL 4



A/C OPENING IN HEADER 20



A/C OPENING IN HEADER 15



A/C OPENING IN HEADER 10



WINDOW JAMB 5

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
Appn3 116978
AC FLS SS
Date MAY 0 3 2016

D.S.A.
IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT OFFICE OF REGULATION SERVICES
04 - 101055
DATE

D.S.A.
PORTION 1
IDENTIFICATION STAMP
DIVISION OF THE STATE ARCHITECT
DSA SS/CC
DEC 1 6 2002

STRUCT. ENGINEER
REGISTERED PROFESSIONAL ENGINEER
LICENSE EXPIRES 6-30-2003

ARCHITECT

CHANGE ORDER

CHECKED BY

AURORA MODULAR INDUSTRIES
18533 Gramercy Ave., Riverside, CA. 92504
Phone (909) 788-7199
Fax (909) 788-0883

TYPICAL DETAILS
PLY'WD EXTERIOR
(WOOD STUDS)

SHEET
S3.0