

HANDICAP ROOM SIGN (N.I.C.) 16

TO BE BLUE BACKGROUND W/ WHITE LETTERS



COLUMN AT CORNER 3"=1'-0" 11



WINDOW HEADER 6



DOOR HEAD 1



INTERIOR WALL ATTACHMENT 17



COLUMN AT MODLINE 3"=1'-0" 12



FASCIA 7



DOOR JAMB 2



INTERIOR WALL ATTACHMENT 18



PANEL JOINT 13



A/C @ SIDE 8



THRESHOLD 3

KEYNOTES

CBC 1998

PC

1. EXTERIOR PLYWOOD SIDING/SHEATHING - NAIL W/ CORROSION RESISTANT 8d BOX NAILS @ 6" O.C. BOUNDARY & EDGES, AND 12" O.C. FIELD. WITH MOISTURE BARRIER SEE SHEET 4.0 FOR MATERIAL.
2. TYPICAL INTERIOR FINISH - SEE SHEET 4.1 FOR MATERIAL
3. STEEL TUBE COLUMN - SEE SHEET S4.0 OR S4.1
4. SEALANT
5. 'HILTI' DNS1-P8 OR 'RAMSET' 1514 SD @ 24" O.C.
6. 2x4 TRIMMER
7. 2x4 FULL HEIGHT STUDS
8. 2x4 TOP PLATE
9. 2x4 BOTTOM PLATE
10. ROOF SHEATHING - SEE SHEET S4.0 OR S4.1
11. FLOOR SHEATHING - SEE SHEET S4.0 OR S4.1
12. GALVANIZED METAL FLASHING
13. 16d BOX NAILS @ 16" O.C.
14. NOT USED
15. STEEL FLOOR CHANNEL - SEE SHEET S4.0 OR S4.1
16. STEEL JOIST - SEE SHEET S4.0 OR S4.1
17. HOLLOW METAL DOOR FRAME
18. METAL DOOR
19. MOISTURE BARRIER
20. HEADER - (2) 2x4 H.F. STUD GRD. FLAT
21. DOOR BOTTOM WITH WEATHER STRIP
22. ALUMINUM THRESHOLD
23. WALL MOUNTED A/C
24. 4x4 H.F. & BETTER POST
25. 2x6 BLOCK BETWEEN STUDS. ATTACH TO STUDS W/ (2) 16d BOX NAILS EACH END OF BLOCKS INTO STUD
26. NOT USED.
27. 11 6d x 24" LONG STEEL BOTTOM BRACKET
28. NOT USED.
29. 5/8" DIA. x 2-1/2" LAG BOLTS, QNTY AS INDICATED BY PRE DRILLED HOLES ON UNIT.
30. 3/4" x SPACER
31. NOT USED
32. NOT USED
33. 1x4 TRIM
34. NOT USED
35. NOT USED
36. NOT USED
37. VINYL WRAPPED CLOSE OFF BATT. ATTACH W/ 8d FINISH NAILS @ 10" O.C. (2) @ TOP. & BTM.
38. NOT USED
39. 10"x10ga. HEADER @ PERIM. OF OVERHANG.
40. ROOFING-SEE SHEET 4.1
41. 26 ga GUTTER - SEE ROOF PLAN FOR LOCATION



NT. WALL ATTACH @ MOD LINE 19



SOFFIT @ O'HANG (OPTIONAL) 14



A/C @ BOTTOM 9



WINDOW SILL 4

NOTE:
WHEN BUILDING WIND LOAD IS 80 MPH USE D.F. #2 WOOD MEMBERS.



A/C OPENING IN HEADER 20



A/C OPENING IN HEADER 15



A/C OPENING IN HEADER 10



WINDOW JAMB 5

D.S.A.

IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT OFFICE OF REGULATION SERVICES

04 - 101055

AC. DATE

D.S.A.

PORTION 1

IDENTIFICATION STAMP

DATE DEC 19 2001

STRUCT. ENGINEER

REGISTERED PROFESSIONAL ENGINEER JAMES T. BRADLEY No. 36483 STRUCTURAL STATE OF CALIFORNIA

LICENSE EXPIRES 6-30-2003

ARCHITECT

CHANGE ORDER

CHECKED BY

AURORA MODULAR INDUSTRIES
18333 Krameria Ave., Riverside, CA. 92504
Phone (909) 788-7186
Fax (909) 781-0283

TYPICAL DETAILS PLY'WD EXTERIOR (WOOD STUDS)

BY DATE

SHEET S3.0

C.A.D.D. FILE NO.

©1998 Aurora Modular Industries