CLASSROOM "A-1"

CLASSROOM "A-2"

CLASSROOM "A-3"

CLASSROOM "A-6"

CLASSROOM "A-7"

GIRLS

BOYS

ATHLETIC EQUIP.

UNIT "A"

CLASSROOM "B-1"

CLASSROOM "B-2"

CLASSROOM "B-3"

CLASSROOM "B-6"

CLASSROOM "B-7"

BOILER RM.

JANITOR

SPECIAL TRAINING CLASSROOM "B-8"

UNIT "B"

EXISTING BUILDING

EXISTING BUILDING

EXIST. BOYS TOILET

EXIST. GIRLS TOILET

EXISTING 4"V.C. SEWER

NEW 4" C.O.

DIRECT ENTRY 4"

ABANDONED MANHOLE

TO SEWER

PLUMBING PIPING SCHEDULE

W.	SOIL OR WASTE
V.	VENT
C.W.	COLD WATER
H.W. 6"	DOMESTIC HOT WATER-180° TO DISHWASHER
H.W.	DOMESTIC HOT WATER-140° TO FIXTURES
G.S.	GAS
C.O.	CLEANOUT
G.V.	GATE VALVE
CHK.V.	CHECK VALVE
	EXISTING SEWER

PLUMBING PLAN - UNITS A & B

SCALE: 1/8" = 1'-0"

PLUMBING PLAN

CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE BEFORE PROCEEDING WITH THE WORK. REPORT ANY DISCREPANCIES TO THE ARCHITECT.

OFFICE OF SUPERINTENDENT OF SCHOOLS
APPROVED
DATE

STATE OF CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE

STATE OF CALIFORNIA—DEPARTMENT OF PUBLIC WORKS DIVISION OF ARCHITECTURE
APPLICATION NO. APPROVED
SUPERVISING STRUCTURAL ENGINEER

BAKERSFIELD CITY SCHOOLS
1600 K ST. BAKERSFIELD, CALIF.
BOARD OF EDUCATION

APPROVED DATE

ADDITIONS & ALTERATIONS TO
HORACE MANN ELEM. SCHOOL
2710 NILES STREET
BAKERSFIELD, CALIFORNIA

ERNEST L. McCOY A.I.A. ARCHITECT
2811 H STREET
BAKERSFIELD
PHONE 4-9851
CALIFORNIA

0-335
JOB No.

DATE
BY
DRAWN
CHECKED

SHEET NO.
M
OF