


- ### KEY NOTES
- 1 C 14 X 12GA. □ HEADER
 - 2 □ 4 X 3 X 12 GA.
 - 3 PLYWOOD ROOF SHEETING 3/4" CD EXPOSURE 1 P.I.I 48/24 PSI-83 PLYCLIPS AT 16" O.C. LONG EDGES. #10-1-1/4" SELF TAPPING FLAT HEAD SCREWS AT 6" O.C. TO PERIMETER FRAME. AEROSMITH AKN 144.0175 DRIVE PINS AT 6" O.C. AT SUPPORTED EDGES AND 6" O.C. FIELD TO PURLINS. PLYWOOD PATTERN SHOWN IS TYPICAL THRU OUT. *(ALTERNATE: USE AEROSMITH AKN 144.0175 DRIVE PINS AT 6" O.C. PERIMETER)
 - 4 TAPERED ROOF BEAM 10GA. □ SEE 7/S3.1
 - 5 NOT USED
 - 6 11/16" DRILL SEE DETAIL 1/S4.0
 - 7 □ 13 3/8"x14GA. FACIA @ 2' OVERHANG
 - 8 □ 10" X 12 GA. ROOF FASCIA @ 5' OVERHANG
 - 9 E.N. THIS LINE
 - 10 8"x3 1/2" x 14 GA. ROOF OVERHANG BEAM

MONO ROOF FRAMING PLAN

SCALE 1/4"=1'-0"



IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
AC / FLS / SS / TN
DATE JAN 07 1999
APP# 3 117168
Date AUG 04 2018
STKP-42M 1/24/98

REVISIONS	Electrical Engineer's Seal	Mechanical Engineer's Seal	Structural Engineer's Seal	Architects Seal	Division of the State Architect	MODTECH INC.	PROJECT NUMBER: 29 86	© MODTECH, INC. 1997	drawn by: 4012-088	date: 05 JAN 99	checked by:	date:	Modtech Project no:	MODTECH Index No:
▲														
▲														
▲														
▲														

Electrical Engineer's Seal

Mechanical Engineer's Seal

Structural Engineer's Seal

Architects Seal

Division of the State Architect

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
PC-266
DATE JUL 25 1999

MODTECH INC.
2830 BARRETT AVENUE
PERRIS, CALIF. 92572
PH (909) 943-4014
FA (909) 940-0427

PROJECT NUMBER: 29 86

© MODTECH, INC. 1997

drawn by: 4012-088
date: 05 JAN 99
checked by:
date:
Modtech Project no:
MODTECH Index No:

ROOF FRAMING PLAN

SA2.0

FILE # P-05 SA2.0.WG

PROJECT NO. 2986