



TYPICAL SUPPORT OF 2" x 4" HP OR
KILLER RAFTERS AT ROOF

DETAIL AT BUILDING
DETAIL OF DIAGONAL ROD END
IN CONCRETE WALL TO REQUIRE 2" x 4" HP

ROOF FRAMING PLAN
Scale 1/8" = 1'-0"

NOTE: 1. All steel members shall be galvanized steel.
2. All steel members shall be painted with a rust-inhibiting paint.
3. All steel members shall be bolted with A307 bolts.

NOTE: 1. The weight of the roof shall be supported by the walls and columns.
2. The roof shall be designed for a live load of 20 psf.

STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS DIVISION OF ARCHITECTURE APPROVED: <i>[Signature]</i> REGISTERED ARCHITECT	STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS DIVISION OF ARCHITECTURE APPROVED: <i>[Signature]</i> REGISTERED ARCHITECT	STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS DIVISION OF ARCHITECTURE APPROVED: <i>[Signature]</i> REGISTERED ARCHITECT	STATE OF CALIFORNIA DEPARTMENT OF PUBLIC WORKS DIVISION OF ARCHITECTURE APPROVED: <i>[Signature]</i> REGISTERED ARCHITECT
PROJECT: VIRGINIA COLONY SCHOOL ARCHITECT: STANTON WILLARD DATE: 4-11-40	PROJECT: VIRGINIA COLONY SCHOOL ARCHITECT: STANTON WILLARD DATE: 4-11-40	PROJECT: VIRGINIA COLONY SCHOOL ARCHITECT: STANTON WILLARD DATE: 4-11-40	PROJECT: VIRGINIA COLONY SCHOOL ARCHITECT: STANTON WILLARD DATE: 4-11-40