



American Modular Systems

24 X 40 RELOCATABLE CLASSROOMS BAKERSFIELD CITY SCHOOL DISTRICT

TEST AND INSPECTION LIST

SHEET No. INDEX DESCRIPTION

TESTING LABORATORY: _____ DATE: _____
 NAME: _____
 DISTRICT/OWNER: _____
 DIVISION-FILE NO. _____ APPLICATION NO. _____
 ARCHITECT: _____
 STRUCTURAL ENGINEER: _____

TS-1	TITLE & BUILDING DATA NOTES
N-1	GENERAL NOTES
1	FLOOR PLAN & NOTES
2	EXTERIOR ELEVATIONS
3	CEILING GRID, DETAILS & NOTES
4	INTERIOR ELEVATIONS & OPTIONAL PLANS
S1	FOUNDATION PLAN WOOD, DETAILS & NOTES 50#
S2	FLOOR FRAMING PLANS
S2A	BUILDING SECTIONS & WALL DETAILS
S3	ROOF FRAMING PLAN & DETAILS
S3A	ROOF FRAMING DETAILS
S4	FRAMING ELEVATIONS & DETAILS
M1	MECHANICAL PLAN, DETAILS & NOTES
E1	ELECTRICAL PLAN, DETAILS & NOTES

COMPACTED FILL	TEST	CONCRETE	UNIT	GROUT/MORTAR
Fill material, compressive tests				
Compaction control, continuous				
Compaction tests only, as ordered				
Binding capacity of concrete in				
REINFORCING STEEL				
Surface and test, for steel				
Surface and test, for steel				
STRUCTURAL STEEL				
Surface and test, as detailed later				
Surface and test, for steel				
Surface and test, for steel				
CONCRETE				
SUITABILITY TESTS				
Inspection of walls - Shop				
Inspection of walls or bolting - Shop				
Inspection of walls or bolting - Field				
Inspection of walls or bolting - Field				
BRICK AND BLOCK				
Surface and test				
Surface and test				
GLUED LAMINATED STRUCTURAL LUMBER				
Surface and test, for steel				
Surface and test, for steel				

OCCUPANCY E-1
 TYPE OF CONSTRUCTION V - NON-RATED
 WIND LOAD (80 MPH EXPOSURE C) 21 LBS/SQ FT
 FLOOR LIVE LOAD 50 LBS/SQ FT
 ROOF LIVE LOAD 20 LBS/SQ FT (REDUCIBLE)
 BUILDING AREA 960 SQ FT
 FIRE MARSHAL - CALIFORNIA BUILDING CODE (CBC)
 TITLE 24, PART 2, CCR (1997 UBC W/ CAL. AMENDS)
 TITLE 24, PART 3, CCR (1996 NEC W/ CAL. AMENDS)
 TITLE 24, PART 5, CCR (1997 UBC W/ CAL. AMENDS)
 TITLE 24, PART 9, CCR (1997 UBC W/ CAL. AMENDS)
 TITLE 24, PART 12, CCR (1997 STD. W/ CAL. AMENDS)
 TITLE 19

STRUCTURAL - 1998 CALIFORNIA BUILDING CODE (CBC)
 TITLES 24 PARTS 1 AND 2

MODULES MOMENT-RESISTANT
 SYSTEM (2) 12' X 40' MODULES
 FOUNDATION PRESSURE TREATED WOOD
 SEISMIC ZONE 4
 SEISMIC SOURCE A
 DISTANCE FROM SEISMIC SOURCE \leq 2 KM
 SOIL TYPE S_5

BASED ON PC# 02-101837

FILE NO. _____
 IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 AC. _____ FLS. _____ SS _____
 DATE _____

JOB NO. _____
 DATE: JULY 11, 2001
 SHEET NUMBER
 TS-1
 BINDING ORDER 1



333 EAST CARRISSE CT. MANTECA, CALIFORNIA 95337
 PHONE (209) 825-1921 FAX (209) 825-7018