



- ### KEY NOTES
- TS 2" x 2" x 14ga
  - TS 1 1/2" x 1 1/2" x 14ga (Fy = 39 KSI)
  - TS 1 1/4" x 1 1/4" x 14ga (Fy = 39 KSI)
  - TS 1" x 1" x 16ga WHEELCHAIR GUIDE
  - 2 x 6 PT SILL PLATE
  - 2 x 2 NAILER W/16d @ 12" OC
  - 2 x RW HEADER BY DISTRICT.
  - 6" x 10ga CONTINUOUS PLATE W/ #14 x 2" TEK SCREWS @ 9" OC INTO WOOD OR FOUNDATION BLOCKS OR #14 x 2" TEK SCREWS INTO METAL @ 9" OC
  - 2" x 4" x 12ga BASE PLATE W/ 1/2-1/4" x 1" LAGS
  - 6" x 10" x 12ga BASE PLATE @ RAMP TOE.
  - LOWER LANDING BY DISTRICT
  - SKIRTING: PLYWOOD TO MATCH BUILDING SIDING, BLOCK ALL EDGES, ATTACH W/8d @ 6" OC EDGES AND 12" OC FIELD. AT EDGE CONNECTION TO T.S. USE #14 x 2" TEK SCREWS @ 6" OC
  - 12ga METAL DECK: NON-SLIP SURFACE. DESIGN COEFFICIENT OF FRICTION GREATER THAN 0.6. MAINTAINABLE FOR 1 YR. EXISTING BUILDING.
  - CAULKING
  - 26 ga FLASHING
  - 3/8" dia x 2" LONG MB W/NUT & WASHERS
  - PAVE BY DISTRICT.
  - RAMP BY MODTECH
  - FLUSH TRANSITION
  - 3" MINIMUM BUILDING SEPARATION
  - PROVIDE DRAINAGE FOR WATER FROM DOWNSPOUT FOR THIS CONDITION. BY DISTRICT
  - FOR LANDING DETAILS AND RAMP ATTACHMENT SEE 12/R1.0
  - FASTEN POSTS W/ 3/8" @ THRU BOLT. TYPICAL
  - 2" WARNING STRIPES MAX 1" FROM EVERY STAIR NOSING. USE CONTRASTING COLOR.
  - TS 2 1/2" x 1 1/2" x 8ga ASTM A500 GRADE A

### REVISIONS

1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	

Electrical Engineer's Seal    Mechanical Engineer's Seal    Structural Engineer's Seal    Architects Seal

**MODTECH INC.**  
 2830 BARRETT AVENUE  
 PERRIS, CALIF. 92572  
 PH (909) 943-4014  
 FAX (909) 940-0427

Job Number: PC 266 # 2510 # 2514 # 2515 © MODTECH, INC. 1997

drawn by: FVH  
 date: 11/96  
 checked by: [Signature]  
 date: [Signature]  
 ModTech Project No. [Signature]  
 MODTECH Index No. [Signature]

FILE #: 15-6  
 IDENTIFICATION STAMP  
 DIV. OF THE STATE ARCHITECT  
 OFFICE OF REGULATION SERVICES  
 03-118271  
 AC. FLS. SS. [Signature]  
 DATE: JUN 14 2018  
 TRACKING #: 63321-294

IDENTIFICATION STAMP  
 DIV. OF THE STATE ARCHITECT  
 OFFICE OF REGULATION SERVICES  
 APPL. 0.7.3.3.3  
 FLS. [Signature]  
 DATE: MAR 11 1997

CLLS.033 4012-074

# RAMP/STAIR DETAILS R2.0