EXTERIOR ELEV.



WEST ELEVATION
1/8" = 1'-0"



EAST ELEVATION
1/8"=1'-0"



NORTH ELEVATION
1/8" = 1'-0"



A ARCH SECTION 1/4"=1'-0"



NORTH
REFLECTED CEILING PLAN FACULTY DINING 1/4"=1'-0"







1 EAVE DETAIL 3"=1'-0"

2 SHOWN DOTTED



1 WEST COLD BOX 1/4"=1'-0"







3 ENTRY 1/4"=1'-0"



4 CAN WASH 1/4"=1'-0"



5 COMPRESSOR 1/4"=1'-0"



1 EAST COLD BOX (CONT.) 1/4"=1'-0"



6 SECTION @ REVISED STORAGE SHELVES N.T.S.



6 STORAGE



TYPICAL SHELF NOTES

1. Attach metal shelf units of top shelf to stud walls with 2½" x 2½" x ⅛" x 0'-2½" L clip, 1- ½" x 2½" F.H.W.S. to stud & 1- ½" x ¾" S.M.S. to shelf at 48" O.C. max, and 2 min. of 2 per unit.
2. Attach wood shelf units at top shelf to stud wall with 2½" x 2½" x ⅛" x 0'-2½" L clip, 1- ½" x 2½" F.H.W.S. to stud & 1- ½" x 2" F.H.W.S. to shelf at 48" O.C. max, and a min. of 2 per unit.



7 LOCKER 1/4"=1'-0"



3 ENTRY (CONT.) 1/4"=1'-0"



9 MEN





8 WATER HEATER



CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS AT JOB SITE BEFORE PROCEEDING WITH THE WORK. REPORT ANY DISCREPANCIES TO THE ARCHITECT.

OFFICE OF SUPERINTENDENT OF SCHOOLS
APPROVED Herbert L. Blackburn
DATE 4-8-63

STATE OF CALIFORNIA
DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE

STATE OF CALIFORNIA — DEPARTMENT OF PUBLIC WORKS
DIVISION OF ARCHITECTURE
APPLICATION 23011 APPROVED APR 4 1963
APPLICATION 23012 APPROVED APR 4 1963
S. Mayo

APPROVED	DATE

MARK	DATE	REVISIONS
A		
B		
C		
D		
E		

STATE OF CALIFORNIA
STATE FIRE MARSHAL
APPROVED UNDER STATUES OF CALIFORNIA

DATE
DRAWN
CHECKED

Ernest L. McCoy C-3515
JOB No. 62-11
ERNEST L. McCOY A.I.A. ARCHITECT
2811 M. STREET PHONE FA. 4-9851
BAKERSFIELD CALIFORNIA

FACULTY DINING ROOM & WALK-IN BOX
PIONEER DRIVE SCHOOL
BAKERSFIELD CITY SCHOOL DISTRICT
BAKERSFIELD, CALIF

SHEET 3 OF 3 SHEETS

DIETZGEN-POST CLEARPRINT 1000H