



GENERAL NOTES

1. All framing lumber shall be grade marked Douglas fir. See specifications for grading and moisture content.
2. All steel shall be A36 unless otherwise specified.
3. All concrete shall be 3000 psi unless otherwise specified.
4. All masonry shall be 2000 psi unless otherwise specified.
5. All finishes shall be as specified in the schedule.
6. All work shall be in accordance with the specifications and standards of the Building Officials and Code Administrators International, Inc. (BOCA).
7. All work shall be in accordance with the specifications and standards of the American Institute of Steel Construction, Inc. (AISC).
8. All work shall be in accordance with the specifications and standards of the Concrete Reinforcing Steel Institute (CRSI).
9. All work shall be in accordance with the specifications and standards of the Masonry Society.
10. All work shall be in accordance with the specifications and standards of the International Brotherhood of Roofers.
11. All work shall be in accordance with the specifications and standards of the International Brotherhood of Teamsters.
12. All work shall be in accordance with the specifications and standards of the International Union of Bricklayers and Masons.
13. All work shall be in accordance with the specifications and standards of the International Union of Painters and Decorative Artists.
14. All work shall be in accordance with the specifications and standards of the International Union of Plumbers and Pipefitters.
15. All work shall be in accordance with the specifications and standards of the International Union of Electricians.
16. All work shall be in accordance with the specifications and standards of the International Union of Carpenters and Joiners.
17. All work shall be in accordance with the specifications and standards of the International Union of Millwrights and Machinists.
18. All work shall be in accordance with the specifications and standards of the International Union of Marine and Shipbuilding Workers.
19. All work shall be in accordance with the specifications and standards of the International Union of Shipbuilders.
20. All work shall be in accordance with the specifications and standards of the International Union of Shipyard Workers.

MAILING SCHEDULE

CONNECTION	MINIMUM PERMISSIBLE	ALL WELDS
1. Welds in tension	1/4"	1/4"
2. Welds in shear	1/4"	1/4"
3. Welds in lap	1/4"	1/4"
4. Welds in butt	1/4"	1/4"
5. Welds in fillet	1/4"	1/4"
6. Welds in groove	1/4"	1/4"
7. Welds in scarf	1/4"	1/4"
8. Welds in bevel	1/4"	1/4"
9. Welds in square	1/4"	1/4"
10. Welds in round	1/4"	1/4"
11. Welds in flat	1/4"	1/4"
12. Welds in vertical	1/4"	1/4"
13. Welds in horizontal	1/4"	1/4"
14. Welds in overhead	1/4"	1/4"
15. Welds in under	1/4"	1/4"
16. Welds in side	1/4"	1/4"
17. Welds in back	1/4"	1/4"
18. Welds in front	1/4"	1/4"
19. Welds in top	1/4"	1/4"
20. Welds in bottom	1/4"	1/4"



OFFICE OF SUPERINTENDENT OF SCHOOLS
 DEPARTMENT OF PUBLIC WORKS
 DIVISION OF ARCHITECTURE

STATE OF CALIFORNIA

APPROVED: *[Signature]*
 DATE: _____

CHICK AND TRUMP ALL DIMENSIONS AND CONDITIONS AT JOB ARE BROKE PROCEEDING WITH THE WORK. REPORT AND DISCREPANCIES TO THE ARCHITECT.

ERNEST I. MCCOY A.I.A., ARCHITECT
 5811 H STREET
 BAKERSFIELD

HILLMAN & NOWELL
 STRUCTURAL ENGINEERS
 408 WASHINGTON ST.
 BAKERSFIELD

PROJECT: FACILITY DINING ROOM & WALK-IN BOX
 ADDRESS: PIONEER DRIVE SCHOOL DISTRICT
 BAKERSFIELD, CALIF.