

- ### KEY NOTES
- TS 2" x 2" x 14ga
 - TS 1 1/2" x 1 1/2" x 14ga (Fy = 36 KSI)
 - TS 1 1/4" x 1 1/4" x 14ga (Fy = 36 KSI)
 - TS 1" x 1" x 16ga WHEELCHAIR GUIDE
 - 2 x 6 PT SILL PLATE
 - 2 x 2 NAILER W/16d @ 12" OC
 - 2 x RW HEADER BY DISTRICT.
 - 6" x 10ga CONTINUOUS PLATE W/ #14 x 2" TEX SCREWS @ 9" OC INTO WOOD OR FOUNDATION BLOCKS OR #14 x 2" TEX SCREWS INTO METAL @ 9" OC
 - 2" x 4" x 12ga BASE PLATE W/ 2-1/4" x 1" LAGS
 - 6" x 10" x 12ga BASE PLATE @ RAMP TOE.
 - LOWER LANDING BY DISTRICT
 - SKIRTING: PLYWOOD TO MATCH BUILDING SKIRTING BLOCK. ALL EDGES ATTACH W/ 8d @ 6" OC EDGES AND 1 1/2" OC FIELD. AT EDGE CONNECTION TO T.S. USE #14 x 2" TEX SCREWS @ 6" OC
 - 12ga METAL DECK: NON-SLIP SURFACE. DESIGN COEFFICIENT OF FRICTION GREATER THAN 0.6. MAINTAINABLE FOR 1 YR.
 - EXISTING BUILDING.
 - CAULKING
 - 26 ga FLASHING
 - 3/8" dia x 2" LONG MB W/NUT & WASHERS
 - PAVE BY DISTRICT.
 - RAMP BY MODTECH
 - FLUSH TRANSITION
 - 3" MINIMUM BUILDING SEPARATION
 - PROVIDE OVERSIZING FOR WATER FROM DOWNSPOUT FOR THIS CONDITION. BY DISTRICT
 - FOR LANDING DETAILS AND RAMP ATTACHMENT SEE 12/R1.0
 - FASTEN POSTS W/ 3/8" x THRU BOLT. TYPICAL
 - 2" WARNING STRIPES MAX 1" FROM EVERY STAIR NOSING. USE CONTRASTING COLOR.
 - TS 2 1/2" x 1 1/2" x 8ga ASTM A500 GRADE A

REVISIONS

NO.	DESCRIPTION	DATE
1		
2		
3		

Electrical Engineer's Seal
Mechanical Engineer's Seal
Structural Engineer's Seal
Architect's Seal


IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
PC 266
DATE: 9-1-1997
REVISED

MODTECH INC.
2830 BARRETT AVENUE
PERRIS, CALIF. 92572
PH (909) 943-4014
FAX (909) 940-0427

Job Number: PC 266 29 86 © MODTECH, INC. 1997

drawn by: FWH
date: 11/98
checked by: 4012-088
date: 05 JAN 99
project no: 2986
MODTECH Index No.

RAMP/STAIR DETAILS R2.0



2506, 2377, 3023, 3183