

- KEY NOTES**
- 1 C 14 X 12GA. HEADER
 - 2 4 X 3 X 12 GA.
 - 3 PLYWOOD ROOF SHEETING 3/4" CD EXPOSURE 1 P.I. 48/24 PSI-83 PLYCLIPS AT 16" O.C. LONG EDGES. #10-1-1/4" SELF TAPPING FLAT HEAD SCREWS AT 6" O.C. TO PERIMETER FRAME. AEROSMITH AKN 144.0175 DRIVE PINS AT 6" O.C. AT SUPPORTED EDGES AND 6" O.C. FIELD TO PURLINS. PLYWOOD PATTERN SHOWN IS TYPICAL THRU OUT. *(ALTERNATE: USE AEROSMITH AKN 144.0175 DRIVE PINS AT 6" O.C. PERIMETER)
 - 4 TAPERED ROOF BEAM 10GA. SEE 7/S3.1
 - 5 NOT USED
 - 6 11/16# DRILL SEE DETAIL 1/S4.0
 - 7 13 3/8"x14GA. FACIA @ 2' OVERHANG
 - 8 10" X 12 GA. ROOF FASCIA @ 5' OVERHANG
 - 9 E.N. THIS LINE
 - 10 8"x3 1/2" x 14 GA. ROOF OVERHANG BEAM

MONO ROOF FRAMING PLAN

SCALE 1/4"=1'-0"

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES

AC: FLS SS 09
DATE: JAN 07 1999

117237

AC: FLS SS 09
DATE: 11/24/98

STKP-42M 11/24/98

REVISED

REVISIONS

| | | |
|---|--|--|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |


Electrical Engineer's Seal

Mechanical Engineer's Seal

Structural Engineer's Seal

Architect's Seal

Division of the State Architect



MODTECH INC.
2830 BARRETT AVENUE
PERRIS, CALIF. 92572
PH: (909) 943-4014
FA: (909) 940-0427

PROJECT NUMBER: 29 86

© MODTECH, INC. 1997

drawn by: 4012-088
checked by: 05 JAN 99
Project no:
MODTECH Index No:
SA2.0

ROOF FRAMING PLAN

PROJECT NO. 2986