



- KEY NOTES**
- 1 TYP. INTERIOR FINISH
 - 2 TYP. EXTERIOR FINISH
 - 3 #14 STMS X 3/4" W/NEO WASHER 3 PER PAN-MAX @O.C.
 - 4 2X4 STUD TYP
 - 5 CAP CLOSURE @ RIDGE 26GA. GALV. W/10 X 3/4" FASTENERS @ 48" O.C. W/NEOPRENE WASHERS TO RIB SET BOTH SIDES OF CAP IN SEALANT.
 - 6 TUBE STEEL (SEE STRUCTURAL)
 - 7 2X4 TRIMMER FULL HEIGHT
 - 8 SEALANT TYP (SEE SPECIFICATIONS)
 - 9 EXTERIOR WALL (SEE 55.2 FOR CONNECTIONS)
 - 10 #10 STMS X 3/4" @ 1' O.C. (FIELD APPLIED)
 - 11 ROOF BEAM (SEE STRUCTURAL)
 - 12 1X JAMB PLATE
 - 13 (1) - #14 X 3/4" STMS W/NEOPREN WASHER THRU RIB
 - 14 FULL DEPTH STIFFENER PLATE (SEE STRUCTURAL FOR LOCATION)
 - 15 FLOATING THRESHOLD (ATTACH BY FIELD DIV.)
 - 16 ROOF HEADER (SEE STRUCTURAL)
 - 17 G.I. FLASHING 22GA
 - 18 STANDING SEAM ROOF (SEE A20 FOR GA)
 - 19 ROOF FURLIN (SEE STRUCTURAL)
 - 20 CONTINUOUS 2X4 TOP PLATE
 - 21 22GA. GALV. FLASHING (ONLY AT BELOW GRADE CONC. FOUNDATION)
 - 22 CONTINUOUS 26GA. GUTTER (SEE 7/4-61)
 - 23 INSULATION (SEE SPECS FOR TYPE AND SIZE)
 - 24 FLOOR BEAM (SEE STRUCTURAL)
 - 25 2X4 SILL PLATE ATTACHED PER 4/55 I
 - 26 24GA X 1 1/2" STRAP @ 48" O.C.
 - 27 ATTACHMENT BRACKET (TYP 3-PLACES, TOP, BTM, & MIDSPAN W/2-#10 STMS BRACKET TO COLUMN)
 - 28 #8 STMS - 2 @ EA SIDE OF DOWNSPOUT TO BRACKET
 - 29 DOWNSPOUT
 - 30 BLOCKING BRACKET
 - 31 8" O.C. MAX SPACING
 - 32 1/2" x 1/2" x 20 GA. COPED ANGLE W/2-#10 STMS TO FURLIN (TYP) @ 8" O.C.
 - 33 22GA. GALV. FLASHING INSERTED UNDER (8) CAULK JOINT (ONLY AT CONCRETE BELOW GRADE) BY DIST.
 - 34 26GA. TRIM ATTACH TO COLUMN ONE SIDE W/10 STMS @ 12" O.C. ALT. EXPENDED METAL CLOSE OFF
 - 35 #10 STMS @ 12" O.C. STANDING RIB (82" O.C.)

AGENCY TRACKING NO. 63321-201
 FILE NO. 15-6
 IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 03-117283
 AC: [Signature] FLS: [Signature] SS: [Signature]
 DATE: SEP 13 2018

04 10 55 00
 AD: [Signature] FLS: [Signature] SS: [Signature]
 DATE: SEP 03 1994

ARCHITECT	ELECTRICAL	STRUCTURAL	MECHANICAL	FIRE MARSHAL	ACCESS COMPLIANCE	STRUCTURAL SAFETY	3278	1 @ MODTECH INC. 1994	DRAWN BY DATE 9/9/99 CHECKED BY DATE
							PL-27.5 1 1990		A6.1

4012-094