



- KEY NOTES**
- 1 DOWNSPOUT - SEE A3.01A/A3.01B FOR SPECIFIC LOCATIONS.
 - 2 CONTINUOUS GUTTER 26GA.
 - 3 26GA. MIN.-INTERLOCKING ROOF PANELS OVER AQUA BAR 15 (MH) ROOFING UNDERLAYMENT (RADCO LISTING #1109) OVER 3/4" CDX PLYWOOD - CLASS A ROOFING SYSTEM
 - 4 AS AN ALTERNATE TO 3/4" CDX PLYWOOD USE 3/4" LOUISIANA PACIFIC OSB, SEE SPECIFICATIONS.
 - 5 MODLINE (M)
 - 6 RIDGELINE

NOTES

1. BUILDINGS HOUSING GROUP E OCCUPANCIES SHALL HAVE ROOF COVERINGS AS SPECIFIED IN CBC TABLE 15A - CLASS A OR B.

AGENCY TRACKING NO. 63321-201
FILE NO. 15-6

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES

02-117283

AG. N.T. FLS. SS. PCL
DATE SEP 13 2016

104100
APR 8 2002

PC
CBC 1998

ROOF PLAN 26 GA DUAL PITCH - (23'-11" TO 143'-6")
SCALE: 1/4" = 1'-0"

REVISIONS

1		
2		
3		
4		
5		

Electrical Engineer's Seal

Mechanical Engineer's Seal

Structural Engineer's Seal

Architect's Seal

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES

PC-04
101268
DATE SEP 11 2002

MODTECH INC.

2830 BARRETT AVENUE
PERRIS, CALIF. 92572

PH (909) 943-4014
FAX (909) 940-0427

PROJECT NUMBER: 4134

© MODTECH, INC. 2001

ROOF PLAN

26 GA DUAL PITCH

STKP-62

DRAWN BY: M. ANDERSEN
DATE: APR 15 2002
CHECKED BY: 4012-121
DATE: 04-16-02

MODTECH Index No.

A2.01

FILE PATH: 2440-4134.DWG PROJECT NO. 4134, 4161 PC-04-101268