

DOOR SCHEDULE **6 WINDOW SCHEDULE** **3 ROOM FINISH SCHEDULE** **1**

DOOR NUMBER	DOOR TYPE	QUANTITY	FRAME OPENING		DOOR MATERIAL	FIRE RATING	HARDWARE SET NO.	FRAME MATERIAL	JAMB THROAT	REMARKS
			WIDTH	HEIGHT						
1	A	1	3'-0"	6'-8"	HM		1	HM	5-1/8"	ALL BUILDINGS
2	A	6	3'-0"	6'-8"	HM		3	HM	5-1/8"	ADMINISTRATION BUILDING ONLY
3	A	1	3'-0"	6'-8"	HM		5	HM	5-1/8"	ADMINISTRATION BUILDING ONLY

HM - HOLLOW METAL - PRESSED STEEL KD TYPE
 AL - ALUMINUM
 SST - STAINLESS STEEL
 STL - STEEL FRAME. 16ga. FULLY WELDED, GALV AT EXTERIOR, REPUBLIC "ME" SERIES. PAINT TO MATCH TRIM
 WWF - WINDOW WALL FRAME
 SC - SOLID CORE WOOD
 HC - HOLLOW CORE WOOD
 SCL - SOLID CORE WOOD LEGACY

WINDOW NUMBER	WINDOW TYPE	QUANTITY	FRAME OPENING		FINISH	REMARKS
			WIDTH	HEIGHT		
A	1	1	8'-0"	4'-0"	ANODIZED	SEE NOTE #1 STANDARD CLASSROOM
B	1	5	4'-0"	4'-0"	ANODIZED	SEE NOTE #1 ADMINISTRATION BLDG
C	1	1	8'-0"	4'-0"	ANODIZED	SEE NOTE #1 ADMINISTRATION BLDG

ROOM NUMBER	ROOM NAME	FINISHES								REMARKS
		FLOOR	BASE	WALLS				CEILING	CEILING HEIGHT	
		NORTH	EAST	SOUTH	WEST					
101	CLASSROOM	A	D	G	G	G	G	Q	8'-6"	STANDARD/COMPUTER LABS
101	PRINCIPAL OFFICE	A	D	G	G	G	G	Q	8'-6"	ADMINISTRATION BUILDING
102	CONFERENCE/FLEX	A	D	G	G	G	G	Q	8'-6"	ADMINISTRATION BUILDING
103	RECEPTION	A	D	G	G	G	G	Q	8'-6"	ADMINISTRATION BUILDING
104-106	OFFICES	A	D	G	G	G	G	Q	8'-6"	ADMINISTRATION BUILDING
107	NURSE STATION	A	D	G	G	G	G	Q	8'-6"	ADMINISTRATION BUILDING
108	RESTROOM	B	F	G	G	G	G	Q	8'-0"	ADMINISTRATION BUILDING

A - CARPET PER STATE OF CALIF SPEC COMPLYING WITH GROUP 1, TYPE A OR TYPE B, CLASS 2, DENSITY 4600, DIRECT GLUE DOWN.
 B - VINYL SHEET FLOORING
 C - VCT, ARMSTRONG STANDARD OR EXCELRON
 D - TOP SET BASE - 4"
 E - TOP SET BASE - 6"
 F - SELF COVE BASE - 6"
 G - 1/2" VINYL TACKBOARD CLASS 1 OVER 1/2" GYP BOARD BACKING
 H - 1/8" MARLITE OVER 1/2" GYP BOARD OR 3/8" MARLITE FLAME SPREAD CLASS 3
 I - 1/2" WR GYP BOARD, TAPE, TEXTURE, PAINTED FINISH
 J - 3/8" WR GYP BOARD, TAPE, TEXTURE, PAINTED FINISH
 K - 1/2" GYP BOARD, TAPE, TEXTURE, PAINTED FINISH
 L - 3/8" GYP BOARD, TAPE, TEXTURE, PAINTED FINISH
 M - NO FINISH
 N - 3/32" FRP OVER 1/2" WR GYP BOARD
 P - ACOUSTICAL LAY IN GRID CEILING PANELS (SEE SPECIFICATIONS)

DOOR ELEVATIONS **7 WINDOW ELEVATIONS** **4**

DOOR NOTES

- DOOR HANDLES FOR LOCKSETS AND PANIC HARDWARE TO BE CENTERED AT 40" AFF & DEAD BOLTS AT 44" AFF. HARDWARE TO BE OPENABLE FROM THE INSIDE WITHOUT ANY SPECIAL KNOWLEDGE OR EFFORT RETURN TO WITHIN 1/2" OF DOOR.
- ALL DOORS SHALL BE 1 3/4" THICK UON DOUBLE LETTERS IN SCHEDULE, INDICATES A PAIR OF DOORS.
- CLOSURE SHALL BE SET FOR MAXIMUM OPENING PRESSURE OF 8.5 LBS AT EXTERIOR DOORS AND 5.0 LBS AT INTERIOR DOORS.
- PLACE SIGN OVER EXIT DOORS. THESE DOORS TO REMAIN UNLOCKED DURING BUSINESS HOURS
- SIGNAGE IS NOT IN MODTECH CONTRACT

WINDOW NOTES

- ANODIZED ALUMINUM, GLAZING, 7/32" MIN. TEMPERED GLASS OF SOLAR GRAY WITH A LIGHT TRANSMISSION FACTOR OF 46%, ALL OPERABLE SASH SHALL HAVE SCREENS.
- OPTIONAL DUAL PANE.

HARDWARE SCHEDULE **8 ACCESSIBILITY SIGNAGE (BY DISTRICT)** **5 TOILET ROOM SIGNAGE (BY DISTRICT)** **2**

HARDWARE SET #1 (EXTERIOR)
 LOCKSET - SCHLAGE D70PD, RHODES LEVER, OR EQUAL
 BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" NRP 26D OR EQUAL
 CLOSER - NORTON B501 BFDP OR EQUAL
 THRESHOLD - PEMCO 271A OR EQUAL
 DOOR BOTTOM - PEMCO 216AV OR EQUAL
 WEATHER-STRIP - PEMCO 299AV OR EQUAL

HARDWARE SET #2 (INTERIOR PASSAGE)
 LOCKSET - SCHLAGE D10S WITH RHODES LEVER, OR EQUAL
 BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" OR EQUAL

HARDWARE SET #3 (INTERIOR/OFFICE LOCKABLE)
 LOCKSET - SCHLAGE D53PD, WITH RHODES LEVER OR EQUAL
 BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" 26D OR EQUAL

HARDWARE SET #4 (INTERIOR DOUBLE LOCKABLE)
 LOCKSET - SCHLAGE D66PD, WITH RHODES LEVER OR EQUAL
 BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" 26D OR EQUAL

HARDWARE SET #5 (INTERIOR TOILET ROOM/PRIVACY)
 LOCKSET - SCHLAGE D40S WITH RHODES LEVER OR EQUAL
 BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" 26D OR EQUAL

HARDWARE SET #6 (INTERIOR STOREROOM)
 LOCKSET - SCHLAGE D80PD WITH RHODES LEVER OR EQUAL
 BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" 26D OR EQUAL

HARDWARE SET #7 (PANIC)
 LOCKSET - VON DUPRIN 99L PANIC HARDWARE OR EQUAL
 BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" NRP 26D OR EQUAL
 CLOSER - NORTON B501 BFDP OR EQUAL
 THRESHOLD - PEMCO 271A OR EQUAL
 DOOR BOTTOM - PEMCO 216AV OR EQUAL
 WEATHER-STRIP - PEMCO 299AV OR EQUAL

HARDWARE SET #8 (INTERIOR RATED)
 LOCKSET - SCHLAGE D80PD WITH RHODES LEVER OR EQUAL
 BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" 26D OR EQUAL
 CLOSER - NORTON B501 BFDP OR EQUAL
 SMOKE SEAL - PEMCO S-88 3068 SMOKE SEAL OR EQUAL

ENTRY DOOR FROM EXTERIOR VIEW

ROOM ID SIGN 1" WHITE LETTERING (HELVETICA)
 CONTRACTED GRADE 2 BRAILLE DOTS SPACED 1/8" OC WITHIN 2" MAX. 2/10" BETWEEN CELLS, SHALL BE RAISED A MINIMUM OF 1/40"

INTERNATIONAL SYMBOL OF ACCESSIBILITY

AGENCY TRACKING NO. 63321-201
 FILE NO. 15-6

IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 03-117283
 AC. [Signature]
 DATE SEP 13 2016

PC
CBC 1998

WALL-SIGNAGE (TYP)

DOOR MOUNTED SIGNAGE (TYP)

NOTE: PICTOGRAMS AND/OR LETTERING ARE NOT REQUIRED ON DOOR-MOUNTED SIGNAGE. ALL CIRCLES & TRIANGLES ARE 1/4" THICK.

WALL MOUNTED SIGNAGE TO BE LOCATED ON LATCH SIDE OF DOOR CLEAR OF DOOR-SWING. MOUNT AT 80" TO CENTERLINE OF SIGN FROM FLOOR.

HEIGHT OF LETTERING 5/8" MIN TO 2" MAX

LETTERING RAISED 1/32"

UPPERCASE CHARACTERS

CORRESPONDING GRADE II BRAILLE

IDENTIFICATION SYMBOLS FOR SANITARY FACILITIES

INTERNATIONAL SYMBOL OF ACCESS (WHEEL CHAIR SYMBOL) REQUIRED DOOR OR AT STRIKE SIDE ROOM IDENTIFICATION

APR 18 2002

REVISIONS

1		
2		
3		
4		
5		

Electrical Engineer's Seal
 Mechanical Engineer's Seal
 Structural Engineer's Seal
 ARCHITECT'S SEAL
 IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 PC-04
 101268
 AC. [Signature]
 DATE SEP 07 1999

MODTECH INC.
 2830 BARRETT AVENUE
 PERRIS, CALIF. 92572
 PH (909) 943-4014
 FAX (909) 940-0427

PROJECT NUMBER: 4134, 4284
 © MODTECH, INC. 2001
 DRAWN BY: M. ANDERSEN
 DATE: APR 15 2002
 CHECKED BY: 4012-121
 DATE: 04-10-02
 MODTECH INDEX No. **A5.01**

SCHEDULES