



NOTE:
PROVIDE FIRE BLOCKING
PER C.B.C. 708

NOTE:
FLOOR PLAN SHOWN IS 'B' BUILDING
'A' BUILDING IS OPPOSITE HANDED.

FLOOR PLAN

- ◊ INDICATES DOOR TYPE SEE SHEET G-1
- ◊ INDICATES HARDWARE TYPE
- ⊕ INDICATES WINDOW TYPE- SEE SHEET G-1

- NOTES:
- MANUFACTURER SHALL MECHANICALLY ATTACH METAL TAG TO EXTERIOR OF BUILDING SHOWING OSA APPLICATION NUMBER, MANUFACTURER'S NAME, UNIT SERIAL NUMBER, DESIGN LIVE LOADS FOR FLOOR AND ROOF, AND THE DESIGN WIND LOAD.
 - WALL AND CEILING FINISHES SHALL BE MIN. CLASS I MATERIAL
 - FIBERGLAS INSULATION SHALL HAVE THE FOLLOWING:
FLAME SPREAD 0-25
SMOKE DEVELOPED, FUEL CONTRIBUTED 0-450
 - SIGNAGE REQUIRED PER APPLICABLE CODES LISTED ON SHEET T-1 PROVIDED AND INSTALLED BY OTHERS ONSITE. SIM. TO DET. 9 ON G-4.
 - ANY ROOM HAVING AN OCCUPANT LOAD OF 50 OR MORE WHERE FIXED SEATS ARE NOT INSTALLED, AND WHICH IS USED FOR CLASSROOM, ASSEMBLY, DINING OR SIMILAR PURPOSE SHALL HAVE THE CAPACITY OF THE ROOM POSTED IN A CONSPICUOUS PLACE NEAR THE MAIN EXIT OF THE ROOM. POSTING SHALL BE BY MEANS OF A DURABLE SIGN HAVING CONTRASTING COLOR FROM THE BACKGROUND, TO WHICH IT IS ATTACHED. (OCCUPANT LOAD 48)
 - MAXIMUM EFFORT TO OPERATE DOORS SHALL NOT EXCEED 8-1/2 POUNDS FOR EXTERIOR DOORS AND 5 POUNDS FOR INTERIOR DOORS, SUCH PULL OR PUSH EFFORT BEING APPLIED AT RIGHT ANGLES TO HINGED DOORS AND AT THE CENTER PLANE OF SLIDING OR FOLDING DOORS. COMPENSATING DEVICES OR AUTOMATIC DOOR OPERATORS MAY BE UTILIZED TO MEET THE ABOVE STANDARDS. WHEN FIRE DOORS ARE REQUIRED, THE MAXIMUM EFFORT TO OPERATE THE DOOR MAY BE INCREASED NOT TO EXCEED 15 POUNDS.

THIS DRAWING AND THE MATERIAL CONTAINED THEREIN ARE THE PROPERTY OF M.S.I. INC. AND SHALL NOT BE REPRODUCED, COPIED OR OTHERWISE DISPOSED OF IN WHOLE OR IN PART WITHOUT THE WRITING OF M.S.I. INC. FOR THE PURPOSE OF FURNISHING ANY INFORMATION FOR THE MAKING OF DRAWINGS, PRINTS, APPARATUS AND WRITTEN CONSENT OF M.S.I. INC. ALL PATENTABLE MATERIAL CONTAINED HEREIN AND ORIGINATING WITH M.S.I. INC. SHALL BE THE PROPERTY OF M.S.I. INC. MATERIAL CONTAINED HEREIN AND ORIGINATING WITH M.S.I. INC. SHALL BE THE PROPERTY OF M.S.I. INC.

MSI
MODULAR STRUCTURES INTERNATIONAL, INC.
920 CITRUS AVE. RIVERSIDE, CALIFORNIA 92507
PHONE: (909) 788-3035 FAX: (909) 788-1923

ARCHITECT APPROVAL

STRUCTURAL ENGINEERS STAMP

AGENCY TRACKING NO. 63321-154
FILE NO. 15-6
IDENTIFICATION STAMP
OFFICE OF REGULATION SERVICES
AC 03-711005
DATE 6/28/2016

STATE AGENCY APPROVAL

STATE AGENCY APPROVAL

PROJECT	24'X40' MODULAR CLASSROOM BUILDING
TITLE	FLOOR PLAN & EXTERIOR ELEVATIONS
JOB #	
DATE	1-9-98
DRAWN BY	R.D.L.
SCALE	
APPROVED	
REVISIONS	
SHEET NO.	A-1-24