

				<p>KEYNOTES</p> <p>NOTES</p> <ol style="list-style-type: none"> 1. 7" x 9.8 lb PERIMETER FLOOR FRAME 5/8" MACHINE BOLT @ MODULE CONNECTION LOCATIONS AT 8 FT. O.C. AT ROOF AND 10 FT. O.C. AT FLOOR 2 7" x 11 GA. FLOOR JOIST FLOOR SHEATHING - 1-1/8" APA RATED STURD-I-FLOOR OR EQUAL, P.S. 1-83 T & G EDGES, 48" SPAN RATING; ATTACH TO STEEL FRAMING WITH .170/.192 PIN OR #10-24 X 1 3/4 SELF TAP SCREW @ 6" O.C. BOUNDARY & EDGES AND 10" O.C. FIELD 6" x 14" x 12 Ga. PLATE WITH (6) #10-34 x 1 3/4" FLAT HEAD SELF TAP SCREWS INTO STEEL CHANNEL FLOOR FRAME (TYPE II) 5" DIA. HOLE AT BOLT LOCATION. (CONN. TYPE 1) 7" x 11 Ga. STEEL BRACE WELDED TO PERIMETER FRAME AND FLOOR JOIST. N/A N/A AT MODULE JOINT TAKE PLYWOOD TO EDGE OF CHANNEL AT PERIMETER, HOLD PLYWOOD BACK AS INDICATED. R-11 INSULATION ON 'SEAL TITE' TYPE HW POLYMAX UNDERBELLY OR EQUAL WITH BIDIRECTIONAL POLYESTER FIBERS. 2X4 BOTTOM PLATE .131 X 3 1/4" NAIL (8d NAIL) AT 8" O.C.
<p>12 PERIMETER FLOOR</p>	<p>8 TUBE PLATE WELDMENT</p>	<p>5 ALT. MOD CONN. PLATE TYPE II</p>	<p>1 TYP. MOD CONN. @ FLR. TYPE I</p>	
<p>13</p>	<p>9 POCKET TUBE TO FLOOR FRAME</p>	<p>6 ALT. MOD CONN. @ FLR. TYPE II</p>	<p>2 CHANNEL SPLICE</p>	
<p>10 COLUMN CONN. @ FLOOR</p>	<p>10 INSULATION @ FLOOR</p>	<p>7</p>	<p>3 TYPICAL JOISTS</p>	
	<p>15 INSULATION @ FLOOR</p>	<p>11 BRAKE AT FLOOR</p>	<p>4 FLOOR JOIST DETS.</p>	

THIS DRAWING AND THE MATERIAL CONTAINED THEREIN ARE THE PROPERTY OF M.S.I. INC. AND SHALL NOT BE REPRODUCED, COPIED OR OTHERWISE DISPOSED OF IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF M.S.I. INC. FOR THE PURPOSE OF FURNISHING ANY INFORMATION OR FOR THE MAKING OF ANY DRAWING, PRINT, PHOTOGRAPH OR REPRODUCTION OF ANY KIND. ALL PATENTABLE MATERIAL CONTAINED HEREIN IS THE PROPERTY OF M.S.I. INC. AND SHALL BE THE PROPERTY OF M.S.I. INC. IF ANY PATENTABLE MATERIAL IS INVENTED OR DISCOVERED BY OR FOR M.S.I. INC. WHILE EMPLOYED BY M.S.I. INC. OR WHILE ENGAGED IN THE PERFORMANCE OF HIS DUTY AS AN EMPLOYEE OF M.S.I. INC.

ARCHITECT APPROVAL

STRUCTURAL ENGINEERS STAMP

STATE AGENCY APPROVAL

AGENCY TRACKING NO. 63321-154
FILE NO. 15-6
DIVISION OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
AC 03-117035
DATE 6/28/2016

STATE AGENCY APPROVAL

STATE AGENCY APPROVAL

STATE AGENCY APPROVAL

PROJECT
24'X40', 36'X40', & 48'X40'
MODULAR CLASSROOM BUILDING

TITLE
FLOOR CONSTRUCTION DETAILS

DATE 1-9-98

DRAWN BY R.D.L.

SCALE NONE

APPROVED

REVISIONS

SHEET NO.
S-11

MSI
MODULAR STRUCTURES INTERNATIONAL, INC.
920 CITRUS AVE. RIVERSIDE, CALIFORNIA 92507
PHONE: (909) 788-3035 FAX: (909) 788-1523

PC-100073