



6



7

ACCESSIBILITY SIGNAGE (BY DISTRICT)

ENTRY DOOR FROM EXTERIOR VIEW
(TACTILE SIGN @ INTERIOR ONLY)

TACTILE EXIT SIGN OR ROOM ID SIGN 1" WHITE LETTERING (HELVETICA) ±5'-2" AFF

CONTRACTED GRADE 2 BRAILLE DOTS SPACED 1/10" OC WITHIN CELL, 2/10" BETWEEN CELLS, SHALL BE RAISED A MINIMUM OF 1/40"

INTERNATIONAL SYMBOL OF ACCESSIBILITY @ ROOM ID ONLY

4" MIN. 12" MAX.
2 3/4"
6"
5'-0"

TOILET ROOM SIGNAGE (BY DISTRICT)

WALL-SIGNAGE (TYP)

RAISED IMAGE 1/32" AND CENTERED ON SIGN

1/4" THICK, TYP

DOOR MOUNTED SIGNAGE (TYP)

NOTE: PICTOGRAMS AND/OR LETTERING ARE NOT REQUIRED ON DOOR-MOUNTED SIGNAGE. ALL CIRCLES AND TRIANGLES ARE 1/4" THICK.

4" MIN. 12" MAX.

HEIGHT OF LETTERING 1" MIN TO 2" MAX

LETTERING RAISED 1/32"

UPPERCASE CHARACTERS

CORRESPONDING GRADE II BRAILLE

IDENTIFICATION SYMBOLS FOR SANITARY FACILITIES

INTERNATIONAL SYMBOL OF ACCESS (WHEEL CHAIR SYMBOL) REQUIRED DOOR OR AT STRIKE SIDE ROOM IDENTIFICATION

TOILET ROOM SIGNAGE (BY DISTRICT)

DOOR NUMBER	DOOR TYPE	QUANTITY	FRAME OPENING		DOOR MATERIAL	FIRE RATING	HARDWARE SET NO.	FRAME MATERIAL	JAMB THROAT	REMARKS
			WIDTH	HEIGHT						
1	A	1	3'-0"	7'-0"	HM		7	HM	5 1/4"	
2	A	1	3'-0"	7'-0"	HM		5	HM	5 3/8"	

AL - ALUMINUM
HC - HOLLOW CORE WOOD
HM - HOLLOW METAL - PRESSED STEEL KD TYPE
HMW - HOLLOW METAL WELDED
SC - SOLID CORE WOOD
SCL - SOLID CORE WOOD LEGACY
SST - STAINLESS STEEL
STL - STEEL FRAME, 16 GA FULLY WELDED, GALV AT EXTERIOR, REPUBLIC "ME" SERIES. PAINT TO MATCH TRIM.
WWF - WINDOW WALL FRAME

HARDWARE SET #1 (EXTERIOR)

LOCKSET - SCHLAGE D70PD, RHODES LEVER, OR EQUAL
BUTTS - 1 1/2" PAIR HAGER BB1191 4 1/2"x4 1/2" NRP 26D OR EQUAL
CLOSER - NORTON 8501 BFDP OR EQUAL
THRESHOLD - PEMCO 271A OR EQUAL
DOOR BOTTOM - PEMCO 218AV OR EQUAL
WEATHER-STRIP - PEMCO 299AV OR EQUAL

HARDWARE SET #5 (INTERIOR TOILET ROOM/PRIVACY)

LOCKSET - SCHLAGE D40S WITH RHODES LEVER OR EQUAL
BUTTS - 1 1/2" PAIR HAGER BB1279 4 1/2"x4 1/2" 26D OR EQUAL

DATE SIGNED: APR 10 2003

PC
CBC 2001

ROOM FINISH SCHEDULE

ROOM NUMBER	ROOM NAME	FINISHES								REMARKS
		FLOOR	BASE	WALLS				CEILING	CEILING HEIGHT	
				NORTH	EAST	SOUTH	WEST			
101	CLASSROOM	A	D	G	C	G	C	D	8'-6"	
104	TOILET ROOM	B	F	N	N	N	N	D	8'-6"	

A - CARPET PER STATE OF CALIF SPEC COMPLYING WITH GROUP 1, TYPE A OR TYPE B, CLASS 2, DENSITY 4600, DIRECT GLUE DOWN.
B - VINYL SHEET FLOORING
C - VCT, ARMSTRONG STANDARD OR EXCELON OR EQUAL
D - TOP SET BASE - 4"
E - TOP SET BASE - 6"
F - SELF COVE BASE - 6"
G - 1/2" VINYL TACKBOARD CLASS 1 OVER 1/2" GYP BOARD BACKING. FLAME SPREAD NOT TO EXCEED 65. SMOKE DENSITY RATING 175
H - 1/8" MARLITE OVER 1/2" GYP BOARD OR 3/8" MARLITE FLAME SPREAD CLASS 3
I - 1/2" WR GYP BOARD, TAPE, TEXTURE, PAINTED FINISH
J - 3/8" WR GYP BOARD, TAPE, TEXTURE, PAINTED FINISH
K - 1/2" GYP BOARD, TAPE, TEXTURE, PAINTED FINISH
L - 3/8" GYP BOARD, TAPE, TEXTURE, PAINTED FINISH
M - 3/32" FRP OVER 1/2" WR GYP BOARD, CLASS "A" FLAMESPREAD NOT TO EXCEED 25. SMOKE DEVELOPED NOT TO EXCEED 450
N - NO FINISH
P - ACOUSTICAL LAY IN GRID CEILING PANELS (SEE SPECIFICATIONS)
R - 1/2" GYP BD PANELS (PAINTED) IN CEILING GRID

FINISH NOTES

1. ALL FINISHES SHALL COMPLY WITH MODTECH'S SPECIFICATIONS AND WITH CBC CHAPTERS 3, 6, 7, 8 AND 10 AND CFC AND TITLE 19 CCR

2. PREPARATION FOR SUBFLOOR TO ACCEPT FINISH FLOORING IS BY FLOORING CONTRACTOR. PLYWOOD SUBFLOOR IS 2-4-1 PLYWOOD. OUTER PLYWOOD IS PLUGGED AND TOUCH SANDED. ANY DEFORMITIES DUE TO STANDARD CONSTRUCTION PRACTICES SHALL BE FILLED AND BY FLOORING CONTRACTOR. THE JOINT AT THE MODULE JOINING SHALL NOT BE LARGER THAN 1/8" AND SHALL BE FILLED AND SANDED BY FLOORING CONTRACTOR.

ROOM FINISH SCHEDULE

1

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
04 10529
AC DATE: MAY 2 2003

REVISIONS

AGENCY TRACKING NO. 62231-267
FILE NO: 15-6

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
03118235
AG DATE: JUL 11 2017

PC Professional of Record Seal
Architects Seal
LICENSED ARCHITECT
STATE OF CALIFORNIA
LICENSE EXPIRES 6-30-2004

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
PC-04
104801
DATE: 5/11/03

MODTECH INC.
2830 BARRETT AVENUE PERRIS, CALIF. 92571
PH (909) 943-4014 FAX (909) 940-0427

PROJECT NUMBER: 100-24 x 40 CLASSROOM STKP-70 CL 2433 SERIAL #50922-01/02 A# 04-105299

© MODTECH, INC. 2002
CLASS LEASING INC STOCKPILE # 70
100-24 x 40 CLASSROOM BUILDINGS
4012-125 05-22-2003 80 MPH

SCHEDULES

DRAWN BY: STKP-70
DATE: 05-22-03
CHECKED BY: [Signature]
DATE: [Signature]
MODTECH Index No. A6.02

FILE PATH: 2440-A6.02.DWG PROJECT NO. PC-04-104801