



4:21 PM
PLOT DATE: 7-16-2003
PLOT SCALE: 1/8"=1'-0"

CONCRETE WORK IS TO HAVE HEAVY BROOM TEXTURE SEE SPECIFICATIONS

NEW CONCRETE

RELOCATABLE BUILDING BY DISTRICT

NEW A.C. PAVING

CONCRETE STRENGTH TO BE 5000 PSI

NOTE.
COMBINATION SHEET METAL-WOOD TAMPER RESISTANT SCREWS, TORKS & DRIVE HEAD STYLE. FOUR PER SIGN ON SPECIFIED LOCATIONS. MOUNT ON WALL ADJACENT TO LATCH SIDE OF DOOR 9" TO CENTERLINE OF SIGN & 60" TO CENTERLINE OF SIGN ABOVE FINISH FLOOR. RAISED BRAILLE CHARACTERS & PICTOGRAM SYMBOL TO BE RAISED 1/32" UPPER CASE, SANS SERIF 5/8" MIN. TO 2" MAX. HT. WIDTH TO HEIGHT RATIO BETWEEN 3:5 & 1:1 STROKE WIDTH TO HT. BETWEEN 1:5 & 1:10. SIGN TO BE A MIN. OF 6" x 6".
CHARACTERS & SYMBOLS SHALL CONTRAST WITH PICTOGRAM. ACCOM-PANIED BY EQUIVALENT VERBAL DESCRIPTION DIRECTLY BELOW. ONE SIGN REQUIRED AT EACH STANDARD DOOR & EACH PAIR OF DOORS. TWO SIGNS REQUIRED AT TOILET ROOM DOORS AS NOTED.
CONTRACTED GRADE #2 BRAILLE DOTS SPACED 1/10" O.C. WITHIN CELLS 2/10" BETWEEN CELLS 1/40" DOME RAISED DOTS.

NOTE: VERIFY EXACT LOCATION OF CRAWL HOLE ACCESS W/ BLDG. MANUF. FTG. LAYOUT



DANNY E. ORDIZ, AIA
ARCHITECT C-14,728

WILLIAM J. MELBY, AIA
ARCHITECT C-10,835

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT

APPROX. 107513

DATE: 7/16/03

PTN # 63321-16
PORTABLES
AT:
CHIPMAN JR HIGH
FOR
BAKERSFIELD
CITY SCHOOL
DISTRICT

2301 PARK DRIVE
BAKERSFIELD
CALIFORNIA
93306

MARK	DATE	DESCRIPTION
SD		
CD		
△		
△		
△		
△		

JOB NUMBER:
2002546
CAD DRAWING FILE:
ENLITECHIPMEN.DCS
DRAWN BY:
EH
CHECKED BY:
JWC
CHECK AND VERIFY ALL DIMENSIONS BEFORE PROCEEDING WITH THE WORK. REPORT DISCREPANCIES TO THE ARCHITECT.
THE DRAWING, SEAL AND DESIGN REPRESENTED ON THIS SHEET ARE THE PROPERTY OF THE ARCHITECT.
COPYRIGHT
ORDIZ-MELBY ARCHITECTS, INC. 2002
SHEET TITLE

ENLARGED
SITE PLAN
AND DETAILS

SHEET IDENTIFICATION NUMBER
A-111
SHEET 02 OF 02