

PACESETTER INDUSTRIES, INC.

P.O. BOX 1131, MODESTO, CA 95353 (209) 521-1600

PC - 330

24x40 RELOCATABLE BUILDING

DSA REQUIREMENTS

ALL MATERIALS AND WORKMANSHIP SHALL CONFORM TO THE 1995 CALIFORNIA BUILDING CODE (C.B.C.) A COPY OF WHICH SHALL BE KEPT ON SITE AT ALL TIMES.

CHANGES TO THE APPROVED DRAWINGS AND SPECIFICATIONS SHALL BE MADE BY AN ADDENDA OR CHANGE ORDER APPROVED BY THE DISTRICT ARCHITECT AND THE DIVISION OF THE STATE ARCHITECT.

A PROJECT INSPECTOR, EMPLOYED BY THE DISTRICT (OWNER) AND APPROVED BY THE ARCHITECT AND THE DIVISION OF THE STATE ARCHITECT SHALL PROVIDE CONTINUOUS INSPECTION OF THE WORK, IN ACCORDANCE WITH C.B.C. SECTION 1701.3.

MATERIAL TESTING, AS STATED IN THE TEST AND INSPECTION SHEET (SSS 103-1), SHALL BE PERFORMED IN ACCORDANCE WITH C.B.C. SECTION 2212.1.

MATERIAL TESTING REQUIRED BY FIRE REGULATIONS SHALL BE PERFORMED BY A NATIONALLY RECOGNIZED TESTING LAB.

VERIFIED REPORTS (FORM 555 6) SHALL BE SUBMITTED IN ACCORDANCE WITH SECTIONS 4-326 AND 4-345 (C) BY THE MANUFACTURER, INSPECTORS, ARCHITECT.


A SEPARATE DSA APPLICATION NUMBER MUST BE OBTAINED FOR EACH PROJECT.

DSA APPROVAL OF CONTRACT DOCUMENTS FOR SAID PROJECT MUST BE OBTAINED PRIOR TO START OF MANUFACTURING.

CONFORM WITH THE 1995 CALIFORNIA ELECTRICAL CODE (CEC), CALIFORNIA MECHANICAL CODE (CMC) AND TITLE 19, CALIFORNIA CODE OF REGULATIONS (CEC).

NORMAN A. GEIGER
P.O. BOX 1131
MODESTO, CA 95353
(209) 521-1600
(209) 521-1600

GRAPHICS ARCHITECTURAL SERVICES
GEIGER



PACESETTER INDUSTRIES, INC.
 P.O. BOX 1131, MODESTO, CALIFORNIA 95353 (209) 521-1600
24x40 RELOCATABLE BUILDING

TESTING LABORATORY: KLIENFELD INC DATE: 7-14-97
 NAME: Pacesetter Industries 24'x40' Classroom Building STOCKPILE
 DISTRICT/OWNER: N/A
 DIVISION - FILE NO. 20-0 APPLICATION NO. 68794
 ARCHITECT Norm Geiger
 STRUCTURAL ENGINEER: Bruce Doig

STATE OF CALIFORNIA
DEPT. OF GENERAL SERVICES
OFFICE OF THE
STATE ARCHITECT
FINAL
STRUCTURAL
TESTS
AND
INSPECTIONS
SSS 103-1 (R 11/86)

FILE # 15-6
IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
03-118272
AC FLS / SS CC
DATE NOV - 6 2017
TRACKING #: 63321-292

STATE OF CALIFORNIA
Department of General Services
JUL 22 2007
Division of the State Architect
Regulation Services-Struct

The following tests and inspections, as checked, will be required as detailed in applicable specifications.

COMPACTED FILL	CONCRETE	GUNITE	GROUT	MORTAR
Fill material, acceptance tests				
Compaction control, continuous				
Compaction tests only as ordered				
Bearing capacity of compacted fill				
REINFORCING STEEL				
Sample and test bar steel (per 1 year)				
Sample and test mesh				
Inspect piling at job				
STRUCTURAL STEEL				
Sample and test as detailed below				
Shop fabrication inspection				
Field erection inspection				
Inspection of welds - Shop				
Inspection of welds - Field				
Inspection of riveting or bolting - Shop				
Inspection of riveting or bolting - Field				
Sample and test high strength bolts and washers				
BRICK AND BLOCK				
Sample and test				
Test only				
Inspection of piling				
Core drill sampler				
GLUED LAMINATED STRUCTURAL LUMBER				
Fabrication inspection				
Sample and test steel accessories				
Inspect fabrication of steel accessories				

SUITABILITY TESTS
 CONCRETE MATERIALS
 GUNITE
 MORTAR
 GROUT

MATERIAL	MAXIMUM SIZE	COMPRESSIVE STRENGTH, PSI MINIMUM

Let of structural steel members to be tested:
 All unidentified steel members per: 2212A.1

Other Tests and Inspections, together with special instructions:
 Test Jif-E score: Load test per DSA PA-036

Copies of Reports to:
 Geiger Graphics
 Norman A. Geiger
 5115 Andrew Blvd, #63
 Sacramento CA 95823-2518

By: [Signature]
 AUTHORIZED REPRESENTATIVE

SHEET INDEX

- A TITLE SHEET, SHEET INDEX, DSA REQUIREMENTS, BUILDING DATA
- A1 GENERAL SPECIFICATIONS, VARIABLE SPECIFICATIONS, GENERAL NOTES
- A2 FLOOR PLAN, ROOF PLAN, DETAILS, SCHEDULES
- A3 EXTERIOR AND INTERIOR ELEVATIONS, GENERAL NOTES, LEGEND
- A4 REFLECTED CEILING PLAN, DETAILS
- A5 CROSS SECTION, DETAILS
- A6 DETAILS
- E1 ELECTRICAL PLAN, DETAILS
- M1 MECHANICAL PLAN, DETAILS
- S01 GENERAL NOTES AND TYPICAL DETAILS
- S02 TYPICAL DETAILS
- S21 CONCRETE FOUNDATION PLANS
- S22 WOOD FOUNDATION PLANS
- S23 FLOOR AND ROOF PLANS
- S24 TYPICAL FLOOR & ROOF PLANS & DETAILS - SIDEWALL NOTES
- S5-1 CONCRETE FOUNDATION DETAILS
- S5-1W WOOD FOUNDATION DETAILS
- S81 ROOF & FLOOR DETAILS
- S82 ROOF DETAILS
- S83 LIGHT GAUGE STEEL WALL DET.
- S91 RAMP AND LANDING - FRAMING PLAN, GENERAL NOTES
- S92 RAMP AND LANDING - ELEVATION, DETAILS

- M1 MECHANICAL PLAN, DETAILS
- E1 ELECTRICAL PLAN, SCHEDULES, DETAILS

BUILDING DATA

OCCUPANCY USE: E-2
 SIZE (24' x 40'): 960 SF
 OCCUPANCY LOAD: 48
 CONSTRUCTION TYPE: V
 FIRE RESISTANCE: NOT RATED
 ROOF LIVE LOAD: 20 PSF
 FLOOR LIVE LOAD: 50 PSF MIN.
 WIND: 75 MPH W/DF C
 SEISMIC ZONE: 4

APPROVALS

34-0

IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 03-118272
 DATE 7-14-97

PC 330

APPROVED
 STATE ARCHITECT
 STATE ENGINEER
 REGULATION SERVICES

DATE	FILE NO.	FILE NO.

A