

STAIR SECTION (OPTIONAL) 16



STAIR PLAN (OPTIONAL) 12



ADJUSTABLE LEG BASE PLATE 8



ADJUSTABLE LEG 3" 5



SECTION AT RAMP 3/4" 1



STAIR ELEVATION (OPTIONAL) 17



STAIR ELEVATION (OPTIONAL) 13



BASE PLATE @ RAMP TOE 9



RAMP TRANSITION BY DISTRICT 1/2" 18



14



SKIRT FLASHING 3" 10



ADJUSTABLE LEG 3" 6



END ELEVATION 3/4" 3



RAMP TRANSITION BY DISTRICT 1/2" 19



SECTION @ INT. FRAME 1/2" 15



SKIRT @ SILL PLATE 3" 11



ADJUSTABLE LEG BASE PLATE 7



SECTION @ PLATE 1/2" 4

KEY NOTES

1	TS 2" x 2" x 14ga
2	TS 1 1/2" x 1 1/2" x 14ga (Fy = 30 KSI)
3	TS 1 1/4" x 1 1/4" x 14ga (Fy = 30 KSI)
4	TS 1" x 1" x 16ga WHEELCHAIR GUIDE
5	2 x 6 PT SILL PLATE
6	2 x 2 NAILER W/16d @ 12" OC
7	2 x RW HEADER BY DISTRICT.
8	6" x 10ga CONTINUOUS PLATE W/ #14 x 2" TEK SCREWS @ 6" OC INTO WOOD OR FOUNDATION BLOCKS OR #14 x 2" TEK SCREWS INTO METAL @ 6"OC
11	2" x 4" x 12ga BASE PLATE W/2-1/4" x 1" LAGS
12	6" x 10" x 12ga BASE PLATE @ RAMP TOE.
14	LOWER LANDING BY DISTRICT
15	SKIRTING: PLYWOOD TO MATCH BUILDING SIDING. BLOCK ALL EDGES. ATTACH W/8d @ 6" OC EDGES AND 12" OC FIELD. AT EDGE CONNECTION TO T.S. USE #14 x 2" TEK SCREWS @ 6" OC
16	12ga METAL DECK: NON-SLIP SURFACE. DESIGN COEFFICIENT OF FRICTION GREATER THAN 6%. MAINTAINABLE FOR 1 YR.
18	EXISTING BUILDING.
19	CAULKING
20	26 ga FLASHING
23	3/8" dia x 2" LONG MB W/NUT & WASHERS
26	PAVE BY DISTRICT.
27	RAMP BY MODTECH
28	FLUSH TRANSITION
29	3" MINIMUM BUILDING SERERATION
30	PROVIDE DIVERSION FOR WATER FROM DOWNSPOUT FOR THIS CONDITION. BY DISTRICT
32	FOR LANDING DETAILS AND RAMP ATTACHEMENT SEE 12/R1.0
33	FASTEN POSTS W/ 3/8" ø THRU BOLT. TYPICAL
34	2" WARNING STRIPES MAX 1" FROM EVERY STAIR NOSING. USE CONTRASTING COLOR.
36	TS 2 1/2" x 1 1/2" x 8ga ASTM A500 GRADE A

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
04 100596
AC FLS SS
DATE AUG 10 1998

IDENTIFICATION STAMP
DIV OF THE STATE ARCHITECT
APP03 110574
AC FLS SS
DATE SEP 23 2015

STKP-37

REVISIONS

1			
2			
3			

Electrical Engineer's Seal

Mechanical Engineer's Seal

Structural Engineer's Seal
LICENSE EXPIRES 6-30-2000

Architects Seal
GEORGE C. EDWARDS
No. C 2958
REN. 9-30-97
STATE OF CALIFORNIA

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
PC 266
AC FLS SS
DATE JAN 2 1 1997
REVISED

MODTECH

MODTECH INC.
2830 BARRETT AVENUE
PERRIS, CALIF. 92572
PH (909) 943-4014
FAX (909) 940-0427

Job Number: PC 266
2900

© MODTECH, INC. 1997
4012-083

drawn by: date 2765 1/97
checked by: date 2852 2954
Modtech project no: 2900 2818

MODTECH Index No.

RAMP/STAIR DETAILS

R2.0