

DOOR TYPES


LEGEND

(E) = EXISTING
(N) = NEW
W = WOOD
HM = HOLLOW METAL

NEW AND COR'D
REPLACE HW W/NEW
(SEE REMARKS FOR REUSE)

DOOR TYPES
Exit Door Hardware
For Toilets, Storage Rooms, etc.
(See Hardware Schedule)

SEC. 3303 OF THE UNIFORM BUILDING CODE REQUIRES THAT "EXIT DOORS SHALL BE OPENABLE FROM THE INSIDE WITHOUT THE USE OF A KEY OR ANY SPECIAL KNOWLEDGE OR EFFORT." IT ALSO PROVIDES THAT DEAD BOLTS MAY BE USED IF THE OCCUPANT LOAD IS LESS THAN 10. THIS DEAD BOLT MUST BE MOUNTED 48" MAXIMUM ABOVE THE FLOOR AND MUST BE OPENABLE FROM THE INSIDE WITHOUT SPECIAL KNOWLEDGE OR EFFORT.



GIRLS
BOYS
(PROVIDE SYMBOLS (CONSTRUCTED OF 1/4" MIN THICK RIGID PLASTIC) AT EA. RESTROOM W/ HANDICAPPED FACILITIES - IN BLUE COLOR NO. 15030 IN FED STD 995 a.)

DOOR SCHEDULE 8712 MUNSEY SCHOOL MODERNIZATION

UNIT	DR. #	DOOR SIZE	TYPE (N)	THICKNESS	EXISTING	REPLACE	PLA. CLAS.	BITTS	EXIT DEV.	LOCK	SPL. STAK.	KEY SET	PUSH PULL	KICK PL.	NO. PL.	S & H	STRAGAL.	FILED PL.	THRESHOLD	FINISH	U.L. LABEL	DETAIL NO.	REMARKS	
A	1	6070	A	1 3/4"	W	W		B2	E4	L1			C1	K1			Y2	T4	W2				REUSE BALANCE OF (E) HARDWARE	
A	2	3070	B	1 3/4"	W	W		B2	L6				C5	K1				T1	W4					
A	3	6070	A	1 3/4"	W	W		B2	E4	L1			C1	K1			Y2	T4	W2					
A	4	5070	A	1 3/4"	W	W		B2	E4	L1			C1	K1			Y2	T4	W2					
A	5	3070	B	1 3/4"	W	W			E6	L2				K1				T4	W2					
A	6	3070	B	1 3/4"	W	W			E6	L2				K1				T4	W2					
A	7	2870	B	1 3/4"	W	W		B2	L4					K1				T4	W2					
A	8	3670	B	1 3/4"	W	W		B2	L4				K2	S12					W2					
A	9	2870	B	1 3/4"	W	W		B2	L4					K2				T1	W4					
A	10	3068	B	1 3/4"	W	W			L9															
A	11	31068	D	1 3/4"	W	W		B2	L2				C2	S12				T4	W2					REUSE (E) DOOR CLOSER CORNER BRKT
A	12	3068	D	1 3/4"	W	W		B2	L7					K1				T4	W2					REUSE BALANCE OF (E) HARDWARE
A	13	2868	C	1 3/4"	W	W		B2	L4					K1				T4	W2					
A	14	3070	B	1 3/4"	W	W		B2	L6				C5	K1				T1	W4					
A	15	3070	B	1 3/4"	W	W	W	M	B2	E7	L1			C2	K1	S13								
A	16	3070	B	1 3/4"	W	W	W	M	B2	E7	L1			C2	K1	S13								
A	17	7070		5/8"	W	W																		REUSE (E) HARDWARE
A	18	7070		5/8"	W	W																		
A	19	3070	B	1 3/4"	W	W			L2															
A	20	3070	B	1 3/4"	W	W			L2															
A	21	3070	B	1 3/4"	W	W			L2															
A	22	3068	B	1 3/4"	W	W	W	M	B2	L3			C5	K1	K2	S13								REUSE (E) HARDWARE
A	23	2666		5 1/2"	W	W																		
A	24	2668	B	1 3/4"	W	W	W	M	B2	L4			C2	K1	K2	S13								REUSE (E) HARDWARE
A	25	2668	B	1 3/4"	W	W																		
A	26	2668	B	1 3/4"	W	W																		
B1	27	3070	D	1 3/4"	W	W		F1	L2									T2	W2					REUSE BALANCE OF (E) HARDWARE
B1	28	3068	D	1 3/4"	W	W		B2	L4				C2	K1	S1			T4	W2					
R1	29	3068	B	1 3/4"	W	W		B2	L4				C2	K1	S1			T4	W2					

MUNSEY SCHOOL MODERNIZATION
BAKERSFIELD CITY SCHOOL DISTRICT
BAKERSFIELD, CALIFORNIA

APPROVED
Engineer of School District
Bakersfield, California
6/27/89

ONLY
57471402
5/24/89

Kenrick Design Group
architects • planners
2115 19th Street, Bakersfield, CA 93301 • (805) 322-1863

job number 8712
sheet number A-22

TITLE 24 & 1994 USC

52421 pm/la