

FLOOR PLAN (24' X 40')

SCALE 1/4"=1'-0"

- ### KEY NOTES
- 1 ROOF OVERHANG
  - 2 HVAC UNIT - SEE MECH SHEET
  - 3 2- 8'X4' MARKER BOARDS (SEE SPECS)
  - 4 FINISH FLOORING: (SEE FINISH SCHED) A5.0
  - 5 TYPICAL INTERIOR FINISH (SEE FINISH SCHEDULE) A5.0
  - 6 FIRE EXTINGUISHER - 5 LBS. DRY CHEMICAL WITH 2A-10BC U.L. RATING ON WALL MTD BRACKET. HANDLE AT 48" A.F.F.
  - 7 MODLINE (M, TYPICAL)
  - 8 LINE OF RAMP/LANDING SEE R1.0 & R2.0

- ### NOTES
1. METAL TAG ON ALL MODULES. MECHANICALLY ATTACHED TO REAR EXTERIOR OF BUILDING. SHOW D.S.A. APPLICATION NUMBER, MANUFACTURER'S NAME AND SERIAL NUMBER. ROOF & FLOOR DESIGN LIVE LOAD AND DESIGN WIND LOAD.
  2. INSULATION MATERIALS INSTALLED WITHIN FLOOR-CEILING ASSEMBLIES, ROOF-CEILING ASSEMBLIES, WALLS, CRAWL SPACES, OR ATTICS SHALL HAVE A FLAMESPREAD RATING NOT TO EXCEED 25 AND A SMOKE DENSITY NOT TO EXCEED 450. EXCEPTIONS: 1. FOAM PLASTIC INSULATION SHALL COMPLY WITH SEC. 2602.2. WHEN MATERIALS ARE INSTALLED IN CONCEALED SPACES OF TYPES I, II, IV, AND V CONSTRUCTION, THE FLAME SPREAD AND SMOKE-DEVELOPED LIMITATIONS DO NOT APPLY TO FACINGS IF THE FACING IS INSTALLED IN SUBSTANTIAL CONTACT WITH THE UNEXPOSED SURFACE OF THE CEILING, FLOOR OR WALL FINISH. (SEC. 707.3 CBC.)

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
APPROX 116818  
AC/PLS/SS/EX  
DATE 05.12.15

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
OFFICE OF REGULATION SERVICES  
O4 100596  
AC/PLS/SS/EX  
DATE MAY 10 1996

REVISED

REVISIONS	Electrical Engineer's Seal	Mechanical Engineer's Seal	Structural Engineer's Seal	Architect's Seal	Division of the State Architect


Electrical Engineer's Seal

Mechanical Engineer's Seal

Structural Engineer's Seal

Architect's Seal

Division of the State Architect



**MODTECH INC.**  
2830 BARRETT AVENUE  
PERRIS, CALIF. 92572  
PH (909) 943-4014  
FAX (909) 940-0427

PROJECT NUMBER: 2900

© MODTECH, INC. 1997 4012-083

drawn by: 2765  
checked by: 2852  
date: 2854  
project no: 2900  
MODTECH logo

FLOOR PLAN

A10

PROJECT NO.