

JOB # 2058

20- 24' X 40' RELOCATABLE BUILDINGS

FOR

CLASS LEASING
STOCKPILE 18

SYMBOLS		
TYPE	SYMBOL	DESCRIPTION
DETAIL		DETAIL ON SAME SHEET AS SYMBOL
DETAIL		DETAIL NUMBER (1) ON SHEET NUMBER (2)
NOTE		NOTE NO. 1, ON SAME SHEET AS SYMBOL.
NOTE		NOTE NO. 4 ON SHEET NUMBER (3)
WALL PANEL		WALL PANEL TYPE "A" ON SHEET (1).
SECTION		SECTION "A" ON SHEET (2)
REF.		REVISION CHANGE IN DWG. NO. (1), FIRST REVISION
REF.		HIGHLIGHTS CHANGED AREA

SPECIFICATIONS SUBJECT TO CHANGE
DUE TO PRODUCT IMPROVEMENT

APPLICABLE CODES - NEW CONSTRUCTION

1991 UBC AND 1992 CALIFORNIA AMENDMENTS (92 CALIFORNIA BUILDING CODE - PART 2, TITLE 24, CCR)
1990 NEC AND 1990 CALIFORNIA AMENDMENTS (91 CALIFORNIA ELECTRICAL CODE - PART 3, TITLE 24, CCR)
1991 UMC AND 1992 CALIFORNIA AMENDMENTS (92 CALIFORNIA MECHANICAL CODE - PART 4, TITLE 24, CCR)
1991 UPC AND 1992 CALIFORNIA AMENDMENTS (92 CALIFORNIA PLUMBING CODE - PART 5, TITLE 24, CCR)
1991 UNIFORM FIRE CODE WITH STATE AMENDMENTS (CALIFORNIA FIRE CODE - PART 9, TITLE 24, CCR)
1992 BUILDING STANDARDS CODE (92 STATE REFERENCED STANDARDS CODE - PART 12, TITLE 24, CCR)
TITLE 19, C.C.R., PUBLIC SAFETY, STATE FIRE MARSHALL REGULATIONS.

STOCKPILE # 18 RELOCATABLE CLASSROOM BUILDINGS
CLASS LEASING INC.

20- 24x40 CLASSROOMS CONSTRUCTED BY MODTECH, INC.

SERIAL NUMBERS:

15658-59
15660-61
15680-81
15682-83
15684-85
15686-87
15688-89
15690-91
15692-93
15694-95
15696-97
15698-99
15703-04
15705-06
15765-66
15892-93
15894-95
16712-13
16714-15
18382-83

TOTAL 20 Buildings

OFFICE OF STATE FIRE MARSHAL

APPROVED

Approval of this plan does not authorize or approve any omission or deviation from applicable regulations. Final approval is subject to field inspection. One set of approved plans shall be available on the project site at all times.

Reviewed by:

"AS ALTERNATE FOR ALL SHOT PIN ATTACHMENTS, USE #10 S.T.S.M.S. AT THE SAME SPACING."

F1.0 STOCKPILE CLASSROOM RELOCATION FOUNDATION PLAN & DETAILS R# 04-111441
F2.0 STOCKPILE CLASSROOM RELOCATION FOUNDATION PLAN & DETAILS R# 04-112161

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
APPROX 116818
AC M. FLS R. SS EX
DATE 051215

F33-0
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION & REVIEW
APPL 63288
AC M. FLS R. SS EX
DATE 05-4-95

APPROVED BY: J. B. KINHAL
DATE: 5-4-95

NOTE: SPECIFICATIONS SUBJECT TO CHANGE DUE TO OSA REQUIREMENTS AND OR PRODUCT IMPROVEMENTS

MACHINE APPLIED NAILING

USE OF MACHINE NAILING IS SUBJECTED TO A SATISFACTORY JOB SITE DEMONSTRATION FOR EACH PROJECT AND THE APPROVAL BY THE PROJECT ARCHITECT OR STRUCTURAL ENGINEER AND THE OFFICE OF THE STATE ARCHITECT. THE APPROVAL IS SUBJECTED TO CONTINUED SATISFACTORY PERFORMANCE. MACHINE NAILING WILL NOT BE APPROVED IN 5/16" PLYWOOD, IF NAILHEADS PENETRATE THE OUTER PLY MORE THAN WOULD BE NORMAL FOR A HAND HAMMER OR IF MINIMUM ALLOWABLE EDGE DISTANCES ARE NOT MAINTAINED THE PERFORMANCE WILL BE DEEMED UNSATISFACTORY.

REFERENCE TITLE 24, PART 2, SEC. 2513 (c)

REVISED 2/1/95

SHEET INDEX

ARCHITECTURAL	A.0 - COVER SHEET A1.0 - FLOOR PLAN A2.0 - ROOF PLAN A3.0 - EXTERIOR ELEVATION A4.0 - INTERIOR ELEVATIONS A5.0 - FINISH SCHEDULE A6.0 - ARCHITECTURAL DETAILS A7.0 - ARCHITECTURAL DETAILS A8.0 - ARCHITECTURAL DETAILS - METAL STUDS A9.0 - ARCHITECTURAL DETAILS - METAL STUDS A10.0 - REFLECTED CEILING PLANS A11.0 - REFLECTED CEILING PLAN DETAILS
STRUCTURAL	F1.0 - FOUNDATION PLAN (CONCRETE) F2.0 - FOUNDATION PLAN (CONCRETE) F1.0 - FOUNDATION PLAN WOOD SILL F1.1 - FOUNDATION DETAILS WOOD SILL S1.0 - FLOOR FRAMING PLAN END MODULES S1.1 - FLOOR FRAMING PLAN CENTER MODULES S1.2 - FLOOR FRAMING PLAN END MODULES 10' O.C. S1.3 - FLOOR FRAMING PLAN CENTER MODULES 10' O.C. S2.0 - ROOF FRAMING PLAN END MODULES S2.1 - ROOF FRAMING PLAN CENTER MODULES S3.0 - STRUCTURAL ELEVATIONS AND DETAILS S4.0 - STRUCTURAL DETAILS S5.0 - WALL FRAMING S5.1 - WALL FRAMING DETAILS S5.2 - WALL FRAMING DETAILS S6.0 - WALL FRAMING METAL STUDS S6.1 - WALL FRAMING DETAILS METAL STUDS S6.2 - WALL FRAMING DETAILS METAL STUDS
MECHANICAL	M1.0 - HVAC PLAN
PLUMBING	
ELECTRICAL	E1.0 - ELECTRICAL PLAN
RAMP	R1.0 - RAMP PLAN R2.0 - RAMP/STAIR DETAILS

BUILDING DATA

24'X40' BLD'G.

OCCUPANCY	E-2
TYPE OF CONSTRUCTION	V-N
WIND LOAD	10 MPH. EXP. "C"
FLOOR LIVE LOAD	50 P.S.F.
ROOF LIVE LOAD	20 P.S.F.
BUILDING AREA	960 SQ. FT.
STRUCTURAL DESIGN	STEEL FRAME

BTGP-18
4012-064
CLL6.018

4 9/29/94 UPDATE
APPLICABLE CODES

3 4-28-94

1 6-29-93

ARCHITECT

ELECTRICAL







STRUCTURAL

MECHANICAL

FIRE MARSHAL

ACCESS COMPLIANCE

STRUCTURAL SAFETY



MODTECH, INC.
2830 BARRETT AVE. P.O. BOX 1240
FERRIS, CA 94501

DRAWN BY #2058

DATE
CHECKED BY
DATE 5/4/95

A.O.

12/07
100L