



FLOOR PLAN (24' X 40')

SCALE 1/4"=1'-0"

- ### KEY NOTES
- 1 ROOF OVERHANG
 - 2 HVAC UNIT - SEE MECH. SHEET
 - 3 2- 8'X4' MARKER BOARDS (SEE SPECS)
 - 4 FINISH FLOORING: (SEE FINISH SCHED.) A5.0
 - 5 TYPICAL INTERIOR FINISH (SEE FINISH SCHEDULE) A5.0
 - 6 FIRE EXTINGUISHER - 5 LBS. DRY CHEMICAL WITH 2A-10BC U.L. RATING ON WALL MTD. BRACKET. HANDLE AT 48" A.F.F.
 - 7 MODLINE (M. TYPICAL)
 - 8 LINE OF RAMP/LANDING SEE R1.0 & R2.0

- ### NOTES
1. METAL TAG ON ALL MODULES. MECHANICALLY ATTACHED TO REAR EXTERIOR OF BUILDING SHOW D.S.A. APPLICATION NUMBER, MANUFACTURER'S NAME AND SERIAL NUMBER, ROOF & FLOOR DESIGN LIVE LOAD AND DESIGN WIND LOAD.
 2. INSULATION MATERIALS INSTALLED WITHIN FLOOR-CEILING ASSEMBLIES, ROOF-CEILING ASSEMBLIES, WALLS, CRAWL SPACES, OR ATTICS SHALL HAVE A FLAMESPREAD RATING NOT TO EXCEED 25 AND A SMOKE DENSITY NOT TO EXCEED 450. EXCEPTIONS: 1. FOAM PLASTIC INSULATION SHALL COMPLY WITH SEC. 2602 2. WHEN MATERIALS ARE INSTALLED IN CONCEALED SPACES OF TYPES I, II, IV, AND V CONSTRUCTION, THE FLAME SPREAD AND SMOKE-DEVELOPED LIMITATIONS DO NOT APPLY TO FACINGS IF THE FACING IS INSTALLED IN SUBSTANTIAL CONTACT WITH THE UNEXPOSED SURFACE OF THE CEILING, FLOOR OR WALL FINISH. (SEC. 707.3 CBC.)

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES

04 100929

APPROX 116318

DATE 051215

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT

APPROX 116318

DATE 051215

REVISIONS <table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td style="width: 5%;"> </td><td style="width: 15%;"> </td><td style="width: 15%;"> </td><td style="width: 15%;"> </td><td style="width: 15%;"> </td><td style="width: 15%;"> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </table>																															Electrical Engineer's Seal <div style="border: 1px solid black; height: 40px; width: 100%;"></div>	Mechanical Engineer's Seal <div style="border: 1px solid black; height: 40px; width: 100%;"></div>	Structural Engineer's Seal <div style="border: 1px solid black; height: 40px; width: 100%;"></div>	Architect's Seal <div style="border: 1px solid black; height: 40px; width: 100%;"></div>	Division of the State Architect <div style="border: 1px solid black; height: 40px; width: 100%;"></div>	<div style="text-align: center;"> MODTECH INC. 2830 BARRETT AVENUE PERRIS, CALIF. 92572 PH (909) 943-4014 FAX (909) 940-0427 </div>	PROJECT NUMBER: 2986 © MODTECH, INC. 1997	drawn by: 4012-088 checked by: 05 JAN 99 date: 2506 project no: 2986 <div style="border: 1px solid black; padding: 5px; text-align: center; font-size: 24px; font-weight: bold;">A1.0</div>