



KEY NOTES

- TS 2"x2"x14 GA
- TS 1 1/2"x1 1/2"x14 GA (Fy = 39 KSI) ROUNDED OR BEVELED AT CORNERS.
- TS 1"x1"x16 GA WHEELCHAIR GUIDE
- 2"x6" PRESSURE TREATED SILL PLATE
- 2"x4"x12 GA BASE PLATE WITH 2-1/4"x1" LAGS
- SKIRTING: PLYWOOD TO MATCH BUILDING SIDING, BLOCK ALL EDGES. ATTACH WITH 8d AT 6" OC EDGES AND 12" OC FIELD. AT EDGE CONNECTION TO TS. USE #14x2" TEK SCREWS AT 6" OC
- 12GA METAL DECK: NON-SLIP SURFACE. DESIGN COEFFICIENT OF FRICTION GREATER THAN 0.6, MAINTAINABLE FOR 1 YR.
- EXISTING BUILDING.
- 6"x10"x12 GA BASE PLATE AT RAMP TOE.
- LOWER LANDING BY DISTRICT
- RAMP BY MODTECH
- FLUSH TRANSITION
- PAVE BY DISTRICT
- 3"x1"x3'-0"x10 GA BENT PLATE
- FASTEN POSTS WITH 3/8" DIA THRU BOLT, TYPICAL
- RAMP LANDING, TYPICAL
- 26 GA FLASHING
- 3/8" DIAx2" LONG MB WITH NUT & WASHERS
- CAULKING
- 6"x10GA CONTINUOUS PLATE WITH #14x2" TEK SCREWS AT 9" OC INTO WOOD OR FOUNDATION BLOCKS OR #14x2" TEK SCREWS INTO METAL AT 9" OC
- PROVIDE DIVERSION FOR WATER FROM DOWNSPOUT FOR THIS CONDITION. BY DISTRICT
- TS 1 1/4"x1 1/4"x14 GA (Fy = 39 KSI)
- 4" MINIMUM BUILDING SEPARATION
- 2" SLIP RESISTANT WARNING STRIPES MAX 1" FROM EVERY STAIR NOSING. USE CONTRASTING COLOR.
- TS 2 1/2"x1 1/2"x8 GA ASTM A500 GRADE A
- 2"x2" NAILER WITH 16d AT 12" OC
- PROVIDE ROUNDED OR BEVELED EDGES ON STAIR NOSING.

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
APPROX 116318
AC/PLS/SS/EX
DATE 051215

102365
DATE 062006

PC
CBC 1998

MODTECH INC.
2830 BARRETT AVENUE
PERRIS, CALIF. 92572
PH (909) 943-4014
FAX (909) 940-0427

PROJECT NUMBER: © MODTECH, INC. 1999

STOCKPILE #53
CLASS LEASING INC #3513
4012-107 80 MPH
100-24x40 CLASSROOMS

DRAWN BY: 3860
DATE: 3880
CHECKED BY: 3753
DATE: 7/6/00
MODTECH Index No.

R1.02

REVISIONS			
1			
2			
3			
4			
5			

Electrical Engineer's Seal

Mechanical Engineer's Seal

Structural Engineer's Seal

Architect's Seal

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES
PC-04
101268
DATE SEP 07 1000

MODTECH

PROJECT NUMBER: © MODTECH, INC. 1999

STOCKPILE #53
CLASS LEASING INC #3513
4012-107 80 MPH
100-24x40 CLASSROOMS

DRAWN BY: 3860
DATE: 3880
CHECKED BY: 3753
DATE: 7/6/00
MODTECH Index No.

R1.02

FILE PATH: 2440-R1.02.DWG
3904, 3905, 4010, 4032, 4131
PROJECT NO. PC-04-101268