



- ### KEY NOTES
- 1 TS 2" x 2" x 14ga
  - 2 TS 1 1/2" x 1 1/2" x 14ga (Fy = 39 KSI)
  - 3 TS 1 1/4" x 1 1/4" x 14ga (Fy = 39 KSI)
  - 4 TS 1" x 1" x 16ga WHEELCHAIR GUIDE
  - 5 2 x 6 PT SILL PLATE
  - 6 2 x 2 NAILER W/16d @ 12" OC
  - 7 2 x RW HEADER BY DISTRICT.
  - 8 6" x 10ga CONTINUOUS PLATE W /#14 x 2" TEK SCREWS @ 9" OC INTO WOOD OR FOUNDATION BLOCKS OR #14 x 2" TEK SCREWS INTO METAL @ 9" OC
  - 11 2" x 4" x 12ga BASE PLATE W/2-1/4" x 1" LAGS
  - 12 6" x 10" x 12ga BASE PLATE @ RAMP TOE.
  - 14 LOWER LANDING BY DISTRICT
  - 15 SKIRTING: PLYWOOD TO MATCH BUILDING SIDING, BLOCK ALL EDGES, ATTACH W/8d @ 6" OC EDGES AND 12" OC FIELD. AT EDGE CONNECTION TO T.S. USE #14 x 2" TEK SCREWS @ 9" OC
  - 16 12ga METAL DECK: NON-SLIP SURFACE. DESIGN COEFFICIENT OF FRICTION GREATER THAN 0.8. MAINTAINABLE FOR 1 YR EXISTING BUILDING.
  - 18 CAULKING
  - 19 26 ga FLASHING
  - 23 3/8" dia x 2" LONG MB W/NUT & WASHERS
  - 26 PAVE BY DISTRICT.
  - 27 RAMP BY MODTECH
  - 28 FLUSH TRANSITION
  - 29 3" MINIMUM BUILDING SERERATION
  - 30 PROVIDE DIVERSION FOR WATER FROM DOWNSPOUT FOR THIS CONDITION. BY DISTRICT
  - 32 FOR LANDING DETAILS AND RAMP ATTACHEMENT SEE 12/R1.0
  - 33 FASTEN POSTS W/ 3/8" @ THRU BOLT. TYPICAL
  - 34 2" WARNING STRIPES MAX 1" FROM EVERY STAIR NOSING. USE CONTRASTING COLOR.
  - 36 TS 2 1/2" x 1 1/2" x 6ga ASTM A500 GRADE A

NO.	REVISIONS

REVISIONS

Electrical Engineer's Seal

Mechanical Engineer's Seal

Structural Engineer's Seal

Architects

MODTECH INC. 2830 BARRETT AVENUE PERRIS, CALIF. 92572 PH (909) 943-4014 FAX (909) 940-0427

IDENTIFICATION STAMP OF THE STATE ARCHITECT OFFICE OF REGULATION SERVICES

PC 282

DATE JAN 21 1997

MODTECH

Job Number: PC 282

© MODTECH, INC. 1997

drawn by FWH

date 11/96

checked by

date

Modtech project no.

MOOTECH Index No.

4012-085 **STKP-40**

3060 2928

**RAMP/STAIR DETAILS R2.0**

