

(SIM. AT SILL AND JAMB)

5 EXTERIOR WINDOW HEAD – TYP. SCALE: 6"=1'-0"



(SIM. AT SILL AND JAMB)

1 EXTERIOR WINDOW HEAD WITH TRIM – TYP. SCALE: 6"=1'-0"



(BASE CASEWORK SHOWN, WALL AND TALL CASEWORK SIMILAR)

2 CASEWORK TO WALL ATTACHMENT



7 EXTERIOR DOOR JAMB METAL FRAME SCALE: 6" = 1'-0"



3 EXTERIOR DOOR JAMB METAL FRAME WITH TRIM SCALE: 6" = 1'-0"

THIS DIAGRAM ILLUSTRATES THE SPECIFIC REQUIREMENTS OF THESE REGULATIONS AND IS INTENDED ONLY AS AN AID FOR BUILDING DESIGN AND CONSTRUCTION, NOT AS AN ILLUSTRTION OF A SPECIFIC THRESHOLD MODEL OR TYPE.

THRESHOLD – TYPICAL
"ALL THRESHOLDS TO CONFORM TO DIMENSIONS IN FIGURE 33-5B

DOOR HARDWARE: EXIT DOORS SHALL BE OPERABLE FROM THE INSIDE WITHOUT THE USE OF A KEY OR ANY OTHER SPECIAL KNOWLEDGE OR EFFORT. LATCHING AND LOCKING DOORS THAT ARE HAND-ACTIVATED AND WHICH ARE IN A PATH OF TRAVEL, SHALL BE OPERABLE WITH A SINGLE-EFFORT BY LEVER HARDWARE (NOT TO EXCEED 8.5 LBS. FOR EXTERIOR DOORS, 5 LBS. FOR INTERIOR DOORS; PANIC BARS, PUSH-PULL ACTIVATING BARS, OR OTHER HARDWARE DESIGNED TO PROVIDE PASSAGE WITHOUT REQUIRING THE ABILITY TO GRASP THE OPENING HARDWARE.

CALIFORNIA BUILDING CODE, SECTION 1004.3, 1004.4

FOR HARDWARE: SEE SPECIFICATION SHEET.



33-5B – THRESHOLDS

FIGURE NO. 33-5

14



11 RAMP WITH INTERMEDIATE SWITCH-BACK PLATFORM



[ ] NOT USED PROJECT

[ ] SEE SITE PLAN FOR LOCATION AND DIRECTION

(FOR DETAILS SEE SHEET R-1 & R-2)

4 PORTABLE STEEL RAMP AND LANDING – TYPE "A"

THIS DRAWING AND THE MATERIAL CONTAINED THEREIN ARE THE PROPERTY OF M.S.I. INC. AND SHALL NOT BE REPRODUCED, PUBLISHED OR OTHERWISE DISPOSED OF DIRECTLY OR INDIRECTLY AND SHALL NOT BE USED ON, FOR THE PURPOSE OF FURNISHING ANY INFORMATION FOR THE PURPOSE OF FURNISHING ANY APPARATUS FOR THE MAKING OF DRAWINGS, PRINTS APPARATUS OR PRINTS THEREFROM WITHOUT THE PRIOR EXPRESS AND WRITTEN CONSENT OF M.S.I. INC. ALL PATENTABLE MATERIAL CONTAINED HEREIN AND ORIGINATING WITH M.S.I. INC. AND ALL COPYRIGHTABLE MATERIAL CONTAINED HEREIN AND ORIGINATING WITH M.S.I. INC. SHALL BE THE PROPERTY OF M.S.I. INC

STATE AGENCY APPROVAL

ARCHITECT APPROVAL

STRUCTURAL ENGINEERS STAMP

STATE AGENCY APPROVAL

STATE AGENCY APPROVAL

STATE AGENCY APPROVAL

MSI
MODULAR STRUCTURES INTERNATIONAL, INC.
8250 CITRUS AVE. RIVERSIDE, CALIFORNIA 92507
PHONE: (909) 788-3535 FAX: (909) 788-1823

PC-323

REGENCY ENGINEERING & CONSULTING GROUP
17195 VON KARMAN, SUITE # 108
IRVINE, CA 92614
TELEPHONE: (714)265-0749
FAX: (714)263-3795
A SUBSIDIARY OF REGENCY COMPANY, INC.

PROJECT
24'X40', 36'X40', & 48'X40'
MODULAR CLASSROOM BUILDING

TITLE
ARCHITECTURAL STANDARD DETAILS

JOB # 96-1310

DATE 12/9/96

DRAWN BY B.N.

SCALE NONE

APPROVED

REVISIONS
1 2/4/97
2 3/24/97 MSI REV.
3 4/25/97 MSI REV.

PLOT DATE: 04/28/97

SHEET NO.
G-3