



NOTE:  
ALL KEY NOTE NUMBERS ON THIS SHEET REFER TO THE ITEMS ON THIS SHEET. REFER TO THIS SET OF PLANS FOR THE NUMBERS SHOWN ASSIGNED IN THIS SET OF PLANS.

- KEYNOTES
- RESET EXISTING WATER CLOSET IN THE SAME LOCATION AFTER ALL ARCHITECTURAL WORK HAS BEEN COMPLETED. PROVIDE NEW FLOOR VALVE ASSEMBLY FV-1, NEW SEAT WCS-1, SUPPLY PIPE AND BOLT COPS. CONNECT TO EXISTING PIPING.
  - RESET EXISTING WATER CLOSET IN THE SAME LOCATION AFTER ALL ARCHITECTURAL WORK HAS BEEN COMPLETED. PROVIDE NEW FLOOR VALVE ASSEMBLY FV-1, NEW SEAT WCS-2, SUPPLY PIPE AND BOLT COPS. CONNECT TO EXISTING PIPING.
  - NEW LOCATION OF EXISTING WATER CLOSET. PROVIDE NEW RUSH VALVE ASSEMBLY FV-1, NEW SEAT WCS-2, AND BOLT COPS. SEE DETAIL B/P-7 FOR NEW FLOOR CONNECTION.
  - RESET EXISTING LAVATORY IN THE SAME LOCATION AFTER ALL ARCHITECTURAL WORK HAS BEEN COMPLETED. RECONNECT TO EXISTING PIPING.
  - MOUNT EXISTING LAVATORY AT HANDICAP HEIGHT. PROVIDE NEW L-1-1 NEW P-TAP, TRAP ARM, WATER STOP AND SUPPLY. CONNECT TO EXISTING PIPING.
  - RESET EXISTING SERVICE SINK IN THE SAME LOCATION AFTER ALL ARCHITECTURAL WORK HAS BEEN COMPLETED. PROVIDE NEW WATER STOP AND SUPPLY. RECONNECT TO EXISTING PIPING.
  - NEW LOCATION OF EXISTING SERVICE SINK. SEE DETAIL C/P-7 FOR NEW FLOOR CONNECTION.
  - NEW DRINKING FOUNTAIN DF-1 TO REPLACE EXISTING. MOUNT AT HANDICAP HEIGHT. PROVIDE NEW P-TAP, TRAP ARM, WATER STOP AND SUPPLY. CONNECT TO EXISTING PIPING.
  - EXISTING FLOOR DRAIN TO BE REMOVED AND REPAIRED WITH NEW FLOOR IN THE SAME LOCATION. EXTEND PIPING AS NECESSARY.

TITLE: 24.8 1988 08C  
 PROJECT: WAYSIDE ELEMENTARY SCHOOL MODERNIZATION  
 SHEET NO.: P-7  
 DATE: DEC 7 1990  
 DRAWN BY: M.T.  
 CHECKED BY: G.M.E.  
 JOB NO.: 1702

SHEET: P-7  
 DATE:

M.T. # 11064  
 DATE:

**BAKERSFIELD CITY SCHOOL DISTRICT**  
**WAYSIDE ELEMENTARY SCHOOL MODERNIZATION**  
**BAKERSFIELD, CALIFORNIA**  
 Sheet title: **RESTROOM BLOWUPS**  
 WAYSIDE ELEMENTARY SCHOOL  
 BAKERSFIELD CITY SCHOOL DISTRICT  
 1000 MING AVENUE

**KLASSEN CORPORATION**  
 Architectural  
 Construction  
 2021 Westwind Drive  
 Bakersfield, CA 93301  
 (805) 327-0875