


MAINE APPLIED WARE

USE OF MACHINE NAILING IS SUBJECT TO A SATISFACTORY JOBSITE DEMONSTRATION FOR EACH PROJECT AND THE APPROVAL BY THE PROJECT ARCHITECT OR STRUCTURAL ENGINEER AND THE OFFICE OF THE STATE ARCHITECT. THE APPROVAL IS SUBJECT TO CONTINUED SATISFACTORY PERFORMANCE. MACHINE NAILING WILL NOT BE APPROVED IN 1/2" PLYWOOD IF NAILHEADS PENETRATE THE OUTER PLY MORE THAN WOULD BE NORMAL FOR A HAND HAMMER OR IF MINIMUM ALLOWABLE EDGE DISTANCES ARE NOT MAINTAINED THE PERFORMANCE WILL BE DEEMED UNSATISFACTORY.

American Modular Systems



CUSTOMER:
KCEOC - HEADSTART PROGRAM
VARIOUS SCHOOL SITES
36 X 40 BLDG FRAME

One/Two/Three/4/Innovative
Structural Engineers Incorporated
Suite 200 2500 Madison Oaks Trp
Carmichael, CA 95608 916/963-2800

DATE: 1-7-84
SCALE: 1/8" = 1'-0"
DRAWN BY: KAL
CHECKED BY: KAL
SERIAL NO.

NO	DATE	DESCRIPTION	BY	CHECKED
1	1-7-84	ISSUED FOR PERMITS	KAL	KAL
2	1-15-84	REVISED PER COMMENTS	KAL	KAL
3	1-22-84	REVISED PER COMMENTS	KAL	KAL

APPROVED FOR THE STATE ENGINEER
OFFICE OF REGULATION SERVICES
DATE: FEB 22 1984
BY: [Signature]

APPROVED FOR THE STATE ENGINEER
OFFICE OF REGULATION SERVICES
DATE: FEB 22 1984
BY: [Signature]