

- ### KEY NOTES
- 1 TS 2" x 2" x 14ga
  - 2 TS 1 1/2" x 1 1/2" x 14ga (Fy = 39 KSI)
  - 3 TS 1 1/4" x 1 1/4" x 14ga (Fy = 39 KSI)
  - 4 TS 1" x 1" x 16ga WHEELCHAIR GUIDE
  - 5 2 x 6 PT SILL PLATE
  - 6 2 x 2 NAILER W/16d @ 12" OC
  - 7 2 x RW HEADER BY DISTRICT.
  - 8 6" x 10ga CONTINUOUS PLATE W/ #14 x 2" TEK SCREWS @ 9" OC INTO WOOD OR FOUNDATION BLOCKS OR #14 x 2" TEK SCREWS INTO METAL @ 9" OC
  - 11 2" x 4" x 12ga BASE PLATE W/2-1/4" x 1" LAGS
  - 12 6" x 10" x 12ga BASE PLATE @ RAMP TOE.
  - 14 LOWER LANDING BY DISTRICT
  - 15 SKIRTING: PLYWOOD TO MATCH BUILDING SIDING. BLOCK ALL EDGES. ATTACH W/8d @ 6" OC EDGES AND 12" OC FIELD. AT EDGE CONNECTION TO T.S. USE #14 x 2" TEK SCREWS @ 6" OC (OPTIONAL)
  - 16 12ga METAL DECK: NON-SLIP SURFACE. DESIGN COEFFICIENT OF FRICTION GREATER THAN 6%. MAINTAINABLE FOR 1 YR.
  - 18 EXISTING BUILDING.
  - 19 CAULKING
  - 20 26 ga FLASHING
  - 23 3/8" dia x 2" LONG MB W/NUT & WASHERS
  - 26 PAVE BY DISTRICT.
  - 27 RAMP BY MODTECH
  - 28 FLUSH TRANSITION
  - 29 12" MINIMUM BUILDING SERERATION
  - 30 PROVIDE DIVERSION FOR WATER FROM DOWNSPOUT FOR THIS CONDITION. BY DISTRICT
  - 32 FOR LANDING DETAILS AND RAMP ATTACHEMENT SEE 12/R1.0
  - 33 FASTEN POSTS W/ 3/8" # THRU BOLT. TYPICAL
  - 34 2" WARNING STRIPES MAX 1" FROM EVERY STAIR NOSING. USE CONTRASTING COLOR.
  - 36 TS 2 1/2" x 1 1/2" x 8ga ASTM A500 GRADE A

**REVISED**

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
OFFICE OF REGULATION SERVICES  
04 10154  
DATE MAY 20 1998

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
OFFICE OF REGULATION SERVICES  
04 101527  
DATE SEP 02 1998

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
OFFICE OF REGULATION SERVICES  
03 11096  
DATE


REVISIONS	BY	DATE	DESCRIPTION

Electrical Engineer's Seal


Mechanical Engineer's Seal

Structural Engineer's Seal

Architect's Seal



IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
OFFICE OF REGULATION SERVICES  
PC 270  
DATE FEB 19 1999  
REVISED



**MODTECH INC.**  
2830 BARRETT AVENUE  
PERRIS, CALIF. 92572  
PH (909) 943-4014  
FAX (909) 940-0427

Job Number: PC 270 © MODTECH, INC. 1997

drawn by: FWH  
date: 11/98  
checked by: SS  
date: SS  
ModTech project no:  
MODTECH Index No.

# RAMP/STAIR DETAILS R2.0