

KEY NOTES

- 1 22 GA. MTL. ROOF DECK
- 2 [12GA. X 14" HEADER .
- 3 INSULATION SEE SPEC'S.
- 4 #10 S.T.S.M.S @24" O.C. OR 0.145# SHOT PIN AT 24" O.C.
- 5 STANDING SEAM ROOF BEAM (SEE STRUCTURAL)
- 6 FLOOR BEAM (SEE STRUCTURAL)
- 7 TUBE STEEL COLUMN.
- 8 2X4 STUD @ 16" O.C. TYP.
- 9 16d BOX NAILS @ 8" O.C.
- 10 2X4 SILL PLATE.
- 11 2X TRIMMER @ CORNER.
- 12 16d @ 24"O.C.
- 13 #10 S.T.S.M.S @ 16"O.C. OR AEROSMITH AKN 144.D175 DRIVE PIN.
- 14 2X4 TRIM
- 15 ROOF BEAM

				<p>SCALE: 3"=1'</p>	<p>SCALE: 3"=1'</p>		
17	13	ENDWALL • ROOF HDR.	9	PLATE • FLOOR	4	COLUMN • SIDEWALL.	1
				<p>SCALE: 4"=1'</p>	<p>SCALE: 4"=1'</p>		
18	14	END WALL • ROOF HEADER	10	COLUMN • ENDWALL	5	COLUMN • ENDWALL	2
				<p>SCALE: N.T.S.</p>	<p>SCALE: N.T.S.</p>		
19	15	COL. • ENDWALL/DOOR	11	ROOFPURLIN • ROOFBEAM	6	ROOFPURLIN • ROOFBEAM	3
20	16		12		8		

JUL 1 1999
REVISED

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES

O4 101527
AC [Signature]
DATE MAY 20 1999

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES

O4 101527
AC [Signature]
DATE SEP 12 1999

REVISIONS

▲					
▲					
▲					
▲					

Electrical Engineer's Seal

Mechanical Engineer's Seal

Structural Engineer's Seal

Architects Seal

IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
OFFICE OF REGULATION SERVICES

PC-270

AC [Signature] FL [Signature] SS [Signature]
DATE FEB 19 1999

REVISED

MODTECH INC.

2830 BARRETT AVENUE
PERRIS, CALIF. 92572

PH (909) 943-4014
FAX (909) 940-0427

PROJECT NUMBER: _____

© MODTECH, INC. 1999

WALL FRAMING DETAILS

DRAWN BY: RVE
CHECKED BY: [Signature]
DATE: 2-2-99

MODTECH PROJECT NO:
MODTECH Index No. **S5.1**

FILE PATH: PC270S51.DWG PROJECT NO. PC-270