

DOOR TYPES

LEGEND

(E) = EXISTING
(N) = NEW
W = WOOD
HM = HOLLOW METAL

NEW OR TYPE A, B, C OR D — DASH IN TOP INDICATES (E) DOOR TO REMAIN
DOOR TYPE
REPLACE HDW (INDICATED BY X)
(DASH LINE IN BOTTOM INDICATES NO HARDWARE REPLACEMENT)

DOOR TYPES

Exit Door Hardware
For Toilets, Storage Rooms, etc.
(See Hardware Schedule)

SEC. 3304(b) OF THE UNIFORM BUILDING CODE REQUIRES THAT "EXIT DOORS SHALL BE OPENABLE FROM THE INSIDE WITHOUT THE USE OF A KEY OR ANY SPECIAL KNOWLEDGE OR EFFORT." IT ALSO PROVIDES THAT DEAD BOLTS MAY BE USED IF THE OCCUPANCY LOAD IS LESS THAN 10. THIS DEAD BOLT MUST BE MOUNTED 48" MAXIMUM ABOVE THE FLOOR AND MUST BE OPENABLE FROM THE INSIDE WITHOUT SPECIAL KNOWLEDGE OR EFFORT.



(PROVIDE SYMBOLS (CONSTRUCTED OF 1/4" MIN THICK RIGID PLASTIC) AT EA. RESTROOM W/ HANDICAPPED FACILITIES - IN BLUE COLOR NO. 15090 IN FED STD 595 a.

Wood door
metal
frame

DOOR SCHEDULE

8/11
WILLIAM PENN MODERNIZATION

L E G E N D: (E) = EXISTING (N) = NEW W = WOOD HM = HOLLOW METAL
ALL DOORS AND PAIRS OF DOORS ARE LISTED IN NOMINAL SIZES - FIELD MEASURE FOR EXACT SIZES.

UNIT	DR. #	DOOR SIZE	TYPE (N)	THICKNESS	EXISTING MATERIAL DR.	EXISTING MATERIAL FR.	REPLACE VT. DR.	REPLACE VT. FR.	FLR CLSR	BUTTS	EXIT DEV.	LOCK	BPL	STRK	KEY SET	PUSH PULL	CLOSER	KICK PL.	MOP PL.	S & H	ASTRAGAL	FILLER PL.	THRESHOLD	W/S	MISC.	U.L. LABEL	DETAIL NO.	REMARKS
A1	1	3666	X	1 3/4"	W	W					L3								S1				T1	W2 W4				
A1	2	3666	X	1 3/4"	W	W					L3								S1				T1	W2 W4				
A1	3	3666	X	1 3/4"	W	W					L3								S1				T1	W2 W4				
A1	4	3666	X	1 3/4"	W	W					L3								S1				T1	W2 W4				
A1	5	3666	X	1 3/4"	W	W					L3								S1				T1	W2 W4				
A1	6	3666	X	1 3/4"	W	W					L3								S1				T1	W2 W4				
A1	7	3666	X	1 3/4"	W	W					L3								S1				T1	W2 W4				
A1	8	3070	X	1 3/4"	W	W				B2	L6																	
A1	9	3070	X	1 3/4"	W	W				B2	L6																	
A1	10	3670	X	1 3/4"	W	W				B2	L3												T1	W2 W4				
A1	11	3670	X	1 3/4"	W	W				B2	L3												T1	W2 W4				
A1	12	3670	X	1 3/4"	W	W				B2	L3												T1	W2 W4				
A1	13	3670	X	1 3/4"	W	W				B2	L3												T1	W2 W4				
A1	14	3670	X	1 3/4"	W	W				B2	L3												T1	W2 W4				
A1	15	3670	X	1 3/4"	W	W				B2	L3												T1	W2 W4				
A1	16	3670	B/X	1 3/4"	W	W	W	M		B2	L3				C1	K1			S7					W1	20 MIN	22 SPECS		
--	--																											
--	--																											
--	--																											
A2	17	3668	X	1 3/4"	M	W				F1	L2												T2					
A2	18	9768	X	1 3/4"	M	W				F1	L1												T2					
A2	19	7670	X	1 3/4"	M	W				F1	L1												T2					
A2	20	4055	X	1 3/4"	W	W																						
A2	21	3068	X	1 3/4"	W	W				B2	L6				P1 P2	C3	K1		S3 S2				T1					
A2	22	3068	X	1 3/4"	W	W				B2	L6				P1 P2	C3	K1		S2 S3				T1					
A2	23	2868	X	1 3/4"	W	W																						
A2	24	2868		1 3/4"	W	W																						
A2	25	2868		1 3/4"	W	W																						
A2	26	2868		1 3/4"	W	W																						
A2	27	3068		1 3/4"	W	W																						
A2	28	2868		1 3/4"	W	W																						
A2	29	2868		1 3/4"	W	W																						

TITLE 24 & 1979 UBC

52439 B4/10

date 6/23/89
revisions

WILLIAM PENN SCHOOL MODERNIZATION
BAKERSFIELD CITY SCHOOL DISTRICT
BAKERSFIELD, CALIFORNIA

Kendrick Design Group
Guy Kendrick AIA
architect • planners
2115 19th street • bakersfield, ca 93301 • (805) 322-1863

job number
8711

sheet number
A•17